American Journal of Obstetrics and Gynecology

Editors

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
T. Terry Hayashi
William H. Kirkley
Lawrence D. Longo
John Van S. Maeck
George W. Mitchell, Jr.
J. George Moore
Leon J. Shulman
J. C. G. Whetham
Samuel S. C. Yen

Board of corresponding editors

Oscar Aguero, *Caracas*
Fritz Beller, *Muenster/Westf.*
Pierre O. Hubinont, *Brussels*
Sir Norman Jeffcoate, *Liverpool*
Takashi Kobayashi, *Tokyo*

Volume 127
January-April, 1977
The C. V. Mosby Company
St. Louis
1977

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

***Volume* 127**
Copyright © 1977 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 127

Author index*

A

Abell, David (*see* Chang et al.), 793

Abrams, R. M., Notelovitz, M., Wilcox, C. J., Cantor, B., and Dockery, J. L. Cold pressor test in women: Effect on vaginal blood flow, 525

Addison, Allen. Adenocarcinoma of Bartholin's gland in a 14-year-old girl: Report of a case, 214 (Comm. in brief)

Adler, Robert A. The evaluation of galactorrhea, 569 (Clinical opinion)

Afonso, Jose F. (*see* Parer and Afonso), 204

Albrecht, R. C., Cefalo, R. C., Lewis, P. E., and Smith, J. P. Fetal growth after premature rupture of membranes, 869

Allen, Gail E. (*see* Loke, Brook, and Allen), 846

Allen, H. H., and Collins, J. A. Surgical management of carcinoma of the cervix, 741

— (*see* Brown, Allen, and Robins), 713

— (*see* Smith et al.), 228

Allen, L. C. (*see* Doran et al.), 759

Allen, Marjorie A. (*see* Stenchever et al.), 143

Allt, W. E. C. (*see* Bush et al.), 692

Amarose, Anthony P., Kyriazis, Aikaterini A., Dorus, Elizabeth, and Azizi, Freidoon. Clinical, pathologic, and genetic findings in a case of 46,XY pure gonadal dysgenesis (Swyer's syndrome). I. Dysgerminoma and gonadoblastoma, 824

— (*see* Dorus et al.), 829

Anderson, Gail V. (*see* Gabbe et al.), 465

Anderson, Stephen G., Hackshaw, Barry T., Still, J. Gordon, and Greiss, Frank C., Jr. Uterine blood flow and its distribution after chronic estrogen and progesterone administration, 138

— (*see* Gusdon, Anderson, and May), 1

Annegers, John F. (*see* McDonald et al.), 572

Aoyama, Hideyasu (*see* Roht et al.), 356

Appleman, Maria D. (*see* Thadepalli et al.), 250

Arai, Kiyoshi, and Yanaihara, Takumi. Steroid hormone changes in fetal blood during labor, 879

Arce, Juan J. (*see* Thadepalli et al.), 250

Archie, Julian T. (*see* Brueschke et al.), 118

Arenas, Rogelio (*see* Waltman et al.), 626

Asch, Ricardo H., and Greenblatt, Robert B. The use of an impeded androgen—danazol—in the management of benign breast disorders, 130

— (*see* Greenblatt et al.), 520

Assali, N. S. (*see* Dandavino et al.), 769

Atienza, Milagros F. (*see* Burkman et al.), 533

Ayromlooi, Jahangir (*see* Bhakthavathsalan et al.), 278

Azizi, Freidoon (*see* Amarose et al.), 824

B

Babakitis, M. (*see* Collins et al.), 444

Bailey, Penrhyn (*see* Cassady et al.), 21

Baker, G. L. (*see* Stehbens, Baker, and Kitchell), 408

Baldwin, Grace R., Moorthi, Doraswamy Saroja, Whelton, James A., and MacDonnell, Kenneth F. New lung functions and pregnancy, 235

Balogh, Karoly (*see* Purtilo et al.), 208

Barlow, Joseph J. (*see* Piver et al.), 288

Barrett, Kathryn F., Bledsoe, Sonia, Greer, Benjamin E., and Droegemueller, William. Tampon-induced vaginal or cervical ulceration, 332 (Comm. in brief)

Bartsich, Ernst G., Cremona, Jaime H., and Dillon, Thomas F. Coagulation of the infundibulopelvic ligament during laparoscopic tubal sterilization: A report of an unusual complication, 888 (Comm. in brief)

Battaglia, Frederick C. (*see* Jones and Battaglia), 540

Beale, F. A. (*see* Bush et al.), 692

Bean, H. (*see* Bush et al.), 692

Beischer, Norman (*see* Chang et al.), 793

Bell, William R. (*see* Burkman et al.), 533

Benedet, J. Lawrence (*see* Yuen et al.), 711

Bennett, Tom R. (*see* Power, Bennett, and Longo), 428

Berger, Gary S. (*see* Eedlman and Berger), 446

Berkowitz, Richard L. (*see* Gohari, Berkowitz, and Hobbins), 255

Bessler, Stuart (*see* Henzl et al.), 818

Betz, George (*see* Penney and Betz), 299

Bhakthavathsalan, Amrutha, Mann, Leon I., Ayromlooi, Jahangir, Kunzel, Wolfgang, and Liu, Maida. The effects of fetal thyroidectomy in the ovine fetus, 278

Bhatnagar, Ajay S. (*see* Board et al.), 285

Bhawan, Jag (*see* Purtilo et al.), 208

Birk, S. A. (*see* Spellacy, Buhi, and Birk), 232, 599

Birnbaum, S. J. (*see* Zervoudakis and Birnbaum), 209

Blake, Mary (*see* Cassady et al.), 21

Blanc, Jean-Jacques, Boschat, Jacques, Morin, Jean-François, Clavier, Jean, and Penther, Philippe. Menopause and myocardial infarction, 353

Blanchet, P. (*see* Van Campenhout et al.), 723

Blanford, A. Thomas, and Murphy, Beverley E. Pearson. In vitro metabolism of prednisolone, dexamethasone, betamethasone, and cortisol by the human placenta, 264

Bledsoe, Sonia (*see* Barrett et al.), 332

Bleker, O. P., Kloosterman, G. J., Breur, W., and Mieras, D. J. The volumetric growth of the human placenta: A longitudinal ultrasonic study, 657

Bloch, Eric (*see* Koren et al.), 639

Board, John A., Fierro, Robert J., Wasserman, Albert J., and Bhatnagar, Ajay S. Effects of α- and β-adrenergic blocking agents on serum prolactin levels in women with hyperprolactinemia and galactorrhea, 285

Bolduc, Lee R. (*see* Richart, Neuwirth, and Bolduc), 86

Boronow, Richard C. Stage I cervix cancer and pelvic node metastasis, 135

Boschat, Jacques (*see* Blanc et al.), 353

Boyes, David A. (*see* Yuen et al.), 711

Bozorgi, Nader. Statistical analysis of first-trimester pregnancy terminations in an ambulatory surgical center, 763

Braly, Patricia (*see* Modanlou, Freeman, and Braly), 861

Bresky, Patricia A. (*see* Friedman, Sachtleben, and Bresky), 779

Breur, W. (*see* Bleker et al.), 657

Brinkman, C. R., III (*see* Dandavino et al.), 769

Brody, Michael J. (*see* Clark et al.), 455

Brook, S. S. (*see* Loke, Brook, and Allen), 846

Brown, S. E., Allen, H. H., and Robins, R. N. The use of delayed primary wound closure in preventing wound infections, 713

Brown, Zane A., and Stenchever, Morton A. Genital ulceration and infectious mononucleosis: Report of a case, 673 (Comm. in brief)

Brueschke, Erich E., Fadel, Hossam E., Mayerhofer, Kenneth, Scribano, Frank C., Archie, Julian T., Wilbanks, George D., and Zaneveld, Lourens J. D. Transcervical tubal occlusion with a steerable hysteroscope: Implantation of devices into extirpated human uteri, 118

Brutus, Adrian (*see* Purtilo et al.), 208

Bryner, James R. (*see* Greenblatt et al.), 520

Buchler, Dolores A. (*see* Pride and Buchler), 513

Bucovaz, E. T. (*see* Morrison et al.), 363

Buhi, W. C. (*see* Spellacy, Buhi, and Birk), 232, 599

Burchell, R. Clay. Decision regarding hysterectomy, 113 (Clinical opinion)

*January 1, 1-108; January 15, 109-218; February 1, 219-334; February 15, 335-450; March 1, 451-568; March 15, 569-684; April 1, 685-800; April 15, 801-918.

BURKMAN, RONALD T., BELL, WILLIAM R., ATIENZA, MILAGROS F., AND KING, THEODORE M. Coagulopathy with midtrimester induced abortion: Association with hyperosmolar urea administration, 533 (Current investigation)
BUSH, R. S., ALLT, W. E. C., BEALE, F. A., BEAN, H., PRINGLE, J. F., AND STURGEON, J. Treatment of epithelial carcinoma of the ovary: Operation, irradiation, and chemotherapy, 692
BUSTER, JOHN E. (*see* SAKAKINI, BUSTER, AND KILLAM), 452
BUTLER, DONALD P. (*see* SWEET AND BUTLER), 518
BUTTRAM, VEASY (*see* HENZL ET AL.), 818

C

CABALLERO, C., VEKEMANS, M., LOPEZ DEL CAMPO, J. G., AND ROBYN, C. Serum alpha-fetoprotein in adults, in women during pregnancy, in children at birth, and during the first week of life: A sex difference, 384
CALDWELL, CANDACE, PUROHIT, DILIP M., LEVKOFF, ABNER H., GARVIN, A. JULIAN, WILLIAMSON, H. OLIVER, AND HORGER, E. O., III. Chorangiosis of the placenta with persistent transitional circulation, 435 (Comm. in brief)
CALDWELL, WILLIAM EDGAR, AND MOLOY, HOWARD CARMEN. Anatomical variations in the female pelvis and their effect in labor with a suggested classification, 798 (Classic pages)
CANNON, WENDY (*see* YUEN ET AL.), 711
CANTOR, B. (*see* ABRAMS ET AL.), 525
CARITIS, STEVE N., MUELLER-HEUBACH, EBERHARD, AND EDELSTONE, DANIEL I. Effect of betamethasone on analysis of amniotic fluid in the rhesus-sensitized pregnancy, 529 (Current investigation)
— (*see* EDELSTONE, MUELLER-HEUBACH, AND CARITIS), 273
CARLSON, RICHARD W. (*see* FREUND ET AL.), 206
CARRINGTON, ELSIE R. (*see* LEVISON ET AL.), 80
CASSADY, GEORGE, BLAKE, MARY, BAILEY, PENRHYN, YOUNGER, BENJAMIN, AND SUMNERS, JAMES. Amniotic fluid glucose in pregnancies complicated by diabetes, 21
CATES, WILLARD, JR., GRIMES, DAVID A., HABER, RICHARD J., AND TYLER, CARL W., JR. Abortion deaths associated with the use of prostaglandin $F_{2\alpha}$, 219
CEFALO, R. C. (*see* ALBRECHT ET AL.), 869
— (*see* SEEDS AND CEFALO), 213
CHANG, ALLAN, ABELL, DAVID, BEISCHER, NORMAN, AND WOOD, CARL. Trial of intravenous therapy in women with low urinary estriol excretion, 793
CHANG, R. J. (*see* COUSINS ET AL.), 612
CHAPPEL, JOHN N. (*see* MADDEN ET AL.), 199
CHAR, VALERIE CHARLTON, AND CREASY, ROBERT K. Glucose and oxygen metabolism in normally oxygenated and spontaneously hypoxemic fetal lambs, 499
CHASNOFF, IRA J., AND FLETCHER, MARY ANN. True knot of the umbilical cord, 425
CHATKOFF, MARVIN L. (*see* SEITCHIK, CHATKOFF, AND HAYASHI), 223
CHECK, JEROME H., RAKOFF, ABRAHAM E., GOLDFARB, ALVIN F., AND SLIPYAN, PHILIP. Anosmia and hypogonadism associated with elevated luteinizing hormone levels and multiple congenital anomalies, 889 (Comm. in brief)
CHESS, GORDON F. (*see* DEHAAN ET AL.), 753
CHEZ, RONALD A. (*see* EPSTEIN ET AL.), 261, 268
CHIK, LAWRENCE (*see* SOKOL ET AL.), 329
CHOI, SOOK J. (*see* PREIS ET AL.), 205
CHOW, ANTHONY W. (*see* OKADA AND CHOW), 875
CHURG, J. (*see* KANNERSTEIN ET AL.), 306
CIOCCO, ANGELA M. (*see* MUELLER-HEUBACH, GARVER, AND CIOCCO), 211
CLARK, D. H., AND WEED, JOHN C. Metastasizing leiomyoma: A case report, 672 (Comm. in brief)
CLARK, KENNETH E., FARLEY, DONNA B., VAN ORDEN, DIANNA E., AND BRODY, MICHAEL J. Role of endogenous prostaglandins in regulation of uterine blood flow and adrenergic neurotransmission, 455
CLARKE, SIR CYRIL A., AND FINN, RONALD. Prevention of Rh hemolytic disease: Background of the Liverpool work, 538 (Classic pages)
CLASE, L. (*see* SPORRONG ET AL.), 811
CLAVIER, JEAN (*see* BLANC ET AL.), 353
COLLINS, J. A. (*see* ALLEN AND COLLINS), 741
— (*see* SMITH ET AL.), 228
COLLINS, PAUL, OLUFS, R., KRAVITZ, H., AND BABAKITIS, M. Relationship of maternal warfarin therapy in pregnancy to chondrodysplasia punctata: Report of a case, 444 (Comm. in brief)
CONNAUGHTON, JAMES F. (*see* SOFFRONOFF, KAUFMANN, AND CONNAUGHTON), 4
CORMAN, LOURDES C. (*see* LEVISON ET AL.), 80
COUSINS, L. M., HOBEL, C. J., CHANG, R. J., OKADA, D. M., AND MARSHALL, J. R. Serum progesterone and estradiol-17β levels in premature and term labor, 612
COVELL, LINDA M., DISCIULLO, ANTHONY J., AND KNAPP, ROBERT C. Decidual change in pelvic lymph nodes in the presence of cervical squamous cell carcinoma during pregnancy, 674 (Comm. in brief)
CRAWFORD, J. SELWYN (*see* JAMES ET AL.), 176
CREASY, ROBERT K. (*see* CHAR AND CREASY), 499
CREMONA, JAIME H. (*see* BARTSICH, CREMONA, AND DILLON), 888
CRENSHAW, CARLYLE, JR. (see MACKENNA ET AL.), 400
CRUZ, A. C. (*see* SPELLACY, CRUZ, AND MCKEON), 436

D

DAINES, TERRI L. (*see* STENCHEVER ET AL.), 143
DALTON, K. J., DAWES, G. S., AND PATRICK, J. E. Diurnal, respiratory, and other rhythms of fetal heart rate in lambs, 414
DANDAVINO, A., WOODS, J. R., JR., MURAYAMA, K., BRINKMAN, C. R., III, AND ASSALI, N. S. Circulatory effects of magnesium sulfate in normotensive and renal hypertensive pregnant sheep, 769
DARNEY, PHILIP D., AND WILSON, EMERY A. Intravenous pyelography in the diagnosis and management of postpartum ovarian vein thrombophlebitis: A case report, 439 (Comm. in brief)
DAVIDSON, EZRA C., JR. (*see* THADEPALLI ET AL.), 250
DAVIES, I. J. (*see* FRIGOLETTO AND DAVIES), 887
DAVIES, PAUL (*see* JAMES ET AL.), 176
DAVIS, ROY (*see* MADDEN ET AL.), 199
DAWES, G. S. (*see* DALTON, DAWES, AND PATRICK), 414
DAY, M. A. (*see* PIERCY ET AL.), 43
DEHAAN, RENO, PATRICK, JOHN, CHESS, GORDON F., AND JACO, NICHOLAS T. Definition of sleep state in the newborn infant by heart rate analysis, 753
DELANGE, ROBERT J. (*see* FORD, DELANGE, AND LEBHERZ), 788
DIAZ DE LEON, MANUEL (*see* LOPEZ-LLERA ET AL.), 855
DILLON, THOMAS F. (*see* BARTSICH, CREMONA, AND DILLON), 888
DISAIA, PHILIP J. (*see* FORNEY ET AL.), 801
— (*see* MORROW ET AL.), 335
DISCIULLO, ANTHONY J. (*see* COVELL, DISCIULLO, AND KNAPP), 674
DLUHY, ROBERT G. (*see* NEWMARK ET AL.), 594
DMYTRUS, K.-C. (*see* ROUX ET AL.), 718
DOCKERTY, MALCOLM B. (*see* MCDONALD ET AL.), 572
DOCKERY, J. L. (*see* ABRAMS ET AL.), 525
DORAN, T. A., ALLEN, L. C., PIRANI, B. B. K., AND SHUMAK, K. H. False positive amniotic fluid alpha fetoprotein levels resulting from contamination with fetal blood: Results of an experiment, 759
DORUS, ELIZABETH, AMAROSE, ANTHONY P., KOO, GLORIA C., AND WACHTEL, STEPHEN S. Clinical, pathologic, and genetic findings in a case of 46,XY pure gonadal dysgenesis (Swyer's syndrome). II. Presence of H-Y antigen, 829
— (*see* AMAROSE ET AL.), 824
DOUGLAS, A. (*see* KEMMANN ET AL.), 126
DOWNING, S. EVANS, LEE, JOHN C., AND RIEKER, ROBERT P. Mechanical and metabolic effects of insulin on newborn lamb myocardium, 649
DRISCOLL, SHIRLEY G. (*see* EPSTEIN ET AL.), 261
DROEGEMUELLER, WILLIAM (*see* BARRETT ET AL.), 332

E

EDELMAN, DAVID A., AND BERGER, GARY S. Absence of chronoperiodic response following intra-amniotic instillation of hypertonic saline, 446 (Comm. in brief)
EDELSTONE, DANIEL I., MUELLER-HEUBACH, EBERHARD, AND CARITIS, STEVE N. Effects of dexamethasone on maternal and fetal hemodynamic states and fetal oxygenation, 273
— (*see* CARITIS, MUELLER-HEUBACH, AND EDELSTONE), 529
EFFER, S. B. (*see* JARRELL, EFFER, AND MOHIDE), 676
EPSTEIN, MICHAEL, CHEZ, RONALD A., OAKES, GARY K., AND MINTZ, DANIEL H. Fetal pancreatic glucagon responses in glucose-intolerant nonhuman primate pregnancy, 268
—, FARRELL, PHILIP M., SPARKS, JOHN W., PEPE, GERALD, DRISCOLL, SHIRLEY G., AND CHEZ, RONALD A. Maternal bethamethasone and fetal growth and development in the monkey, 261
ERKKOLA, R. (*see* LAMMINTAUSTA, ERONEN, AND ERKKOLA), 390
ERONEN, M. (*see* LAMMINTAUSTA, ERONEN, AND ERKKOLA), 390
ESTERLY, JOHN R. (*see* ROSENOW AND ESTERLY), 442

F

Fadel, Hossam E. (*see* Brueschke et al.), 118
Farley, Donna B. (*see* Clark et al.), 455
Farrell, Philip M. (*see* Epstein et al.), 261
Fernandez-deCastro, A. (*see* Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
Fierro, Robert J. (*see* Board et al.), 285
Finn, Ronald (*see* Clarke and Finn), 538
Fish, S. A. (*see* Morrison et al.), 363
Fisher, Delbert A. (*see* Lightner et al.), 487
Fishman, Lawrence M. (*see* Weiss et al.), 678
Fletcher, Mary Ann (*see* Chasnoff and Fletcher), 425
Fonner, Edwin (*see* Roht et al.), 356
Fonner, Maribeth A. (*see* Roht et al.), 356
Ford, Larry C., DeLange, Robert J., and Lebherz, Thomas B. Identification of a bactericidal factor (B-lysin) in amnionic fluid at 14 and 40 weeks' gestation, 788
Forney, John P., Morrow, C. Paul, Townsend, Duane E., and DiSaia, Philip J. Management of carcinoma in situ of the vulva, 801 (Clinical opinion)
Forster, C. S. (*see* Schwartz et al.), 470, 475
Forsythe, Alan (*see* Yeh et al.), 50
Freeman, Roger K. (*see* Gabbe et al.), 465
— (*see* Modanlou, Freeman, and Braly), 861
French, William (*see* Freund et al.), 206
Freund, Uri, French, William, Carlson, Richard W., Weil, Max Harry, and Shubin, Herbert. Hemodynamic and metabolic studies of a case of toxemia of pregnancy, 206 (Comm. in brief)
Friedman, Emanuel A., Sachtleben, Marlene R., and Bresky, Patricia A. Dysfunctional labor. XII. Long-term effects on infant, 779
— (*see* Klapholz and Friedman), 405
Frigoletto, F. D., and Davies, I. J. Erythroblastosis fetalis with hydrops resulting from anti-Kell isoimmune disease, 887 (Comm. in brief)
Fuchs, Fritz (*see* Lauersen et al.), 837

G

Gabbe, Steven G., Mestman, Jorge H., Freeman, Roger K., Anderson, Gail V., and Lowensohn, Richard I. Management and outcome of Class A diabetes mellitus, 465
— and Quilligan, Edward J. Fetal carbohydrate metabolism: Its clinical importance, 92 (Current developments)
Galask, Rudolph P. (*see* Schlievert, Johnson, and Galask), 603
Gant, N. F., Jimenez, J. M., Whalley, P. J., Chand, S., and MacDonald, P. C. A prospective study of angiotensin II pressor responsiveness in pregnancies complicated by chronic essential hypertension, 369
Gardner, Lytt I. (*see* Neu, Grant, and Gardner), 212
Garver, Kenneth L. (*see* Mueller-Heubach, Garver, and Ciocco), 211
Garvin, A. Julian (*see* Caldwell et al.), 435
Gatz, Michael (*see* Koren et al.), 639
Gebhardt, Michael P. (*see* Pitkin and Gebhardt), 775
Gentile, G. (*see* Kemmann et al.), 126
Gerbi, Enrique B. (*see* Hodari et al.), 850
Gerbie, Albert B. Amniocentesis for prenatal detection of genetic defects, 158
Giles, Harlan (*see* Lightner et al.), 487
Gluck, Louis (*see* Gould, Gluck, and Kulovich), 181
Gohari, Parviz, Berkowitz, Richard L., and Hobbins, John C. Prediction of intrauterine growth retardation by determination of total intrauterine volume, 255
Golde, Steven H., Israel, Robert, and Ledger, William J. Unilateral tuboovarian abscess: A distinct entity, 807
Goldenberg, Robert L., and Nelson, Kathleen G. The premature breech, 240
Goldfarb, Alvin F. (*see* Check et al.), 889
Goodman, Arnold L. (*see* Hodgen et al.), 581
Gorwill, R. Hugh, and Sarda, Inder R. Hormonal studies in pregnancy. II. Unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by intrauterine growth retardation, 17
Gould, Jeffrey B., Gluck, Louis, and Kulovich, Marie V. The relationship between accelerated pulmonary maturity and accelerated neurological maturity in certain chronically stressed pregnancies, 181
Grant, James F. (*see* Neu, Grant, and Gardner), 212
Greenblatt, Robert B., Asch, Ricardo H., Mahesh, Virendra B., and Bryner, James R. Implantation of pure crystalline pellets of estradiol for conception control, 520
— (*see* Asch and Greenblatt), 130
Greer, Benjamin E. (*see* Barrett et al.), 332
Greiss, Frank C., Jr. (*see* Anderson et al.), 138
Grimes, David A. (*see* Cates et al.), 219
Gumpel, Janis (*see* Madden et al.), 199
Gusdon, John P., Jr., Anderson, Stephen G., and May, W. Joseph. A clinical evaluation of the "roll-over test" for pregnancy-induced hypertension, 1

H

Haber, Richard J. (*see* Cates et al.), 219
Hackshaw, Barry T. (*see* Anderson et al.), 138
Hagino, Nobuyoshi (*see* Koyama, de la Pena, and Hagino), 67
Hall, Judith G. (*see* Shaul and Hall), 191
Harding, P. G. R. (*see* Sanfaçon, Possmayer, and Harding), 745
Harrigan, John T. (*see* Karbhari, Harrigan, and LaMagra), 620
Hassanein, Khatab (*see* Miller, Hassanein, and Hensleigh), 643
Hayashi, Robert H. (*see* Seitchik, Chatkoff, and Hayashi), 223
Henry, George P., and Robinson, Arthur. Equivocal amniotic fluid levels of alpha fetoprotein in prenatal diagnosis of neural tube defects, 204 (Comm. in brief)
Hensleigh, Paul A., and Kauffman, Ralph E. Maternal absorption and placental transfer of sulfasalazine, 443 (Comm. in brief)
— (*see* Miller, Hassanein, and Hensleigh), 643
Henzl, Milan R., Buttram, Veasy, Segre, Eugene J., and Bessler, Stuart. The treatment of dysmenorrhea with naproxen sodium, 818
Hernandez, Wilfredo L. (*see* Morrow et al.), 335
Hertz, Roger H. (*see* Timor-Tritsch et al.), 662
Hill, D. P. (*see* Kannerstein et al.), 306
Hobbins, John C. (*see* Gohari, Berkowitz, and Hobbins), 255
Hobel, C. J. (*see* Cousins et al.), 612
Hodari, A. Alberto, Peralta, Jose, Quiroga, Pablo J., and Gerbi, Enrique B. Dilatation and curettage for second-trimester abortions, 850
Hodgen, Gary D., Goodman, Arnold L., O'Connor, Aline, and Johnson, David K. Menopause in rhesus monkeys: Model for study of disorders in the human clinmacteric, 581
— (*see* Tullner, Nixon, and Hodgen), 677
Holly, Roy G. Renal disease in pregnancy: Discussion, 638
Hon, Edward H. (*see* Yeh et al.), 50
Honoré, Louis H. Uterine leiomyoma with hemangiopericytomatous foci: Histogenetic implications, 891 (Comm. in brief)
— and Nickerson, K. G. Combined intrauterine and tubal ectopic pregnancy: A possible case of superfetation, 885 (Comm. in brief)
Horger, E. O., III (*see* Caldwell et al.), 435

I

Israel, Robert (*see* Golde, Israel, and Ledger), 807

J

Jaco, Nicholas T. (*see* DeHaan et al.), 753
Jacobi, Jorge D. (*see* Weiss et al.), 678
James, Francis M., III, Crawford, J. Selwyn, Davies, Paul, and Naiem, Hamid. Lumbar epidural analgesia for labor and delivery of twins, 176
Janson, Per Olof, and Jansson, Inge. The acute effect of hysterectomy on ovarian blood flow, 349
Jansson, Inge (*see* Janson and Jansson), 349
Jarrell, J., Effer, S. B., and Mohide, P. T. Pregnancy in a rudimentary horn with fetal salvage, 676 (Comm. in brief)
Jasionowski, Edward A. Topical progesterone in treatment of vulvar dystrophy, 667 (Current investigation)
Jeppsson, Sten, Rannevik, Gunnar, Liedholm, Percy, and Thorell, Jan I. Basal and LRH-stimulated secretion of FSH during early pregnancy, 32
Jimerson, Gordon K., and Woodruff, J. Donald. Ovarian extraembryonal teratoma. I. Endodermal sinus tumor, 73
— and —. Ovarian extraembryonal teratoma. II. Endodermal sinus tumor mixed with other germ cell tumors, 302
Johnson, David K. (*see* Hodgen et al.), 581
Johnson, William (*see* Schlievert, Johnson, and Galask), 603
Jones, D. C. (*see* Poland et al.), 685
Jones, J. R. (*see* Kemmann et al.), 126

JONES, M. DOUGLAS, JR., AND BATTAGLIA, FREDERICK C. Intrauterine growth retardation, 540 (Current developments)
JOSHI, LATA (*see* TODDYWALLA, JOSHI, AND VIRKAR), 245

K

KAJII, TADASHI (*see* VASSILAKOS, RIOTTON, AND KAJII), 167
KAMEI, TERUJI (*see* OGITA, KAMEI, AND SUGAWA), 37
KANNERSTEIN, M., CHURG, J., MCCAUGHEY, W. T. E., AND HILL, D. P. Papillary tumors of the peritoneum in women: Mesothelioma or papillary carcinoma, 306
KARBHARI, DILIP, HARRIGAN, JOHN T., AND LAMAGRA, ROBERT. The supine hypertensive test as a predictor of incipient pre-eclampsia, 620
KAUFFMAN, RALPH E. (*see* HENSLEIGH AND KAUFFMAN), 443
KAUFMANN, BRUCE M. (*see* SOFFRONOFF, KAUFMANN, AND CONNAUGHTON), 4
KAYE, DONALD (*see* LEVISON ET AL.), 80
KELLY, J. MICHAEL (*see* LEVY AND KELLY), 327
KEMMANN, E., GENTILE, G., DOUGLAS, A., AND JONES, J. R. Gonadal karyotyping in women with and without ovarian activity, 126
KENT, DERYCK R. (*see* NISSEN, KENT, AND NISSEN), 61
KIHARA, TAKAHIDE (*see* YASUDA, KIHARA, AND NISHIMURA), 832
KILLAM, ALLEN P. (*see* SAKAKINI, BUSTER, AND KILLAM), 452
KING, THEODORE M. (*see* BURKMAN ET AL.), 533
— (*see* LAU, LINKINS, AND KING), 394
— (*see* YOON, KING, AND PARMLEY), 109
KITCHELL, M. (*see* STEHBENS, BAKER, AND KITCHELL), 408
KLAPHOLZ, HENRY, AND FRIEDMAN, EMMANUEL A. The incidence of intrapartum fetal distress with advancing gestational age, 405
KLEIN, THOMAS A., AND MISHELL, DANIEL R., JR. Gonadotropin, prolactin, and steroid hormone levels after discontinuation of oral contraceptives, 585
KLOOSTERMAN, G. J. (*see* BLEKER ET AL.), 657
KNAPP, ROBERT C. (*see* COVELL, DISCIULLO, AND KNAPP), 674
KNAUF, SUZANNE, AND URBACH, G. I. Purification of human ovarian tumor-associated antigen and demonstration of circulating tumor antigen in patients with advanced ovarian malignancy, 705
KOBAYASHI, HACHIRO (*see* MORI ET AL.), 151
KODAMA, MITSUO, TOTANI, RYOZO, AND KODAMA, TOSHIKO. The value of urinary steroid analysis in chorionic neoplasia, 628
KODAMA, TOSHIKO (*see* KODAMA, TOTANI, AND KODAMA), 628
KOO, GLORIA C. (*see* DORUS ET AL.), 829
KOREN, ZEEV, LEV-GUR, MICHAEL, GATZ, MICHAEL, RANDOLPH, GEORGIA, THYSEN, BENJAMIN, BLOCH, ERIC, AND SCHULMAN, HAROLD. Cortisol levels in amniotic fluid in prostaglandin $F_{2\alpha}$-induced midtrimester abortion, 639
KOYAMA, TAKAO, DE LA PENA, ARMANDO, AND HAGINO, NOBUYOSHI. Plasma estrogen, progestin, and luteinizing hormone during the normal menstrual cycle in the baboon: Role of luteinizing hormone, 67
KRAVITZ, H. (*see* COLLINS ET AL.), 444
KUHNERT, BETTY R., KUHNERT, PAUL M., MURRAY, BEN A., AND SOKOL, ROBERT J. Na/K- and Mg-ATPase activity in the placenta and in maternal and cord erythrocytes of pre-eclamptic patients, 56
KUHNERT, PAUL M. (*see* KUHNERT ET AL.), 56
KULOVICH, MARIE V. (*see* GOULD, GLUCK, AND KULOVICH), 181
KUMARESAN, P. (*see* VASICKA ET AL.), 171
KUNZEL, WOLFGANG (*see* BHAKTHAVATHSALAN ET AL.), 278
KURLAND, LEONARD T. (*see* MCDONALD ET AL.), 572
KUSMIK, WILLIAM F. (*see* RIDDICK AND KUSMIK), 187
KYRIAZIS, AIKATERINI A. (*see* AMAROSE ET AL.), 824

L

LAMAGRA, ROBERT (*see* KARBHARI, HARRIGAN, AND LAMAGRA), 620
LAMMINTAUSTA, R., ERONEN, M., AND ERKKOLA, R. The effect of normal labor on the renin-angiotensin system in mother and fetus, 390
LAU, H. LORRIN, LINKINS, SUSAN E., AND KING, THEODORE M. A capillary tube pregnancy test, 394
LAUERSEN, NIELS H., MERKATZ, IRWIN R., TEJANI, NERGESH, WILSON, KATHLEEN H., ROBERSON, ALBERTA, MANN, LEON I., AND FUCHS, FRITZ. Inhibition of premature labor: A multicenter comparison of ritodrine and ethanol, 837
—AND WILSON, KATHLEEN H. The abortifacient and oxytocic effects of an intravaginal silicone rubber device containing a 0.5 per cent concentration of 15(S)-15-methyl-prostaglandin $F_{2\alpha}$ methyl ester, 784
—AND —. Induction of labor in patients with missed abortion and fetal death in utero with prostaglandin E_2 suppositories, 609
LEANDRI, J. (*see* TOUBAS ET AL.), 505
LEBHERZ, THOMAS B. (*see* FORD, DELANGE, AND LEBHERZ), 788
LEDGER, WILLIAM J. (*see* GOLDE, ISRAEL, AND LEDGER), 807
LEE, JOHN C. (*see* DOWNING, LEE, AND RIEKER), 649
LEMAIRE, WILLIAM J. (*see* WEISS ET AL.), 678
LEV-GUR, MICHAEL (*see* KOREN ET AL.), 639
LEVISON, MATTHEW, CORMAN, LOURDES C., CARRINGTON, ELSIE R., AND KAYE, DONALD. Quantitative microflora of the vagina, 80
LEVKOFF, ABNER H. (*see* CALDWELL ET AL.), 435
LEVY, DONALD L., AND KELLY, J. MICHAEL. Primary multifocal carcinoma in situ of the vagina and vulva in a young woman, 327 (Comm. in brief)
LEWIS, P. E. (*see* ALBRECHT ET AL.), 869
LI, C. (*see* VASICKA ET AL.), 171
LIAO, SHU (*see* PURTILO ET AL.), 208
LIEDHOLM, PERCY (*see* JEPPSSON ET AL.), 32
LIGGINS, G. C. (*see* SCHWARTZ ET AL.), 470, 475
LIGHTNER, ELMER S., FISHER, DELBERT A., GILES, HARLAN, AND WOOLFENDEN, JAMES. Intra-amniotic injection of thyroxine (T4) to a human fetus, 487
LINKINS, SUSAN E. (*see* LAU, LINKINS, AND KING), 394
LIU, MAIDA (*see* BHAKTHAVATHSALAN ET AL.), 278
LIVNAT, ELIEZER J., AND SCOMMEGNA, ANTONIO. Bilateral ureteral obstruction in ruptured chronic ectopic pregnancy, 330 (Comm. in brief)
LOKE, Y. W., BROOK, S. S., AND ALLEN, GAIL E. Surface IgM on lymphocytes from pregnant women, 846
LONGO, LAWRENCE D. (*see* POWER, BENNETT, AND LONGO), 428
LOPEZ, RAMON G. (*see* PIVER ET AL.), 288
LOPEZ DEL CAMPO, J. G. (*see* CABALLERO ET AL.), 384
LÓPEZ-LLERA, MARIO, DE LA LUZ ESPINOSA, MARÍA, NIZ RAMOS, JOSÉ, AND DIAZ DE LEÓN, MANUEL. Coagulation and fibrinolysis in molar pregnancy, 855
LOW, J. A., PANCHAM, S. R., AND WORTHINGTON, D. N. Intrapartum fetal heart rate profiles with and without fetal asphyxia, 729
LOWENSOHN, RICHARD I. (*see* GABBE ET AL.), 465
— (*see* YEH ET AL.), 50
DE LA LUZ ESPINOSA, MARÍA (*see* LÓPEZ-LLERA ET AL.), 855

M

MA, PAUL (*see* STICKLE AND MA), 162
MCCALLUM, W. D. Thermodilution measurement of human umbilical blood flow at delivery, 491
MCCAUGHEY, W. T. E. (*see* KANNERSTEIN ET AL.), 306
MCDONALD, THOMAS W., ANNEGERS, JOHN F., O'FALLON, WILLIAM M., DOCKERTY, MALCOLM B., MALKASIAN, GEORGE D., JR., AND KURLAND, LEONARD T. Exogenous estrogen and endometrial carcinoma: Case-control and incidence study, 572
MACDONNELL, KENNETH F. (*see* BALDWIN ET AL.), 235
MACKENNA, JARLATH, PUPKIN, MARCOS, CRENSHAW, CARLYLE, JR., MCLEOD, MICHAEL, AND PARKER, ROY T. Acute fatty metamorphosis of the liver, 400
MCKEON, M. J. (*see* SPELLACY, CRUZ, AND MCKEON), 436
MCLEOD, MICHAEL (*see* MACKENNA ET AL.), 400
MADDEN, JOHN D., CHAPPEL, JOHN N., ZUSPAN, FREDERICK, GUMPEL, JANIS, MEJIA, ALFONSO, AND DAVIS, ROY. Observation and treatment of neonatal narcotic withdrawal, 199
MAHESH, VIRENDRA B. (*see* GREENBLATT ET AL.), 520
MAHMOOD, KHALID. Small chorioangiomas and small-for-gestational age baby, 440 (Comm. in brief)
MAIDMAN, JACK E. (*see* THADEPALLI ET AL.), 250
MALKASIAN, GEORGE D., JR. (*see* MCDONALD ET AL.), 572
MANN, LEON I. (*see* BHAKTHAVATHSALAN ET AL.), 278
— (*see* LAUERSEN ET AL.), 837
MARSHALL, GEORGE W., AND NEWMAN, ROBERT L. Roll-over test, 623
MARSHALL, J. R. (*see* COUSINS ET AL.), 612
MATI, J. K. G., MUGAMBI, M., ODIPO, W. S., AND NGULI, K. Prolactin and hypertension, 616
MAY, W. JOSEPH (*see* GUSDON, ANDERSON, AND MAY), 1
MAYERHOFER, KENNETH (*see* BRUESCHKE ET AL.), 118
MEJIA, ALFONSO (*see* MADDEN ET AL.), 199
MERKATZ, IRWIN R. (*see* LAUERSEN ET AL.), 837
MESTMAN, JORGE H. (*see* GABBE ET AL.), 465
MIERAS, D. J. (*see* BLEKER ET AL.), 657
MILLER, HERBERT C., HASSANEIN, KHATAB, AND HENSLEIGH, PAUL. Effects of behavioral and medical variables on fetal growth retardation, 643
MILLER, J. R. (*see* POLAND ET AL.), 685

Mintz, Daniel H. (*see* Epstein et al.), 268
Mishell, Daniel R., Jr. (*see* Klein and Mishell), 585
Modanlou, Houchang D., Freeman, Roger K., and Braly, Patricia. A simple method of fetal and neonatal heart rate beat-to-beat variability quantitation: Preliminary report, 861
Mofid, M. (*see* Roux et al.), 718
Mohide, P. T. (*see* Jarrell, Effer, and Mohide), 676
Moloy, Howard Carmen (*see* Caldwell and Moloy), 798
Monset-Couchard, M. (*see* Toubas et al.), 505
Moorthi, Doraswamy Saroja (*see* Baldwin et al.), 235
Mori, Takahide, Kobayashi, Hachiro, Nishimoto, Hirohumi, Suzuki, Akira, Nishimura, Toshio, and Mori, Tsuneatsu. Inhibitory effect of progesterone and 20α-hydroxypregn-4-en-3-one on the phytohemagglutinin-induced transformation of human lymphocytes, 151
Mori, Tsuneatsu (*see* Mori et al.), 151
Morin, Jean-François (*see* Blanc et al.), 353
Morrison, J. C., Whybrew, W. D., Bucovaz, E. T., Wiser, W. L., and Fish, S. A. The lecithin/sphingomyelin ratio in cases associated with fetomaternal disease, 363
Morrow, C. Paul, Hernandez, Wilfredo L., Townsend, Duane E., and DiSaia, Philip J. Pelvic celiotomy in the obese patient, 335 (Clinical opinion)
— (*see* Forney et al.), 801
Moss, P. L. (*see* Roux et al.), 718
Mroueh, A. M., and Siler-Khodr, T. M. Bromocryptine therapy in cases of amenorrhea-galactorrhea, 291
Mueller-Heubach, Eberhard, Garver, Kenneth L., and Ciocco, Angela M. Prenatal diagnosis of trisomy X: Its implications for genetic counseling, 211 (Comm. in brief)
— (*see* Caritis, Mueller-Heubach, and Edelstone), 529
— (*see* Edelstone, Mueller-Heubach, and Caritis), 273
Mugambi, M. (*see* Mati et al.), 616
Murayama, K. (*see* Dandavino et al.), 769
Murphy, Beverley E. Pearson (*see* Blanford and Murphy), 264
Murray, Ben A. (*see* Kuhnert et al.), 56

N

Naftolin, Frederick (*see* Shane et al.), 326
Nagasawa, Hiroshi, and Vorherr, Helmuth. Rat mammary deoxyribonucleic acid synthesis during the estrous cycle, pregnancy, and lactation in relation to mammary tumorigenesis, 590
Naiem, Hamid (*see* James et al.), 176
Neims, A. H. (*see* Piercy et al.), 43
Nelson, Kathleen G. (*see* Goldenberg and Nelson), 240
Neu, Richard L., Grant, James F., and Gardner, Lytt I. A case of cyclopia with D trisomy, 212 (Comm. in brief)
Neuwirth, Robert S. (*see* Richart, Neuwirth, and Bolduc), 86
Newman, Robert L. (*see* Marshall and Newman), 623
Newmark, Stephen, Dluhy, Robert G., Williams, Gordon H., Pochi, Peter, and Rose, Leslie I. Partial 11- and 21-hydroxylase deficiencies in hirsute women, 594
Nguli, K. (*see* Mati et al.), 616
Nickerson, K. G. (*see* Honoré and Nickerson), 885
Nishimoto, Hirohumi (*see* Mori et al.), 151
Nishimura, Hideo (*see* Yasuda, Kihara, and Nishimura), 832
Nishimura, Toshio (*see* Mori et al.), 151
Nissen, Edward D., Kent, Deryck R., and Nissen, Steven E. Etiologic factors in the pathogenesis of liver tumors associated with oral contraceptives, 61
Nissen, Steven E. (*see* Nissen, Kent, and Nissen), 61
Nixon, Wilbert E. (*see* Tullner, Nixon, and Hodgen), 677
Niz Ramos, José (*see* López-Llera et al.), 855
Notelovitz, M. (*see* Abrams et al.), 525

O

Oakes, Gary K. (*see* Epstein et al.), 268
O'Connor, Aline (*see* Hodgen et al.), 581
Odipo, W. S. (*see* Mati et al.), 616
O'Fallon, William M. (*see* McDonald et al.), 572
Ogita, Sachio, Kamei, Teruji, and Sugawa, Tadashi. Estimation of fetal weight by fetography, 37
Okada, D. M. (*see* Cousins et al.), 612
Okada, Donald M., and Chow, Anthony W. Neonatal scalp abscess following intrapartum fetal monitoring: Prospective comparison of two spiral electrodes, 875
— and Thibeault, Donald W. The incompetent cervix and accelerated fetal lung maturation, 462
Olufs, R. (*see* Collins et al.), 444
Owman, Ch. (*see* Sporrong et al.), 811

P

Pancham, S. R. (*see* Low, Pancham, and Worthington), 729
Papas, S. (*see* Van Campenhout et al.), 723
Papsin, F. R. (*see* Valtchev and Papsin), 738
Parer, J. T., and Afonso, Jose F. Validity of the weekly interval between oxytocin challenge tests, 204 (Comm. in brief)
Parker, Roy T. (*see* MacKenna et al.), 400
Parks, Kathryn J. (*see* Stenchever et al.), 143
Parmley, Tim H. (*see* Yoon, King, and Parmley), 109
Patrick, J. E. (*see* Dalton, Dawes, and Patrick) 414
Patrick, John (*see* DeHaan et al.), 753
de la Pena, Armando (*see* Koyama, de la Pena, and Hagino), 67
Penney, L. L., and Betz, George. Agonadism, 299
Penther, Phillipe (*see* Blanc et al.), 353
Pepe, Gerald (*see* Epstein et al.), 261
Peralta, Jose (*see* Hodari et al.), 850
Perloff, Dorthee L. (*see* Roberts and Perloff), 316
Piercy, W. N., Day, M. A., Neims, A. H., and Williams, R. L. Alteration of ovine fetal respiratory-like activity by diazepam, caffeine, and doxapram, 43
Pirani, B. B. K. (*see* Doran et al.), 759
Pitkin, Roy M., and Gebhardt, Michael P. Serum calcium concentrations in human pregnancy, 775
Piver, M. Steven, Lopez, Ramon G., Xynos, Francis, and Barlow, Joseph J. The value of pre-therapy peritoneoscopy in localized ovarian cancer, 288
Plavidal, Ferdinand J., and Werch, Angel. Gonococcal fetal scalp abscess: A case report, 437 (Comm. in brief)
Pochi, Peter (*see* Newmark et al.), 594
Poland, B. J., Miller, J. R., Jones, D. C., and Trimble, B. K. Reproductive counseling in patients who have had a spontaneous abortion, 685
Possmayer, F. (*see* Sanfaçon, Possmayer, and Harding), 745
Power, Gordon G., Bennett, Tom R., and Longo, Lawrence D. Survival in the fetal rabbit exposed to intermittent hypoxia, 428
Predine, J. (*see* Toubas et al.), 505
Preis, Oded, Choi, Sook J., and Rudolph, Nathan. Pentazocine withdrawal syndrome in the newborn infant, 205 (Comm. in brief)
Pride, Glenn L., and Buchler, Dolores A. Carcinoma of vagina 10 or more years following pelvic irradiation therapy, 513
Pringle, J. F. (*see* Bush et al.), 692
Pupkin, Marcos (*see* MacKenna et al.), 400
Purohit, Dilip M. (*see* Caldwell et al.), 435
Purtilo, David T., Bhawan, Jag, Liao, Shu, Brutus, Adrian, Yang, James P. S., and Balogh, Karoly. Fatal varicella in a pregnant woman and a baby, 208 (Comm. in brief)

Q

Quilligan, Edward J. (*see* Gabbe and Quilligan), 92
Quiroga, Pablo J. (*see* Hodari et al.), 850

R

Rakoff, Abraham E. (*see* Check et al.), 889
Randolph, Georgia (*see* Koren et al.), 639
Rannevik, Gunnar (*see* Jeppsson et al.), 32
Rasmussen, Svein B. (*see* Modanlou, Freeman, and Braly), 861
Rey, P. (*see* Toubas et al.), 505
Richart, Ralph M., Neuwirth, Robert S., and Bolduc, Lee R. Single-application fertility-regulating device: Description of a new instrument, 86 (Current investigation)
Richter, Roland. Evaluation of success in treatment of threatening premature labor by betamimetic drugs, 482
Riddick, Daniel H., and Kusmik, William F. Decidua: A possible source of amniotic fluid prolactin, 187
Rieker, Robert P. (*see* Downing, Lee, and Rieker), 649
Riotton, Gustave (*see* Vassilakos, Riotton, and Kajii), 167
Roberson, Alberta (*see* Lauersen et al.), 837
Roberts, James M., and Perloff, Dorthee L. Hypertension and the obstetrician-gynecologist, 316 (Current developments)
Robins, R. N. (*see* Brown, Allen, and Robins), 713
Robinson, Arthur (*see* Henry and Robinson), 204
Robyn, C. (*see* Caballero et al.), 384
Roht, Lewis H., Fonner, Maribeth A., Aoyama, Hideyasu, and Fonner, Edwin. Increased reporting of menstrual symptoms among women who used induced abortion, 356

ROSE, LESLIE I. (*see* NEWMARK ET AL.), 594
ROSEN, MORTIMER G. (*see* SOKOL ET AL.), 329
— (*see* TIMOR-TRITSCH ET AL.), 662
ROSENFELD, CHARLES R., AND WEST, JOHN. Circulatory response to systemic infusion of norepinephrine in the pregnant ewe, 376
ROSENOW, PHILIP J., AND ESTERLY, JOHN R. Heterotopic Fallopian tube, 442 (Comm. in brief)
ROTH, J. (*see* SMITH ET AL.), 228
ROUX, J. F., MOFID, M., MOSS, P. L., AND DMYTRUS, K. C. Effect of elective induction of labor with prostaglandins $F_{2\alpha}$ and E_2 and oxytocin on uterine contraction and relaxation, 718
RUDOLPH, NATHAN (*see* PREIS ET AL.), 205

S

SACHTLEBEN, MARLENE R. (*see* FRIEDMAN, SACHTLEBEN, AND BRESKY), 779
SAKAKINI, JOSEPH, JR., BUSTER, JOHN E., AND KILLAM, ALLEN P. Serum unconjugated estriol levels in the third trimester and their relationship to gestational age. II, 452
SANFAÇON, R., POSSMAYER, F., AND HARDING, P. G. R. Dexamethasone treatment of the guinea pig fetus: Its effects on the incorporation of ^{3}H-thymidine into deoxyribonucleic acid, 745
SARDA, INDER R. (*see* GORWILL AND SARDA), 17
SCHEFFS, J. (*see* VASICKA ET AL.), 171
SCHELLENBERG, J. C. Uterine activity during lumbar epidural analgesia with bupivacaine, 26
SCHIFF, ISAAC (*see* SHANE ET AL.), 326
SCHLIEVERT, PATRICK, JOHNSON, WILLIAM, AND GALASK, RUDOLPH P. Bacterial growth inhibition by amniotic fluid. VII. The effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks, 603
SCHULMAN, HAROLD (*see* KOREN ET AL.), 639
SCHWARTZ, A. L., FORSTER, C. S., SMITH, P. A., AND LIGGINS, G. C. Human amnion metabolism. I. In vitro maintenance, 470
—, —, —, AND —. Human amnion metabolism. II. Incorporation of fatty acids into tissue phospholipids in vitro, 475
SCIARRA, JOHN J., AND VALLE, RAFAEL F. Hysteroscopy: A clinical experience with 320 patients, 340
SCOMMEGNA, ANTONIO (*see* LIVNAT AND SCOMMEGNA), 330
SCRIBANO, FRANK C. (*see* BRUESCHKE ET AL.), 118
SEEDS, JOHN W., AND CEFALO, ROBERT C. Pregnancy with congenital heart disease: A two-chambered heart, 213 (Comm. in brief)
SEGRE, EUGENE J. (*see* HENZL ET AL.), 818
SEITCHIK, JOSEPH, CHATKOFF, MARVIN L., AND HAYASHI, ROBERT H. Intrauterine pressure waveform characteristics of spontaneous and oxytocin- or prostaglandin $F_{2\alpha}$–induced active labor, 223
SHABANAH, ELSAYED H. (*see* WALTMAN ET AL.), 626
SHANE, JOHN M., WILSON, EMERY A., SCHIFF, ISAAC, AND NAFTOLIN, FREDERICK. A preliminary report on gonadotropin responsivity in the Rokitansky-Küster-Hauser syndrome (congenitally absent uterus), 326 (Comm. in brief)
SHAPIRO, ARTHUR G. Successful spontaneous pregnancy in a patient with Forbes-Albright syndrome, 328 (Comm. in brief)
SHAUL, WILLIAM L., AND HALL, JUDITH G. Multiple congenital anomalies associated with oral anticoagulants, 191
SHUBIN, HERBERT (*see* FREUND ET AL.), 206
SHUMAK, K. H. (*see* DORAN ET AL.), 759
SILER-KHODR, T. M. (*see* MROUEH AND SILER-KHODR), 291
SJÖBERG, N.-O. (*see* SPORRONG ET AL.), 811
SLIPYAN, PHILIP (*see* CHECK ET AL.), 889
SMITH, J. P. (*see* ALBRECHT ET AL.), 869
SMITH, P. A. (*see* SCHWARTZ ET AL.), 470, 475
SMITH, W. G., ALLEN, H. H., COLLINS, J. A., AND ROTH, J. Induction of midtrimester abortion with intra-amniotic urea and intravenous oxytocin, 228
SOFFRONOFF, ERNEST C., KAUFMANN, BRUCE M., AND CONNAUGHTON, JAMES F. Intravascular volume determinations and fetal outcome in hypertensive diseases of pregnancy, 4
SOKOL, ROBERT J., ROSEN, MORTIMER G., AND CHIK, LAWRENCE. Fetal electroencephalographic monitoring related to infant outcome, 329 (Comm. in brief)
— (*see* KUHNERT ET AL.), 56
SOMMA, M. (*see* VAN CAMPENHOUT ET AL.), 723
SPALDING, ALFRED BAKER. A study of frozen sections of the pelvis with description of an operation for pelvic prolapse, 884 (Classic pages)
SPARKS, JOHN W. (*see* EPSTEIN ET AL.) 261
SPELLACY, W. N., BUHI, W. C., AND BIRK, S. A. The effect of smoking on serum human placental lactogen levels, 232
—, —, AND —. Vitamin B_6 treatment of gestational diabetes mellitus, 599
—, CRUZ, A. C., AND MCKEON, M. J. Preservation of the fetal monitor record on microfilm, 436 (Comm. in brief)
—, USATEGUI-GOMEZ, M., AND FERNANDEZ-DECASTRO, A. Plasma human placental lactogen, oxytocinase, and placental phosphatase in normal and toxemic pregnancies, 10
SPORRONG, B., CLASE, L., OWMAN, CH., AND SJÖBERG, N.-O. Electron microscopy of adrenergic, cholinergic, and "p-type" nerves in the myometrium and a special kind of synaptic contacts with the smooth muscle cells, 811
STEHBENS, J. A., BAKER, G. L., AND KITCHELL, M. Outcome at ages 1, 3, and 5 years of children born to diabetic women, 408
STENCHEVER, MARC R. (*see* STENCHEVER ET AL.), 143
STENCHEVER, MORTON A., PARKS, KATHRYN J., DAINES, TERRI L., ALLEN, MARJORIE A., AND STENCHEVER, MARC R. Cytogenetics of habitual abortion and other reproductive wastage, 143
— (*see* BROWN AND STENCHEVER), 673
STICKLE, GABRIEL, AND MA, PAUL. Some social and medical correlates of pregnancy outcome, 162
STILL, J. GORDON (*see* ANDERSON ET AL.), 138
STURGEON, J. (*see* BUSH ET AL.), 692
SUGAWA, TADASHI (*see* OGITA, KAMEI, AND SUGAWA), 37
SUMNERS, JAMES (*see* CASSADY ET AL.), 21
SUZUKI, AKIRA (*see* MORI ET AL.), 151
SWEET, JAMES B., AND BUTLER, DONALD P. Increased incidence of postoperative localized osteitis in mandibular third molar surgery associated with patients using oral contraceptives, 518
SYBULSKI, S. Effect of antepartum betamethasone treatment on cortisol levels in cord plasma, amniotic fluid, and the neonate, 871

T

TCHOBROUTSKY, C. (*see* TOUBAS ET AL.), 505
TEJANI, NERGESH (*see* LAUERSEN ET AL.), 837
THADEPALLI, HARAGOPAL, APPLEMAN, MARIA D., MAIDMAN, JACK E., ARCE, JUAN J., AND DAVIDSON, EZRA C., JR. Antimicrobial effect of amniotic fluid against anaerobic bacteria, 250
THIBEAULT, DONALD W. (*see* OKADA AND THIBEAULT), 462
THORELL, JAN I. (*see* JEPPSSON ET AL.), 32
THYSEN, BENJAMIN (*see* KOREN ET AL.), 639
TIMOR-TRITSCH, ILAN, ZADOR, IVAN, HERTZ, ROGER H., AND ROSEN, MORTIMER G. Human fetal respiratory arrhythmia, 662 (Current investigation)
TODDYWALLA, VILLI S., JOSHI, LATA, AND VIRKAR, KATAYUN. Effect of contraceptive steroids on human lactation, 245
TOTANI, RYOZO (*see* KODAMA, TOTANI, AND KODAMA), 628
TOUBAS, P. L., MONSET-COUCHARD, M., REY, P., PREDINE, J., VERBRUGGE, M., LEANDRI, J., AND TCHOBROUTSKY, C. Fetal breathing and adaptation to maternal hemorrhage in the sheep, 505
TOWNSEND, DUANE E. (*see* FORNEY ET AL.), 801
— (*see* MORROW ET AL.), 335
TRICOMI, VINCENT (*see* WALTMAN ET AL.), 626
TRIMBLE, B. K. (*see* POLAND ET AL.), 685
TULLNER, WILLIAM W., NIXON, WILBERT E., AND HODGEN, GARY D. Lack of effect of human chorionic gonadotropin on serum estrogen levels in ovariectomized rhesus monkeys, 677 (Comm. in brief)
TYLER, CARL W., JR. (*see* CATES ET AL.), 219

U

URBACH, G. I. (*see* KNAUF AND URBACH), 705
USATEGUI-GOMEZ, M. (*see* SPELLACY, USATEGUI-GOMEZ, AND FERNANDEZ DECASTRO), 10

V

VALLE, RAFAEL F. (*see* SCIARRA AND VALLE), 340
VALTCHEV, K. L., AND PAPSIN, F. R. A new uterine mobilizer for laparoscopy: Its use in 518 patients, 738
VAN CAMPENHOUT, J., PAPAS, S., BLANCHET, P., WYMAN, H., AND SOMMA, M. Pituitary responses to synthetic luteinizing hormone–releasing hormone in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea, 723
VAN ORDEN, DIANNA E. (*see* CLARK ET AL.), 455

Vasicka, Alois, Kumaresan, P., Li, C., and Scheffs, J. Immunologic and biologic activity of oxytocin in midtrimester pregnancy, 171
Vassilakos, Pierre, Riotton, Gustave, and Kajii, Tadashi. Hydatidiform mole: Two entities, 167
Vekemans, M., (*see* Caballero et al.), 384
Verbrugge, M. (*see* Toubas et al.), 505
Viechnicki, M. Bruce. Septicemia and abortion with the CU-7, 203 (Comm. in brief)
Virkar, Katayun (*see* Toddywalla, Joshi, and Virkar), 245
Vorherr, Helmuth (*see* Nagasawa and Vorherr), 590

W

Wachtel, Stephen S. (*see* Dorus et al.), 829
Waltman, Richard, Tricomi, Vincent, Shabanah, Elsayed H., and Arenas, Rogelio. Prolongation of gestation time in rats by unsaturated fatty acids, 626
Wasserman, Albert J. (*see* Board et al.), 285
Weed, John C. (*see* Clark and Weed), 672
Weil, Max Harry (*see* Freund et al.), 206
Weiss, Stuart R., Jacobi, Jorge D., Fishman, Lawrence M., and Lemaire, William J. Hypopituitarism following head trauma, 678 (Comm. in brief)
Werch, Angel (*see* Plavidal and Werch), 437
West, John (*see* Rosenfeld and West), 376
Whelton, James A. (*see* Baldwin et al.), 235
Whybrew, W. D. (*see* Morrison et al.), 363
Wilbanks, George D. (*see* Brueschke et al.), 118
Wilcox, C. J. (*see* Abrams et al.), 525
Williams, Gordon H. (*see* Newmark et al.), 594
Williams, R. L. (*see* Piercy et al.), 43
Williamson, H. Oliver (*see* Caldwell et al.), 435
Wilson, Emery A. (*see* Darney and Wilson), 439
— (*see* Shane et al.), 326
Wilson, Kathleen H. (*see* Lauersen and Wilson), 609, 784
— (*see* Lauersen et al.), 837
Wiser, W. L. (*see* Morrison et al.), 363
Wood, Carl (*see* Chang et al.), 793
Woodruff, J. Donald (*see* Jimerson and Woodruff), 73, 302
Woods, J. R., Jr. (*see* Dandavino et al.), 769
Woolfenden, James (*see* Lightner et al.), 487
Worthington, D. N. (*see* Low, Pancham, and Worthington), 729
Wyman, H. (*see* Van Campenhout et al.), 723

X

Xynos, Francis (*see* Piver et al.), 288

Y

Yanaihara, Takumi (*see* Arai and Yanaihara), 879
Yang, James P. S. (*see* Purtilo et al.), 208
Yasuda, Yoshiko, Kihara, Takahide, and Nishimura, Hideo. Effect of prenatal treatment with ethinyl estradiol on the mouse uterus and ovary, 832
Yeary, Roger A. Embryotoxicity of bilirubin, 497
Yeh, Sze-Ya, Forsythe, Alan, Lowensohn, Richard I., and Hon, Edward H. A study of the relationship between Goodwin's high-risk score and fetal outcome, 50
Yoon, In Bae, King, Theodore M., and Parmley, Tim H. A two-year experience with the Falope ring sterilization procedure, 109 (Clinical opinion)
Younger, Benjamin (*see* Cassady et al.), 21
Yuen, Basil Ho, Cannon, Wendy, Benedet, J. Lawrence, and Boyes, David A. Plasma β-subunit human chorionic gonadotropin assay in molar pregnancy and choriocarcinoma, 711

Z

Zador, Ivan (*see* Timor-Tritsch et al.), 662
Zaneveld, Lourens J. D. (*see* Brueschke et al.), 118
Zervoudakis, I. A., and Birnbaum, S. J. Transillumination in operative gynecology, 209 (Comm. in brief)
Zuspan, Frederick (*see* Madden et al.), 199

Subject index*

A

A, Class, diabetes mellitus, management and outcome of (Gabbe et al.), 465
Abortifacient and oxytocic effects of intravaginal silicone rubber device containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester (Lauersen and Wilson), 784
Abortion(s) deaths associated with use of prostaglandin $F_{2\alpha}$ (Cates et al.), 219
habitual, and other reproductive wastage, cytogenetics of (Stenchever et al.), 143
induced, increased reporting of menstrual symptoms among women who used (Rohr et al.), 356
midtrimester, induction of, with intra-amniotic urea and intravenous oxytocin (Smith et al.), 228
missed, and fetal death in utero, induction of labor in patients with, with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
prostaglandin $F_{2\alpha}$–induced midtrimester, cortisol levels in amniotic fluid in (Koren et al.), 639
second-trimester, dilatation and curettage for (Hodari et al.), 850
septicemia and, with CU-7 (Viechnicki), 203 (Comm. in brief)
spontaneous, reproductive counseling in patients who have had (Poland et al.), 685
Abscess, gonococcal fetal scalp: Case report (Plavidal and Werch), 437 (Comm. in brief)
neonatal scalp, following intrapartum fetal monitoring: Prospective comparison of two spiral electrodes (Okada and Chow), 875
unilateral tuboovarian: Distinct entity (Golde, Israel, and Ledger), 807
Absorption, maternal, and placental transfer of sulfasalazine (Hensleigh and Kauffman), 443 (Comm. in brief)
Acid(s), deoxyribonucleic, its effects on incorporation of ^{3}H-thymidine into: Dexamethasone treatment of guinea pig fetus (Sanfaçon, Possmayer, and Harding), 745
fatty, incorporation of, into tissue phospholipids in vitro, II. Human amnion metabolism (Schwartz et al.), 475
synthesis, rat mammary deoxyribonucleic, during estrous cycle, pregnancy, and lactation in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
unsaturated fatty, prolongation of gestation time in rats by (Waltman et al.), 626
Adenocarcinoma of Bartholin's gland in 14-year-old girl: Report of case (Addison), 214 (Comm. in brief)
Adrenergic, α- and β-, blocking agents, effects of, on serum prolactin levels in women with hyperprolactinemia and galactorrhea (Board et al.), 285
cholinergic, and "p-type" nerves in myometrium and special kind of synaptic contacts with smooth muscle cells, electron microscopy of (Sporrong et al.), 811
neurotransmission, regulation of uterine blood flow and, role of endogenous prostaglandins in (Clark et al.), 455
Adults, in women during pregnancy, in children at birth, and during first week of life, serum alpha-fetoprotein in: Sex difference (Caballero et al.), 384

*January 1, 1-108; January 15, 109-218; February 1, 219-334; February 15, 335-450; March 1, 451-568; March 15, 569-684; April 1, 685-800; April 15, 801-918.

Age(s), advancing gestational, incidence of intrapartum fetal distress with (Klapholz and Friedman), 405
gestational, serum unconjugated estriol levels in third trimester and their relationship to. II (Sakakini, Buster, and Killam), 452
1, 3, and 5 years, outcome at, of children born to diabetic women (Stehbens, Baker, and Kitchell), 408
small–for–gestational, baby, small chorioangiomas and (Mahmood), 440 (Comm. in brief)
Agonadism (Penney and Betz), 299
Albright, Forbes-, syndrome, successful spontaneous pregnancy in patient with (Shapiro), 328 (Comm. in brief)
α- and β-adrenergic blocking agents, effects of, on serum prolactin levels in women with hyperprolactinemia and galactorrhea (Board et al.), 285
Alpha fetoprotein, equivocal amniotic fluid levels of, in prenatal diagnosis of neural tube defects (Henry and Robinson), 204 (Comm. in brief)
levels, false positive amniotic fluid, resulting from contamination with fetal blood: Results of experiment (Doran et al.), 759
serum, in adults, in women during pregnancy, in children at birth, and during first week of life: Sex difference (Caballero et al.), 384
Ambulatory surgical center, first-trimester pregnancy terminations in, statistical analysis of (Bozorgi), 763
Amenorrhea-galactorrhea, bromocryptine therapy in cases of (Mroueh and Siler-Khodr), 291
or oligomenorrhea associated with galactorrhea, pituitary responses to synthetic luteinizing hormone–releasing hormone in thirty-four cases of (Van Campenhout et al.), 723
Amniocentesis for prenatal detection of genetic defects (Gerbie), 158
Amnion metabolism, human. I. In vitro maintenance (Schwartz et al.), 470
II. Incorporation of fatty acids into tissue phospholipids in vitro (Schwartz et al.), 475
Amnionic fluid, identification of bactericidal factor (B-lysin) in, at 14 and 40 weeks' gestation (Ford, DeLange, and Lebherz), 788
Amniotic fluid alpha fetoprotein levels, false positive, resulting from contamination with fetal blood: Results of experiment (Doran et al.), 759
antimicrobial effect of, against anaerobic bacteria (Thadepalli et al.), 250
bacterial growth inhibition by. VII. Effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks (Schlievert, Johnson, and Galask), 603
cortisol levels in, in prostaglandin $F_{2\alpha}$–induced midtrimester abortion (Koren et al.), 639
effect of betamethasone on analysis of, in rhesus-sensitized pregnancy (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
glucose in pregnancies complicated by diabetes (Cassady et al.), 21
levels, equivocal, of alpha fetoprotein in prenatal diagnosis of neural tube defects (Henry and Robinson), 204 (Comm. in brief)
neonate, and cord plasma, effect of antepartum betamethasone treatment on cortisol levels in (Sybulski), 871
prolactin, possible source of: Decidua (Riddick and Kusmik), 187
Anaerobic bacteria, antimicrobial effect of amniotic fluid against anaerobic bacteria (Thadepalli et al.), 250
Analgesia, lumbar epidural, for labor and delivery of twins (James et al.), 176
with bupivacaine, uterine activity during (Schellenberg), 26
Anatomical variations in female pelvis and their effect in labor with suggested classification (Caldwell and Moloy), 798 (Classic pages)
Androgen, impeded, —danazol—, use of, in management of benign breast disorders (Asch and Greenblatt), 130
Angiotensin, renin-, system, effect of normal labor on, in mother and fetus (Lammintausta, Eronen, and Erkkola), 390
II pressor responsiveness in pregnancies complicated by chronic essential hypertension, prospective study of (Gant et al.), 369
Anomalies, multiple congenital, associated with oral anticoagulants (Shaul and Hall), 191
elevated luteinizing hormone levels and, anosmia and hypogonadism associated with (Check et al.), 889 (Comm. in brief)
Anosmia and hypogonadism associated with elevated luteinizing hormone levels and multiple congenital anomalies (Check et al.), 889 (Comm. in brief)
Antepartum betamethasone treatment, effect of, on cortisol levels in cord plasma, amniotic fluid, and neonate (Sybulski), 871
Anticoagulants, oral, multiple congenital anomalies associated with (Shaul and Hall), 191
Antigen, H-Y, presence of, II. Clinical, pathologic, and genetic findings in case of 46,XY pure gonadal dysgenesis (Swyer's syndrome) (Dorus et al.), 829
ovarian tumor-associated, purification of, and demonstration of circulating tumor antigen in patients with advanced ovarian malignancy (Knauf and Urbach), 705
Antimicrobial effect of amniotic fluid against anaerobic bacteria (Thadepalli et al.), 250
Arrhythmia, human fetal respiratory (Timor-Tritsch et al.), 662 (Current investigation)
Artery, cord, maternal peripheral vein, and cord vein serum, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Asphyxia, fetal, intrapartum fetal heart rate profiles with and without (Low, Pancham, and Worthington), 729
Assay, plasma β-subunit human chorionic gonadotropin, in molar pregnancy and choriocarcinoma (Yuen et al.), 711
ATPase, Na/K- and Mg-, activity in placenta and in maternal and cord erythrocytes of pre-eclamptic patients (Kuhnert et al.), 56

B

B-lysin (bactericidal factor), identification of, in amnionic fluid at 14 and 40 weeks' gestation (Ford, DeLange, and Lebherz), 788
B_6, vitamin, treatment of gestational diabetes mellitus (Spellacy, Buhi, and Birk), 599
Baby, pregnant woman and, fatal varicella in (Purtilo et al.), 208 (Comm. in brief)
small–for–gestational age, small chorioangiomas and (Mahmood), 440 (Comm. in brief)
Bacteria, anaerobic, antimicrobial effect of amniotic fluid against (Thadepalli et al.), 250
Bacterial growth inhibition by amniotic fluid. VII. Effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks (Schlievert, Johnson, and Galask), 603
Bactericidal factor (B-lysin), identification of, in amnionic fluid at 14 and 40 weeks' gestation (Ford, DeLange, and Lebherz), 788
Bartholin's gland, adenocarcinoma of, in 14-year-old girl: Report of case (Addison), 214 (Comm. in brief)
Basal and LRH-stimulated secretion of FSH during early pregnancy (Jeppsson et al.), 32
Beat-to-beat variability quantitation, fetal and neonatal heart rate, simple method of: Preliminary report (Modanlou, Freeman, and Braly), 861
Behavioral and medical variables, effects of, on fetal growth retardation (Miller, Hassanein, and Hensleigh), 643
Benign breast disorders, use of impeded androgen—danazol—in management of (Asch and Greenblatt), 130
β-adrenergic, α- and, blocking agents, effects of, on serum prolactin levels in women with hyperprolactinemia and galactorrhea (Board et al.), 285
-subunit human chorionic gonadotropin assay, plasma, in molar pregnancy and choriocarcinoma (Yuen et al.), 711
Betamethasone, cortisol, prednisolone, and dexamethasone, in vitro metabolism of, by human placenta (Blanford and Murphy), 264
effect of, on analysis of amniotic fluid in rhesus-sensitized pregnancy (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
maternal, and fetal growth and development in monkey (Epstein et al.), 255
treatment, antepartum, effect of, on cortisol levels in cord plasma, amniotic fluid, and neonate (Sybulski), 871
Betamimetic drugs, evaluation of success in treatment of threatening premature labor by (Richter), 482
Bilateral ureteral obstruction in ruptured chronic ectopic pregnancy (Livnat and Scommegna), 330 (Comm. in brief)
Bilirubin, embryotoxicity of (Yeary), 497
Biologic activity, immunologic and, of oxytocin in midtrimester pregnancy (Vasicka et al.), 171
Birth, during first week of life, in adults, and in women during pregnancy, serum alpha-fetoprotein in children at: Sex difference (Caballero et al.), 384

Blocking agents, α- and β-adrenergic, effects of, on serum prolactin levels in women with hyperprolactinemia and galactorrhea (Board et al.), 285
Blood, fetal, false positive amniotic fluid alpha fetoprotein levels resulting from contamination with: Results of experiment (Doran et al.), 759
steroid hormone changes in, during labor (Arai and Yanaihara), 879
flow, human umbilical, thermodilution measurement of, at delivery (McCallum), 491
ovarian, acute effect of hysterectomy on (Janson and Jansson), 349
uterine, and its distribution after chronic estrogen and progesterone administration (Anderson et al.), 138
regulation of, and adrenergic neurotransmission, role of endogenous prostaglandins in (Clark et al.), 455
vaginal, effect on: Cold pressor test in women (Abrams et al.), 525
Books received, 218, 450, 684, 896
Born to diabetic women, outcome at ages 1, 3, and 5 years of children (Stehbens, Baker, and Kitchell), 408
Breast disorders, benign, use of impeded androgen—danazol—in management of (Asch and Greenblatt), 130
Breathing, fetal, and adaptation to maternal hemorrhage in sheep (Toubas et al.), 505
Breech, premature (Goldenberg and Nelson), 240
Bromocryptine therapy in cases of amenorrhea-galactorrhea (Mroueh and Siler-Khodr), 291
Bupivacaine, lumbar epidural analgesia with, uterine activity during (Schellenberg), 26

C

Caffeine, doxapram, and diazepam, alteration of ovine fetal respiratory-like activity by (Piercy et al.), 43
Calcium concentrations, serum, in human pregnancy (Pitkin and Gebhardt), 775
Cancer, localized ovarian, value of pre-therapy peritoneoscopy in (Piver et al.), 288
Stage I cervix, and pelvic node metastasis (Boronow), 135
Capillary tube pregnancy test (Lau, Linkins, and King), 394
Carbohydrate metabolism, fetal: Its clinical importance (Gabbe and Quilligan), 92 (Current developments)
Carcinoma, cervical squamous cell, decidual change in pelvic lymph nodes in presence of, during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
of cervix, surgical management of (Allen and Collins), 741
endometrial, exogenous estrogen and: Case-control and incidence study (McDonald et al.), 572
epithelial, of ovary, treatment of: Operation, irradiation, and chemotherapy (Bush et al.), 692
papillary, mesothelioma or: Papillary tumors of peritoneum in women (Kannerstein et al.), 306
primary multifocal, in situ of vagina and vulva in young women (Levy and Kelly), 327 (Comm. in brief)
in situ of vulva, management of (Forney et al.), 801 (Clinical opinion)
of vagina 10 or more years following pelvic irradiation therapy (Pride and Buchler), 513
Celiotomy, pelvic, in obese patient (Morrow et al.), 335 (Clinical opinion)
Cell(s) carcinoma, cervical squamous, decidual change in pelvic lymph nodes in presence of, during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
smooth muscle, special kind of synaptic contacts with, adrenergic, cholinergic, and "p-type" nerves in myometrium and, electron microscopy of (Sporrong et al.), 811
tumors, other germ, endodermal sinus tumor mixed with, II. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 302
Cervical squamous cell carcinoma, decidual change in pelvic lymph nodes in presence of, during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
ulceration, tampon-induced vaginal or (Barrett et al.), 332 (Comm. in brief)
Cervix cancer, Stage I, and pelvic node metastasis (Boronow), 135
carcinoma of, surgical management of (Allen and Collins), 741
incompetent, and accelerated fetal lung maturation (Okada and Thibeault), 462
Challenge tests, oxytocin, validity of weekly interval between (Parer and Afonso), 204 (Comm. in brief)
Chambered, two-, heart: Pregnancy with congenital heart disease (Seeds and Cefalo), 213 (Comm. in brief)
Chemotherapy, operation, and irradiation: Treatment of epithelial carcinoma of ovary (Bush et al.), 692
Children at birth, during first week of life, in adults, and in women during pregnancy, serum alpha-fetoprotein in: Sex difference (Caballero et al.), 384
born to diabetic women, outcome at ages 1, 3, and 5 years of (Stehbens, Baker, and Kitchell), 408
Cholinergic, adrenergic, and "p-type" nerves in myometrium and special kind of synaptic contacts with smooth muscle cells, electron microscopy of (Sporrong et al.), 811
Condrodysplasia punctata, relationship of maternal warfarin therapy in pregnancy to: Report of case (Collins et al.), 444 (Comm. in brief)
Chorangiosis of placenta with persistent transitional circulation (Caldwell et al.), 435 (Comm. in brief)
Chorioangiomas, small, and small–for–gestational age baby (Mahmood), 440 (Comm. in brief)
Choriocarcinoma, molar pregnancy and, plasma β-subunit human chorionic gonadotropin assay in (Yuen et al.), 711
Chorionic gonadotropin assay, plasma β-subunit human, in molar pregnancy and choriocarcinoma (Yuen et al.), 711
human, lack of effect of, on serum estrogen levels in ovariectomized rhesus monkeys (Tullner, Nixon, and Hodgen), 677 (Comm. in brief)
neoplasia, value of urinary steroid analysis in (Kodama, Totani, and Kodama), 628
Chronoperiodic response, absence of, following intra-amniotic instillation of hypertonic saline (Edelman and Berger), 446 (Comm. in brief)
Circulating tumor antigen, demonstration of, purification of human ovarian tumor-associated antigen and, in patients with advanced ovarian malignancy (Knauf and Urbach), 705
Circulation, persistent transitional, chorangiosis of placenta with (Caldwell et al.), 435 (Comm. in brief)
Circulatory effects of magnesium sulfate in normotensive and renal hypertensive pregnant sheep (Dandavino et al.), 769
response to systemic infusion of norepinephrine in pregnant ewe (Rosenfeld and West), 376
Class A diabetes mellitus, management and outcome of (Gabbe et al.), 465
Classic pages, 91, 202, 315, 434, 537-539, 671, 798, 884
Climacteric, human, model for study of disorders in: Menopause in rhesus monkeys (Hodgen et al.), 581
Clinical opinion, 109-117, 335-339, 569-571, 801-806
Closure, delayed primary wound, use of, in preventing wound infections (Brown, Allen, and Robins), 713
Coagulation and fibrinolysis in molar pregnancy (López-Llera et al.), 855
of infundibulopelvic ligament during laparoscopic tubal sterilization: Report of unusual complication (Bartsich, Cremona, and Dillon), 888 (Comm. in brief)
Coagulopathy with midtrimester induced abortion: Association with hyperosmolar urea administration (Burkman et al.), 533 (Current investigation)
Cold pressor test in women: Effect on vaginal blood flow (Abrams et al.), 525
Communications in brief, 203-215, 326-333, 435-447, 672-679, 885-892
Concentration(s), serum calcium, in human pregnancy (Pitkin and Gebhardt), 775
0.5 per cent, of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of intravaginal silicone rubber device containing (Lauersen and Wilson), 784
Conception control, implantation of pure crystalline pellets of estradiol for (Greenblatt et al.), 520
Congenital anomalies, multiple, associated with oral anticoagulants (Shaul and Hall), 191
elevated luteinizing hormone levels and, anosmia and hypogonadism associated with (Check et al.), 889 (Comm. in brief)
heart disease, pregnancy with: Two-chambered heart (Seeds and Cefalo), 213 (Comm. in brief)
Congenitally absent uterus (Rokitansky-Küster-Hauser syndrome), preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)

Contamination with fetal blood, false positive amniotic fluid alpha fetoprotein levels resulting from: Results of experiment (Doran et al.), 759
Contraceptive(s), oral, etiologic factors in pathogenesis of liver tumors associated with (Nissen, Kent, and Nissen), 61
gonadotropin, prolactin, and steroid hormone levels after discontinuation of (Klein and Mishell), 585
increased incidence of postoperative localized osteitis in mandibular third molar surgery associated with patients using (Sweet and Butler), 518
steroids, effect of, on human lactation (Toddywalla, Joshi, and Virkar), 245
Contraction and relaxation, uterine, effect of elective induction of labor with prostaglandins $F_{2\alpha}$ and E_2 and oxytocin on (Roux et al.), 718
Cord erythrocytes, maternal and, of pre-eclamptic patients, Na/K- and Mg-ATPase activity in placenta and in (Kuhnert et al.), 56
plasma, amniotic fluid, and neonate, effect of antepartum betamethasone treatment on cortisol levels in (Sybulski), 871
umbilical, true knot of (Chasnoff and Fletcher), 425
vein, cord artery, and maternal peripheral vein serum, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Correspondence, 216-217, 448-449, 680-683, 893-895
Cortisol levels in amniotic fluid in prostaglandin $F_{2\alpha}$–induced midtrimester abortion (Koren et al.), 639
in cord plasma, amniotic fluid, and neonate, effect of antepartum betamethasone treatment on (Sybulski), 871
prednisolone, dexamethasone, and betamethasone, in vitro metabolism of, by human placenta (Blanford and Murphy), 264
Counseling, genetic, its implications for: Prenatal diagnosis of trisomy X (Mueller-Heubach, Garver, and Ciocco), 211 (Comm. in brief)
reproductive, in patients who have had spontaneous abortion (Poland et al.), 685
Crystalline pellets, pure, of estradiol, implantation of, for conception control (Greenblatt et al.), 520
CU-7, septicemia and abortion with (Viechnicki), 203 (Comm. in brief)
Curettage, dilatation and, for second-trimester abortions (Hodari et al.), 850
Current developments, 92-103, 316-325, 540-549
investigation, 86-90, 529-536, 662-670
Cyclopia with D trisomy, case of (Neu, Grant, and Gardner), 212 (Comm. in brief)
Cytogenetics of habitual abortion and other reproductive wastage (Stenchever et al.), 143

D

D trisomy, case of cyclopia with (Neu, Grant, and Gardner), 212 (Comm. in brief)
Danazol—impeded androgen—, use of, in management of benign breast disorders (Asch and Greenblatt), 130
Death(s), abortion, associated with use of prostaglandin $F_{2\alpha}$ (Cates et al.), 219
fetal, in utero, missed abortion and, induction of labor in patients with, with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
Decidua: Possible source of amniotic fluid prolactin (Riddick and Kusmik), 187
Decidual change in pelvic lymph nodes in presence of cervical squamous cell carcinoma during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
Defects, genetic, amniocentesis for prenatal detection of (Gerbie), 158
neural tube, equivocal amniotic fluid levels of alpha fetoprotein in prenatal diagnosis of (Henry and Robinson), 204 (Comm. in brief)
Delivery, thermodilution measurement of human umbilical blood flow at (McCallum), 491
of twins, labor and, lumbar epidural analgesia for (James et al.), 176
unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at, in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Deoxyribonucleic acid, its effects on incorporation of ^{3}H-thymidine into: Dexamethasone treatment of guinea pig fetus (Sanfaçon, Possmayer, and Harding), 745
synthesis, rat mammary, during estrous cycle, pregnancy, and lactation in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
Device(s), implantation of, into extirpated human uteri: Transcervical tubal occlusion with steerable hysteroscope (Brueschke et al.), 118
intravaginal silicone rubber, containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of (Lauersen and Wilson), 784
single-application fertility-regulating: Description of new instrument (Richart, Neuwirth, and Bolduc), 86 (Current investigation)
Dexamethasone, betamethasone, cortisol, and prednisolone, in vitro metabolism of, by human placenta (Blanford and Murphy), 264
effects of, on maternal and fetal hemodynamic states and fetal oxygenation (Edelstone, Mueller-Heubach, and Caritis), 273
treatment of guinea pig fetus: Its effects on incorporation of ^{3}H-thymidine into deoxyribonucleic acid (Sanfaçon, Possmayer, and Harding), 745
Diabetes, amniotic fluid glucose in pregnancies complicated by (Cassady et al.), 21
mellitus, Class A, management and outcome of (Gabbe et al.), 465
gestational, vitamin B_6 treatment of (Spellacy, Buhi, and Birk), 599
Diabetic women, outcome at ages 1, 3, and 5 years of children born to (Stehbens, Baker, and Kitchell), 408
Diazepam, caffeine, and doxapram, alteration of ovine fetal respiratory-like activity by (Piercy et al.), 43
Dilatation and curettage for second-trimester abortions (Hodari et al.), 850
Disease(s), anti-Kell isoimmune, erythroblastosis fetalis with hydrops resulting from (Frigoletto and Davies), 887 (Comm. in brief)
congenital heart, pregnancy with: Two-chambered heart (Seeds and Cefalo), 213 (Comm in brief)
fetomaternal, lecithin/sphingomyelin ratio in cases associated with (Morrison et al.), 363
hypertensive, of pregnancy, intravascular volume determinations and fetal outcome in (Soffronoff, Kaufmann, and Connaughton), 4
renal, in pregnancy: Discussion (Holly), 638
Rh hemolytic, prevention of: Background of Liverpool work (Clarke and Finn), 538 (Classic pages)
Distress, intrapartum fetal, with advancing gestational age, incidence of (Klapholz and Friedman), 405
Diurnal, respiratory, and other rhythms of fetal heart rate in lambs (Dalton, Dawes, and Patrick), 414
Doxapram, diazepam, and caffeine, alteration of ovine fetal respiratory-like activity by (Piercy et al.), 43
Drugs, betamimetic, evaluation of success in treatment of threatening premature labor by (Richter), 482
Dysfunctional labor. XII. Long-term effects on infant (Friedman, Sachtleben, and Bresky), 779
Dysgenesis (Swyer's syndrome), 46,XY pure gonadal, clinical, pathologic, and genetic findings in case of. I. Dysgerminoma and gonadoblastoma (Amarose et al.), 824
II. Presence of H-Y antigen (Dorus et al.), 829
Dysgerminoma and gonadoblastoma, I. Clinical, pathologic, and genetic findings in case of 46,XY pure gonadal dysgenesis (Swyer's syndrome) (Amarose et al.), 824
Dysmenorrhea, treatment of, with naproxen sodium (Henzl et al.), 818
Dystrophy, vulvar, topical progesterone in treatment of (Jasionowski), 667 (Current investigation)

E

E_2, prostaglandin(s) $F_{2\alpha}$ and, and oxytocin, effect of elective induction of labor with, on uterine contraction and relaxation (Roux et al.), 718
suppositories, induction of labor in patients with missed abortion and fetal death in utero with (Lauersen and Wilson), 609
Ectopic pregnancy, combined intrauterine and tubal: Possible case of superfetation (Honoré and Nickerson), 885 (Comm. in brief)
ruptured chronic, bilateral ureteral obstruction in (Livnat and Scommegna), 330 (Comm. in brief)
Editorial, 451
Electrodes, two spiral, prospective comparison of: Neonatal scalp abscess following intrapartum fetal monitoring (Okada and Chow), 875

Electroencephalographic monitoring, fetal, related to infant outcome (Sokol, Rosen, and Chik), 329 (Comm. in brief)
Electron microscopy of adrenergic, cholinergic and "p-type" nerves in myometrium and special kind of synaptic contacts with smooth muscle cells (Sporrong et al.), 811
Embryotoxicity of bilirubin (Yeary), 497
Endocervix, microglandular hyperplasia of, following long-term estrogen treatment (Tsukada, Piver, and Barlow), 888 (Comm. in brief)
Endodermal sinus tumor, I. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 73
mixed with other germ cell tumors, II. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 302
Endogenous prostaglandins, role of, in regulation of uterine blood flow and adrenergic neurotransmission (Clark et al.), 455
Endometrial carcinoma, exogenous estrogen and: Case-control and incidence study (McDonald et al.), 572
Epidural analgesia, lumbar, for labor and delivery of twins (James et al.), 176
with bupivacaine, uterine activity during (Schellenberg), 26
Epithelial carcinoma of ovary, treatment of: Operation, irradiation, and chemotherapy (Bush et al.), 692
Erythroblastosis fetalis with hydrops resulting from anti-Kell isoimmune disease (Frigoletto and Davies), 887 (Comm. in brief)
Erythrocytes, maternal and cord, of pre-eclamptic patients, Na/K- and Mg-ATPase activity in placenta and in (Kuhnert et al.), 56
Essential hypertension, chronic, angiotensin II pressor responsiveness in pregnancies complicated by, prospective study of (Gant et al.), 369
Ester, 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl, abortifacient and oxytocic effects of intravaginal silicone rubber device containing 0.5 per cent concentration of (Lauersen and Wilson), 784
Estradiol, ethinyl, effect of prenatal treatment with, on mouse uterus and ovary (Yasuda, Kihara, and Nishimura), 832
pure crystalline pellets of, implantation of, for conception control (Greenblatt et al.), 520
-17β levels, serum progesterone and, in premature and term labor (Cousins et al.), 612
Estriol excretion, low urinary, trial of intravenous therapy in women with (Chang et al.), 793
levels, serum unconjugated, in third trimester and their relationship to gestational age. II (Sakakini, Buster, and Killam), 452
unconjugated, in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Estrogen, exogenous, and endometrial carcinoma: Case-control and incidence study (McDonald et al.), 572
levels, serum, lack of effect of human chorionic gonadotropin on, in ovariectomized rhesus monkeys (Tullner, Nixon, and Hodgen), 677 (Comm. in brief)
and progesterone administration, chronic, uterine blood flow and its distribution after (Anderson et al.), 138
progestin, and luteinizing hormone, plasma, during normal menstrual cycle in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67
treatment, long-term, microglandular hyperplasia of endocervix following (Tsukada, Piver, and Barlow), 888 (Comm. in brief)
Estrous cycle, pregnancy, and lactation, rat mammary deoxyribonucleic acid synthesis during, in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
Ethanol, ritodrine and, multicenter comparison of: Inhibition of premature labor (Lauersen et al.), 837
Ethinyl estradiol, effect of prenatal treatment with, on mouse uterus and ovary (Yasuda, Kihara, and Nishimura), 832
Excretion, low urinary estriol, trial of intravenous therapy in women with (Chang et al.), 793
Exogenous estrogen and endometrial carcinoma: Case-control and incidence study (McDonald et al.), 572
Extirpated human uteri, implantation of devices into: Transcervical tubal occlusion with steerable hysteroscope (Brueschke et al.), 118
Extraembryonal teratoma, ovarian. I. Endodermal sinus tumor (Jimerson and Woodruff), 73
II. Endodermal sinus tumor mixed with other germ cell tumors (Jimerson and Woodruff), 302

F

$F_{2\alpha}$ and E_2, prostaglandins, and oxytocin, effect of elective induction of labor with, on uterine contraction and relaxation (Roux et al.), 718
prostaglandin, abortion deaths associated with use of (Cates et al.), 219
–induced active labor, spontaneous and oxytocin- or, intrauterine pressure waveform characteristics of (Seitchik, Chatkoff, and Hayashi), 223
midtrimester abortion, cortisol levels in amniotic fluid in (Koren et al.), 639
methyl ester, 15(S)-15-methyl–, abortifacient and oxytocic effects of intravaginal silicone rubber device containing 0.5 per cent concentration of (Lauersen and Wilson), 784
Fallopian tube, heterotopic (Rosenow and Esterly), 442 (Comm. in brief)
Falope ring sterilization procedure, two-year experience with (Yoon, King, and Parmley), 109 (Clinical opinion)
Fatty acids, incorporation of, into tissue phospholipids in vitro, II. Human amnion metabolism (Schwartz et al.), 475
unsaturated, prolongation of gestation time in rats by (Waltman et al.), 626
metamorphosis, acute, of liver (MacKenna et al.), 400
Fertility-regulating device, single-application: Description of new instrument (Richart, Neuwirth, and Bolduc), 86 (Current investigation)
Fetal blood, false positive amniotic fluid alpha fetoprotein levels resulting from contamination with: Result of experiment (Doran et al.), 759
steroid hormone changes in, during labor (Arai and Yanaihara), 879
breathing and adaptation to maternal hemorrhage in sheep (Toubas et al.), 505
carbohydrate metabolism: Its clinical importance (Gabbe and Quilligan), 92 (Current developments)
death in utero, missed abortion and, induction of labor in patients with, with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
distress, intrapartum, with advancing gestational age, incidence of (Klapholz and Friedman), 405
electroencephalographic monitoring related to infant outcome (Sokol, Rosen, and Chik), 329 (Comm. in brief)
growth after premature rupture of membranes (Albrecht et al.), 869
and development, maternal betamethasone and, in monkey (Epstein et al.), 255
retardation, effects of behavioral and medical variables on (Miller, Hassanein, and Hensleigh), 643
heart rate, diurnal, respiratory, and other rhythms of, in lambs (Dalton, Dawes, and Patrick), 414
profiles, intrapartum, with and without fetal asphyxia (Low, Pancham, and Worthington), 729
hemodynamic states, maternal and, and fetal oxygenation, effects of dexamethasone on (Edelstone, Mueller-Heubach, and Caritis), 273
lambs, normally oxygenated and spontaneously hypoxemic, glucose and oxygen metabolism in (Char and Creasy), 499
lung maturation, accelerated, incompetent cervix and (Okada and Thibeault), 462
monitor record, preservation of, on microfilm (Spellacy, Cruz, and McKeon), 436 (Comm. in brief)
monitoring, intrapartum, neonatal scalp abscess following: Prospective comparison of two spiral electrodes (Okada and Chow), 875
and neonatal heart rate beat-to-beat variability quantitation, simple method of: Preliminary report (Modanlou, Freeman, and Braly), 861
outcome, Goodwin's high-risk score and, study of relationship between (Yeh et al.), 50
intravascular volume determinations and, in hypertensive diseases of pregnancy (Soffronoff, Kaufmann, and Connaughton), 4
pancreatic glucagon responses in glucose-intolerant nonhuman primate pregnancy (Epstein et al.), 268
rabbit exposed to intermittent hypoxia, survival in (Power, Bennett, and Longo), 428
respiratory arrhythmia, human (Timor-Tritsch et al.), 662 (Current investigation)
-like activity, ovine, alteration of, by diazepam, caffeine, and doxapram (Piercy et al.), 43

Fetal—Cont'd
salvage, pregnancy in rudimentary horn with (Jarrell, Effer, and Mohide), 676 (Comm. in brief)
scalp abscess, gonococcal: Case report (Plavidal and Werch), 437 (Comm. in brief)
thyroidectomy, effects of, in ovine fetus (Bhakthavathsalan et al.), 278
weight, estimation of, by fetography (Ogita, Kamei, and Sugawa), 37
Fetalis, erythroblastosis, with hydrops resulting from anti-Kell isoimmune disease (Frigoletto and Davies), 887 (Comm. in brief)
Fetography, estimation of fetal weight by (Ogita, Kamei, and Sugawa), 37
Fetomaternal disease, lecithin/sphingomyelin ratio in cases associated with (Morrison et al.), 363
Fetoprotein, alpha, equivocal amniotic fluid levels of, in prenatal diagnosis of neural tube defects (Henry and Robinson), 204 (Comm. in brief)
serum, in adults, in women during pregnancy, in children at birth, and during first week of life: Sex difference (Caballero et al.), 384
levels, false positive amniotic fluid alpha, resulting from contamination with fetal blood: Results of experiment (Doran et al.), 759
Fetus, guinea pig, dexamethasone treatment of: Its effects on incorporation of ^{3}H-thymidine into deoxyribonucleic acid (Sanfaçon, Possmayer, and Harding), 745
human, intra-amniotic injection of thyroxine (T4) to (Lightner et al.), 487
mother and, effect of normal labor on renin-angiotensin system in (Lammintausta, Eronen, and Erkkola), 390
ovine, effects of fetal thyroidectomy in (Bhakthavathsalan et al.), 278
Fibrinolysis, coagulation and, in molar pregnancy (López-Llera et al.), 855
Flow, human umbilical blood, thermodilution measurement of, at delivery (McCallum), 491
ovarian blood, acute effect of hysterectomy on (Janson and Jansson), 349
uterine blood, and its distribution after chronic estrogen and progesterone administration (Anderson et al.), 138
regulation of, and adrenergic neurotransmission, role of endogenous prostaglandins in (Clark et al.), 455
vaginal blood, effect on: Cold pressor test in women (Abrams et al.), 525
Fluid alpha fetoprotein levels, false positive amniotic, resulting from contamination with fetal blood: Results of experiment (Doran et al.), 759
amnionic, identification of bactericidal factor (B-lysin) in, at 14 and 40 weeks' gestation (Ford, DeLange, and Lebherz), 788
amniotic, antimicrobial effect of, against anaerobic bacteria (Thadepalli et al.), 250
bacterial growth inhibition by. VII. Effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks (Schlievert, Johnson, and Galask), 603
cortisol levels in, in prostaglandin $F_{2\alpha}$–induced midtrimester abortion (Koren et al.), 639
effect of betamethasone on analysis of, in rhesus-sensitized pregnancy (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
neonate, and cord plasma, effect of antepartum betamethasone treatment on cortisol levels in (Sybulski), 871
glucose, amniotic, in pregnancies complicated by diabetes (Cassady et al.), 21
levels, equivocal amniotic, of alpha fetoprotein in prenatal diagnosis of neural tube defects (Henry and Robinson), 204 (Comm. in brief)
prolactin, amniotic, possible source of: Decidua (Riddick and Kusmik), 187
Follicle-stimulating hormone (FSH), basal and LRH-stimulated secretion of, during early pregnancy (Jeppsson et al.), 32
Forbes-Albright syndrome, successful spontaneous pregnancy in patient with (Shapiro), 328 (Comm. in brief)
Frozen sections of pelvis, study of, with description of operation for pelvic prolapse (Spalding), 884 (Classic pages)
FSH, basal and LRH-stimulated secretion of, during early pregnancy (Jeppsson et al.), 32

G

Galactorrhea, amenorrhea-, bromocryptine therapy in cases of (Mroueh and Siler-Khodr), 291
Galactorrhea, amenorrhea—Cont'd
or oligomenorrhea associated with, pituitary responses to synthetic luteinizing hormone–releasing hormone in thirty-four cases of (Van Campenhout et al.), 723
evaluation of (Adler), 569 (Clinical opinion)
hyperprolactinemia and, effects of α- and β-adrenergic blocking agents on serum prolactin levels in women with (Board et al.), 285
Genetic, clinical, and pathologic findings in case of 46,XY pure gonadal dysgenesis (Swyer's syndrome). I. Dysgerminoma and gonadoblastoma (Amarose et al.), 824
II. Presence of H-Y antigen (Dorus et al.), 829
counseling, its implications for: Prenatal diagnosis of trisomy X (Mueller-Heubach, Garver, and Ciocco), 211 (Comm. in brief)
defects, amniocentesis for prenatal detection of (Gerbie), 158
Genital ulceration and infectious mononucleosis: Report of case (Brown and Stenchever), 673 (Comm. in brief)
Germ cell tumors, other, endodermal sinus tumor mixed with, II. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 302
Gestation, 14 and 40 weeks', identification of bactericidal factor (B-lysin) in amnionic fluid at (Ford, DeLange, and Lebherz), 788
time, prolongation of, in rats by unsaturated fatty acids (Waltman et al.), 626
of 20 weeks, effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from, VII. Bacterial growth inhibition by amniotic fluid (Schlievert, Johnson, and Galask), 603
Gestational age, advancing, incidence of intrapartum fetal distress with (Klapholz and Friedman), 405
serum unconjugated estriol levels in third trimester and their relationship to. II (Sakakini, Buster, and Killam), 452
small–for–, baby, small chorioangiomas and (Mahmood), 440 (Comm. in brief)
diabetes mellitus, vitamin B_6 treatment of (Spellacy, Buhi, and Birk), 599
Gland, Bartholin's, adenocarcinoma of, in 14-year-old girl: Report of case (Addison), 214 (Comm. in brief)
Glucagon responses, fetal pancreatic, in glucose-intolerant nonhuman primate pregnancy (Epstein et al.), 268
Glucose, amniotic fluid, in pregnancies complicated by diabetes (Cassady et al.), 21
-intolerant nonhuman primate pregnancy, fetal pancreatic glucagon responses in (Epstein et al.), 268
and oxygen metabolism in normally oxygenated and spontaneously hypoxemic fetal lambs (Char and Creasy), 499
Gonadal dysgenesis (Swyer's syndrome), 46,XY pure, clinical, pathologic, and genetic findings in case of. I. Dysgerminoma and gonadoblastoma (Amarose et al.), 824
II. Presence of H-Y antigen (Dorus et al.), 829
karyotyping in women with and without ovarian activity (Kemmann et al.), 126
Gonadoblastoma, dysgerminoma and, I. Clinical, pathologic, and genetic findings in case of 46,XY pure gonadal dysgenesis (Swyer's syndrome) (Amarose et al.), 824
Gonadotropin assay, plasma β-subunit human chorionic, in molar pregnancy and choriocarcinoma (Yuen et al.), 711
human chorionic, lack of effect of, on serum estrogen levels in ovariectomized rhesus monkeys (Tullner, Nixon, and Hodgen), 677 (Comm. in brief)
prolactin, and steroid hormone levels after discontinuation of oral contraceptives (Klein and Mishell), 585
responsivity in Rokitansky-Küster-Hauser syndrome (congenitally absent uterus), preliminary report on (Shane et al.), 326 (Comm. in brief)
Gonococcal fetal scalp abscess: Case report (Plavidal and Werch), 437 (Comm. in brief)
Goodwin's high-risk score and fetal outcome, study of relationship between (Yeh et al.), 50
Growth and development, fetal, maternal betamethasone and, in monkey (Epstein et al.), 255
fetal, after premature rupture of membranes (Albrecht et al.), 869
inhibition, bacterial, by amniotic fluid. VII. Effect of zinc supplementation on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks (Schlievert, Johnson, and Galask), 603
retardation, fetal, effects of behavioral and medical variables on (Miller, Hassanein, and Hensleigh), 643

Growth retardation—Cont'd
intrauterine (Jones and Battaglia), 540 (Current developments)
prediction of, by determination of total intrauterine volume (Gohari, Berkowitz, and Hobbins), 255
unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
volumetric, of human placenta: Longitudinal ultrasonic study (Bleker et al.), 657
Gynecologist, obstetrician-, hypertension and (Roberts and Perloff), 316 (Current developments)
Gynecology, operative, transillumination in (Zervoudakis and Birnbaum), 209 (Comm. in brief)

H

^{3}H-thymidine, its effects on incorporation of, into deoxyribonucleic acid: Dexamethasone treatment of guinea pig fetus (Sanfaçon, Possmayer, and Harding), 745
H-Y antigen, presence of, II. Clinical, pathologic, and genetic findings in case of 46,XY pure gonadal dysgenesis (Swyer's syndrome) (Dorus et al.), 829
Habitual abortion and other reproductive wastage, cytogenetics of (Stenchever et al.), 143
Hauser, Rokitansky-Küster-, syndrome (congenitally absent uterus), preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)
Head trauma, hypopituitarism following (Weiss et al.), 678 (Comm. in brief)
Heart disease, congenital, pregnancy with: Two-chambered heart (Seeds and Cefalo), 213 (Comm. in brief)
rate analysis, definition of sleep state in newborn infant by (DeHaan et al.), 753
beat-to-beat variability quantitation, fetal and neonatal, simple method of: Preliminary report (Modanlou, Freeman, and Braly), 861
fetal, diurnal, respiratory, and other rhythms of, in lambs (Dalton, Dawes, and Patrick), 414
profiles, intrapartum fetal, with and without fetal asphyxia (Low, Pancham, and Worthington), 729
Hemangiopericytomatous foci, uterine leiomyoma with: Histogenetic implications (Honoré), 891 (Comm. in brief)
Hemodynamic and metabolic studies of case of toxemia of pregnancy (Freund et al.), 206 (Comm. in brief)
states, maternal and fetal, and fetal oxygenation, effects of dexamethasone on (Edelstone, Mueller-Heubach, and Caritis), 273
Hemolytic disease, Rh, prevention of: Background of Liverpool work (Clarke and Finn), 538 (Classic pages)
Hemorrhage, maternal, fetal breathing and adaptation to, in sheep (Toubas et al.), 505
Heterotopic Fallopian tube (Rosenow and Esterly), 442 (Comm. in brief)
High-risk score, Goodwin's, and fetal outcome, study of relationship between (Yeh et al.), 50
Hirsute women, partial 11- and 21-hydroxylase deficiencies in (Newmark et al.), 594
Histogenetic implications: Uterine leiomyoma with hemangiopericytomatous foci (Honoré), 891 (Comm. in brief)
Hormonal studies in pregnancy. II. Unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by intrauterine growth retardation (Gorwill and Sarda), 17
Hormone changes, steroid, in fetal blood during labor (Arai and Yanaihara), 879
levels, elevated luteinizing, and multiple congenital anomalies, anosmia and hypogonadism associated with (Check et al.), 889 (Comm. in brief)
steroid, gonadotropin, prolactin, and, after discontinuation of oral contraceptives (Klein and Mishell), 585
luteinizing, estrogen, and progestin, plasma, during normal menstrual cycle in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67
–releasing hormone (LRH), –stimulated secretion, basal and, of FSH during early pregnancy (Jeppsson et al.), 32
synthetic, pituitary responses to, in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea (Van Campenhout et al.), 723
Horn, rudimentary, pregnancy in, with fetal salvage (Jarrell, Effer, and Mohide), 676 (Comm. in brief)
Hydatidiform mole: Two entities (Vassilakos, Riotton, and Kajii), 167
Hydrops, erythroblastosis fetalis with, resulting from anti-Kell isoimmune disease (Frigoletto and Davies), 887 (Comm. in brief)
Hydroxylase, 11- and 21-, deficiencies, partial, in hirsute women (Newmark et al.), 594
Hydroxypregn-4-en-3-one, 20α-, progesterone and, inhibitory effect of, on phytohemagglutinin-induced transformation of human lymphocytes (Mori et al.), 151
Hyperosmolar urea administration, association with: Coagulopathy with midtrimester induced abortion (Burkman et al.), 533 (Current investigation)
Hyperplasia, microglandular, of endocervix following long-term estrogen treatment (Tsukada, Piver, and Barlow), 888 (Comm. in brief)
Hyperprolactinemia and galactorrhea, effects of α- and β-adrenergic blocking agents on serum prolactin levels in women with (Board et al.), 285
Hypertension, chronic essential, angiotensin II pressor responsiveness in pregnancies complicated by, prospective study of (Gant et al.), 369
and obstetrician-gynecologist (Roberts and Perloff), 316 (Current developments)
pregnancy-induced, clinical evaluation of "roll-over test" for (Gusdon, Anderson, and May), 1
prolactin and (Mati et al.), 616
Hypertensive diseases of pregnancy, intravascular volume determinations and fetal outcome in (Soffronoff, Kaufmann, and Connaughton), 4
pregnant sheep, normotensive and renal, circulatory effects of magnesium sulfate in (Dandavino et al.), 769
test, supine, as predictor of incipient pre-eclampsia (Karbhari, Harrigan, and LaMagra), 620
Hypertonic saline, absence of chronoperiodic response following intra-amniotic instillation of (Edelman and Berger), 446 (Comm. in brief)
Hypogonadism, anosmia and, associated with elevated luteinizing hormone levels and multiple congenital anomalies (Check et al.), 889 (Comm. in brief)
Hypopituitarism following head trauma (Weiss et al.), 678 (Comm. in brief)
Hypoxemic, spontaneously, fetal lambs, normally oxygenated and, glucose and oxygen metabolism in (Char and Creasy), 499
Hypoxia, intermittent, survival in fetal rabbit exposed to (Power, Bennett, and Longo), 428
Hysterectomy, acute effect of, on ovarian blood flow (Janson and Jansson), 349
decision regarding (Burchell), 113 (Clinical opinion)
Hysteroscope, steerable, transcervical tubal occlusion with: Implantation of devices into extirpated human uteri (Brueschke et al.), 118
Hysteroscopy: Clinical experience with 320 patients (Sciarra and Valle), 340

I

IgM, surface, on lymphocytes from pregnant women (Loke, Brook, and Allen), 846
Immunoglobulin M (IgM), surface, on lymphocytes from pregnant women (Loke, Brook, and Allen), 846
Immunologic and biologic activity of oxytocin in midtrimester pregnancy (Vasicka et al.), 171
Incompetent cervix and accelerated fetal lung maturation (Okada and Thibeault), 462
Induced abortion, increased reporting of menstrual symptoms among women who used (Roht et al.), 356
midtrimester, coagulopathy with: Association with hyperosmolar urea administration (Burkman et al.), 533 (Current investigation)
oxytocin- or prostaglandin $F_{2\alpha}$–, active labor, spontaneous and, intrauterine pressure waveform characteristics of (Seitchik, Chatkoff, and Hayashi), 223
phytohemagglutinin-, transformation of human lymphocytes, inhibitory effect of progesterone and 20α-hydroxypregn-4-en-3-one on (Mori et al.), 151
prostaglandin $F_{2\alpha}$–, midtrimester abortion, cortisol levels in amniotic fluid in (Koren et al.), 639
tampon-, vaginal or cervical ulceration (Barrett et al.), 332 (Comm. in brief)
Induction, elective, of labor with prostaglandins $F_{2\alpha}$ and E_2 and oxytocin, effect of, on uterine contraction and relaxation (Roux et al.), 718

Induction—Cont'd
of labor in patients with missed abortion and fetal death in utero with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
of midtrimester abortion with intra-amniotic urea and intravenous oxytocin (Smith et al.), 228
Infant, long-term effects on, XII. Dysfunctional labor (Friedman, Sachtleben, and Bresky), 779
newborn, definition of sleep state in, by heart rate analysis (DeHaan et al.), 753
pentazocine withdrawal syndrome in (Preis, Choi, and Rudolph), 205 (Comm. in brief)
outcome, fetal electroencephalographic monitoring related to (Sokol, Rosen, and Chik), 329 (Comm. in brief)
Infarction, myocardial, menopause and (Blanc et al.), 353
Infections, wound, use of delayed primary wound closure in preventing (Brown, Allen, and Robins), 713
Infectious mononucleosis, genital ulceration and: Report of case (Brown and Stenchever), 673 (Comm. in brief)
Infundibulopelvic ligament, coagulation of, during laparoscopic tubal sterilization: Report of unusual complication (Bartsich, Cremona, and Dillon), 888 (Comm. in brief)
Infusion, systemic, of norepinephrine, circulatory response to, in pregnant ewe (Rosenfeld and West), 376
Injection, intra-amniotic, of thyroxine (T4) to human fetus (Lightner et al.), 487
Instillation, intra-amniotic, of hypertonic saline, absence of chronoperiodic response following (Edelman and Berger), 446 (Comm. in brief)
Instrument, description of: Single-application fertility-regulating device (Richart, Neuwirth, and Bolduc), 86 (Current investigation)
Insulin, mechanical and metabolic effects of, on newborn lamb myocardium (Downing, Lee, and Rieker), 649
Intra-amniotic injection of thyroxine (T4) to human fetus (Lightner et al.), 487
instillation of hypertonic saline, absence of chronoperiodic response following (Edelman and Berger), 446 (Comm. in brief)
urea and intravenous oxytocin, induction of midtrimester abortion with (Smith et al.), 228
Intrapartum fetal distress with advancing gestational age, incidence of (Klapholz and Friedman), 405
heart rate profiles with and without fetal asphyxia (Low, Pancham, and Worthington), 729
monitoring, neonatal scalp abscess following: Prospective comparison of two spiral electrodes (Okada and Chow), 875
Intrauterine growth retardation (Jones and Battaglia), 540 (Current developments)
prediction of, by determination of total intrauterine volume (Gohari, Berkowitz, and Hobbins), 255
unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
pressure waveform characteristics of spontaneous and oxytocin- or prostaglandin $F_{2\alpha}$–induced active labor (Seitchik, Chatkoff, and Hayashi), 223
and tubal ectopic pregnancy, combined: Possible case of superfetation (Honoré and Nickerson), 885 (Comm. in brief)
volume, total, prediction of intrauterine growth retardation by determination of (Gohari, Berkowitz, and Hobbins), 255
Intravaginal silicone rubber device containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of (Lauersen and Wilson), 784
Intravascular volume determinations and fetal outcome in hypertensive diseases of pregnancy (Soffronoff, Kaufmann, and Connaughton), 4
Intravenous oxytocin, intra-amniotic urea and, induction of midtrimester abortion with (Smith et al.), 228
pyelography in diagnosis and management of postpartum ovarian vein thrombophlebitis: Case report (Darney and Wilson), 439 (Comm. in brief)
therapy, trial of, in women with low urinary estriol excretion (Chang et al.), 793
Irradiation, chemotherapy, and operation: Treatment of epithelial carcinoma of ovary (Bush et al.), 692
therapy, pelvic, carcinoma of vagina 10 or more years following (Pride and Buchler), 513
Isoimmune disease, anti-Kell, erythroblastosis fetalis with hydrops resulting from (Frigoletto and Davies), 887 (Comm. in brief)
Items, 108, 334, 550-568, 799-800

K

K-, Na/, and Mg-ATPase activity in placenta and in maternal and cord erythrocytes of pre-eclamptic patients (Kuhnert et al.), 56
Karyotyping, gonadal, in women with and without ovarian activity (Kemmann et al.), 126
Kell, anti-, isoimmune disease, erythroblastosis fetalis with hydrops resulting from (Frigoletto and Davies), 887 (Comm. in brief)
Knot, true, of umbilical cord (Chasnoff and Fletcher), 425
Küster-Hauser, Rokitansky-, syndrome (congenitally absent uterus), preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)

L

Labor, anatomical variations in female pelvis and their effect in, with suggested classification (Caldwell and Moloy), 798 (Classic pages)
and delivery of twins, lumbar epidural analgesia for (James et al.), 176
dysfunctional. XII. Long-term effects on infant (Friedman, Sachtleben, and Bresky), 779
elective induction of, with prostaglandins $F_{2\alpha}$ and E_2 and oxytocin, effect of, on uterine contraction and relaxation (Roux et al.), 718
induction of, in patients with missed abortion and fetal death in utero with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
normal, effect of, on renin-angiotensin system in mother and fetus (Lammintausta, Eronen, and Erkkola), 390
premature, inhibition of: Multicenter comparison of ritodrine and ethanol (Lauersen et al.), 837
and term, serum progesterone and estradiol-17β levels in (Cousins et al.), 612
spontaneous and oxytocin- or prostaglandin $F_{2\alpha}$–induced active, intrauterine pressure waveform characteristics of (Seitchik, Chatkoff, and Hayashi), 223
steroid hormone changes in fetal blood during (Arai and Yanaihara), 879
threatening premature, evaluation of success in treatment of, by betamimetic drugs (Richter), 482
Lactation, estrous cycle, and pregnancy, rat mammary deoxyribonucleic acid synthesis during, in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
human, effect of contraceptive steroids on (Toddywalla, Joshi, and Virkar), 245
Lactogen levels, serum human placental, effect of smoking on (Spellacy, Buhi, and Birk), 232
plasma human placental, oxytocinase, and placental phosphatase in normal and toxemic pregnancies (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
Laparoscopic tubal sterilization, coagulation of infundibulopelvic ligament during: Report of unusual complication (Bartsich, Cremona, and Dillon), 888 (Comm. in brief)
Laparoscopy, new uterine mobilizer for: Its use in 518 patients (Valtchev and Papsin), 738
Lecithin/sphingomyelin ratio in cases associated with fetomaternal disease (Morrison et al.), 363
Leiomyoma, metastasizing: Case report (Clark and Weed), 672 (Comm. in brief)
uterine, with hemangiopericytomatous foci: Histogenetic implications (Honoré), 891 (Comm. in brief)
Life, in adults, in women during pregnancy, and in children at birth, serum alpha-fetoprotein during first week of (Caballero et al.), 384
Ligament, infundibulopelvic, coagulation of, during laparoscopic tubal sterilization: Report of unusual complication (Bartsich, Cremona, and Dillon), 888 (Comm. in brief)
Liver, acute fatty metamorphosis of (MacKenna et al.), 400
tumors associated with oral contraceptives, etiologic factors in pathogenesis of (Nissen, Kent, and Nissen), 61
Liverpool work, background of: Prevention of Rh hemolytic disease (Clarke and Finn), 538 (Classic pages)
Longitudinal ultrasonic study: Volumetric growth of human placenta (Bleker et al.), 657

LRH-stimulated secretion, basal and, of FSH during early pregnancy (Jeppsson et al.), 32
Lumbar epidural analgesia for labor and delivery of twins (James et al.), 176
with bupivacaine, uterine activity during (Schellenberg), 26
Lung functions, new, and pregnancy (Baldwin et al.), 235
maturation, accelerated fetal, incompetent cervix and (Okada and Thibeault), 462
Luteinizing hormone, estrogen, and progestin, plasma, during normal menstrual cycle in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67
levels, elevated, and multiple congenital anomalies, anosmia and hypogonadism associated with (Check et al.), 889 (Comm. in brief)
–releasing hormone (LRH)–stimulated secretion, basal and, of FSH during early pregnancy (Jeppsson et al.), 32
synthetic, pituitary responses to, in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea (Van Campenhout et al.), 723
Lymph nodes, pelvic, decidual change in, in presence of cervical squamous cell carcinoma during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
Lymphocytes from pregnant women, surface IgM on (Loke, Brook, and Allen), 846
human, inhibitory effect of progesterone and 20α-hydroxypregn-4-en-3-one on phytohemagglutinin-induced transformation of (Mori et al.), 151
Lysin (bactericidal factor), B-, identification of, in amnionic fluid at 14 and 40 weeks' gestation (Ford, DeLange, and Lebherz), 788

M

M (IgM), immunoglobulin, surface, on lymphocytes from pregnant women (Loke, Brook, and Allen), 846
Magnesium sulfate, circulatory effects of, in normotensive and renal hypertensive pregnant sheep (Dandavino et al.), 769
Malignancy, advanced ovarian, purification of human ovarian tumor-associated antigen and demonstration of circulating tumor antigen in patients with (Knauf and Urbach), 705
Mammary deoxyribonucleic acid synthesis, rat, during estrous cycle, pregnancy, and lactation in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
Mandibular third molar surgery, increased incidence of postoperative localized osteitis in, associated with patients using oral contraceptives (Sweet and Butler), 518
Maternal absorption and placental transfer of sulfasalazine (Hensleigh and Kauffman), 443 (Comm. in brief)
betamethasone and fetal growth and development in monkey (Epstein et al.), 255
and cord erythrocytes of pre-eclamptic patients, Na/K- and Mg-ATPase activity in placenta and in (Kuhnert et al.), 56
and fetal hemodynamic states and fetal oxygenation, effects of dexamethasone on (Edelstone, Mueller-Huebach, and Caritis), 273
hemorrhage, fetal breathing and adaptation to, in sheep (Toubas et al.), 505
peripheral vein, cord vein, and cord artery serum, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
warfarin therapy in pregnancy, relationship of, to chondrodysplasia punctata: Report of case (Collins et al.), 444 (Comm. in brief)
Maturation, accelerated fetal lung, incompetent cervix and (Okada and Thibeault), 462
Maturity, accelerated pulmonary, and accelerated neurological maturity, relationship between, in certain chronically stressed pregnancies (Gould, Gluck, and Kulovich), 181
Medical correlates, some social and, of pregnancy outcome (Stickle and Ma), 162
variables, behavioral and, effects of, on fetal growth retardation (Miller, Hassanein, and Hensleigh), 643
Mellitus, Class A diabetes, management and outcome of (Gabbe et al.), 465
gestational diabetes, vitamin B_6 treatment of (Spellacy, Buhi, and Birk), 599
Membranes, premature rupture of, fetal growth after (Albrecht et al.), 869
Menopause and myocardial infarction (Blanc et al.), 353
Menopause—Cont'd
in rhesus monkeys: Model for study of disorders in human climacteric (Hodgen et al.), 581
Menstrual cycle, normal, plasma estrogen, progestin, and luteinizing hormone during, in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67
symptoms, increased reporting of, among women who used induced abortion (Roht et al.), 356
Mesothelioma or papillary carcinoma: Papillary tumors of peritoneum in women (Kannerstein et al.), 306
Metabolic effects, mechanical and, of insulin on newborn lamb myocardium (Downing, Lee, and Rieker), 649
studies, hemodynamic and, of case of toxemia of pregnancy (Freund et al.), 206 (Comm. in brief)
Metabolism, fetal carbohydrate: Its clinical importance (Gabbe and Quilligan), 92 (Current developments)
glucose and oxygen, in normally oxygenated and spontaneously hypoxemic fetal lambs (Char and Creasy), 499
human amnion. I. In vitro maintenance (Schwartz et al.), 470
II. Incorporation of fatty acids into tissue phospholipids in vitro (Schwartz et al.), 475
in vitro, of prednisolone, dexamethasone, betamethasone, and cortisol by human placenta (Blanford and Murphy), 264
Metamorphosis, acute fatty, of liver (MacKenna et al.), 400
Metastasis, pelvic node, Stage I cervix cancer and (Boronow), 135
Metastasizing leiomyoma: Case report (Clark and Weed), 672 (Comm. in brief)
Methyl, 15(S)-15-, –prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of intravaginal silicone rubber device containing 0.5 per cent concentration of (Lauersen and Wilson), 784
Mg-ATPase, Na/K- and, activity in placenta and in maternal and cord erythrocytes of pre-eclamptic patients (Kuhnert et al.), 56
Microfilm, preservation of fetal monitor record on (Spellacy, Cruz, and McKeon), 436 (Comm. in brief)
Microflora, quantitative, of vagina (Levison et al.), 80
Microglandular hyperplasia of endocervix following long-term estrogen treatment (Tsukada, Piver, and Barlow), 888 (Comm. in brief)
Microscopy, electron, of adrenergic, cholinergic, and "p-type" nerves in myometrium and special kind of synaptic contacts with smooth muscle cells (Sporrong et al.), 811
Midtrimester abortion, induction of, with intra-amniotic urea and intravenous oxytocin (Smith et al.), 228
prostaglandin $F_{2\alpha}$–induced cortisol levels in amniotic fluid in (Koren et al.), 639
induced abortion, coagulopathy with: Association with hyperosmolar urea administration (Burkman et al.), 533 (Current investigation)
pregnancy, immunologic and biologic activity of oxytocin in (Vasicka et al.), 171
Missed abortion and fetal death in utero, induction of labor in patients with, with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
Mobilizer, new uterine, for laparoscopy: Its use in 518 patients (Valtchev and Papsin), 738
Molar pregnancy and choriocarcinoma, plasma β-subunit human chorionic gonadotropin assay in (Yuen et al.), 711
coagulation and fibrinolysis in (López-Llera et al.), 855
surgery, mandibular third, increased incidence of postoperative localized osteitis in, associated with patients using oral contraceptives (Sweet and Butler), 518
Mole, hydatidiform: Two entities (Vassilakos. Riotton, and Kajii), 167
Monitor record, fetal, preservation of, on microfilm (Spellacy, Cruz, and McKeon), 436 (Comm. in brief)
Monitoring, fetal electroencephalographic, related to infant outcome (Sokol, Rosen, and Chik), 329 (Comm. in brief)
intrapartum fetal, neonatal scalp abscess following: Prospective comparison of two spiral electrodes (Okada and Chow), 875
Mononucleosis, infectious, genital ulceration and: Report of case (Brown and Stenchever), 673 (Comm. in brief)
Mother and fetus, effect of normal labor on renin-angiotensin system in (Lammintausta, Eronen, and Erkkola), 390
Muscle cells, smooth, special kind of synaptic contacts with, adrenergic, cholinergic, and "p-type" nerves in myometrium and, electron microscopy of (Sporrong et al.), 811
Myocardial infarction, menopause and (Blanc et al.), 353
Myocardium, newborn lamb, mechanical and metabolic effects of insulin on (Downing, Lee, and Rieker), 649

Myometrium, adrenergic, cholinergic, and "p-type" nerves in, and special kind of synaptic contacts with smooth muscle cells, electron microscopy of (Sporrong et al.), 811

N

Na/K- and Mg-ATPase activity in placenta and in maternal and cord erythrocytes of pre-eclamptic patients (Kuhnert et al.), 56
Naproxen sodium, treatment of dysmenorrhea with (Henzl et al.), 818
Narcotic withdrawal, neonatal, observation and treatment of (Madden et al.), 199
Neonatal heart rate beat-to-beat variability quantitation, fetal and, simple method of: Preliminary report (Modanlou, Freeman, and Braly), 861
  narcotic withdrawal, observation and treatment of (Madden et al.), 199
  scalp abscess following intrapartum fetal monitoring: Prospective comparison of two spiral electrodes (Okada and Chow), 875
Neonate, cord plasma, and amniotic fluid, effect of antepartum betamethasone treatment on cortisol levels in (Sybulski), 871
Neoplasia, chorionic, value of urinary steroid analysis in (Kodama, Totani, and Kodama), 628
Nerves, adrenergic, cholinergic, and "p-type," in myometrium and special kind of synaptic contacts with smooth muscle cells, electron microscopy of (Sporrong et al.), 811
Neural tube defects, equivocal amniotic fluid levels of alpha fetoprotein in prenatal diagnosis of (Henry and Robinson), 204 (Comm. in brief)
Neurological maturity, accelerated, accelerated pulmonary maturity and, relationship between, in certain chronically stressed pregnancies (Gould, Gluck, and Kulovich), 181
Neurotransmission, adrenergic, regulation of uterine blood flow and, role of endogenous prostaglandins in (Clark et al.), 455
Newborn infant, definition of sleep state in, by heart rate analysis (DeHaan et al.), 753
  pentazocine withdrawal syndrome in (Preis, Choi, and Rudolph), 205 (Comm. in brief)
  lamb myocardium, mechanical and metabolic effects of insulin on (Downing, Lee, and Rieker), 649
Node(s) metastasis, pelvic, Stage I cervix cancer and (Boronow), 135
  pelvic lymph, decidual change in, in presence of cervical squamous cell carcinoma during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
Norepinephrine, circulatory response to systemic infusion of, in pregnant ewe (Rosenfeld and West), 376

O

Obese patient, pelvic celiotomy in (Morrow et al.), 335 (Clinical opinion)
Obstetrician-gynecologist, hypertension and (Roberts and Perloff), 316 (Current developments)
Obstruction, bilateral ureteral, in ruptured chronic ectopic pregnancy (Livnat and Scommegna), 330 (Comm. in brief)
Occlusion, transcervical tubal, with steerable hysteroscope: Implantation of devices into extirpated human uteri (Brueschke et al.), 118
Oligomenorrhea, amenorrhea or, associated with galactorrhea, pituitary responses to synthetic luteinizing hormone–releasing hormone in thirty-four cases of (Van Campenhout et al.), 723
Operation for pelvic prolapse, description of, study of frozen sections of pelvis with (Spalding), 884 (Classic pages)
  irradiation, and chemotherapy: Treatment of epithelial carcinoma of ovary (Bush et al.), 692
Operative gynecology, transillumination in (Zervoudakis and Birnbaum), 209 (Comm. in brief)
Oral anticoagulants, multiple congenital anomalies associated with (Shaul and Hall), 191
  contraceptives, etiologic factors in pathogenesis of liver tumors associated with (Nissen, Kent, and Nissen), 61
    gonadotropin, prolactin, and steroid hormone levels after discontinuation of (Klein and Mishell), 585
    increased incidence of postoperative localized osteitis in mandibular third molar surgery associated with patients using (Sweet and Butler), 518
Osteitis, postoperative localized, increased incidence of, in mandibular third molar surgery associated with patients using oral contraceptives (Sweet and Butler), 518
Ovarian activity, gonadal karyotyping in women with and without (Kemmann et al.), 126
Ovarian—Cont'd
  blood flow, acute effect of hysterectomy on (Janson and Jansson), 349
  cancer, localized, value of pre-therapy peritoneoscopy in (Piver et al.), 288
  extraembryonal teratoma. I. Endodermal sinus tumor (Jimerson and Woodruff), 73
    II. Endodermal sinus tumor mixed with other germ cell tumors (Jimerson and Woodruff), 302
  tumor-associated antigen, purification of, and demonstration of circulating tumor antigen in patients with advanced ovarian malignancy (Knauf and Urbach), 705
  vein thrombophlebitis, postpartum, intravenous pyelography in diagnosis and management of: Case report (Darney and Wilson), 439 (Comm. in brief)
Ovariectomized rhesus monkeys, lack of effect of human chorionic gonadotropin on serum estrogen levels in (Tullner, Nixon, and Hodgen), 677 (Comm. in brief)
Ovary, mouse uterus and, effect of prenatal treatment with ethinyl estradiol on (Yasuda, Kihara, and Nishimura), 832
  treatment of epithelial carcinoma of: Operation, irradiation, and chemotherapy (Bush et al.), 692
Oxygen metabolism, glucose and, in normally oxygenated and spontaneously hypoxemic fetal lambs (Char and Creasy), 499
Oxygenated, normally, and spontaneously hypoxemic fetal lambs, glucose and oxygen metabolism in (Char and Creasy), 499
Oxygenation, fetal, maternal and fetal hemodynamic states and, effects of dexamethasone on (Edelstone, Mueller-Heubach, and Caritis), 273
Oxytocic effects, abortifacient and, of intravaginal silicone rubber device containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester (Lauersen and Wilson), 784
Oxytocin challenge tests, validity of weekly interval between (Parer and Afonso), 204 (Comm. in brief)
  immunologic and biologic activity of, in midtrimester pregnancy (Vasicka et al.), 171
  intravenous, intra-amniotic urea and, induction of midtrimester abortion with (Smith et al.), 228
  prostaglandins $F_{2\alpha}$ and E_2 and, effect of elective induction of labor with, on uterine contraction and relaxation (Roux et al.), 718
    –induced active labor, spontaneous and, intrauterine pressure waveform characteristics of (Seitchik, Chatkoff, and Hayashi), 223
Oxytocinase, plasma human placental lactogen, and placental phosphatase in normal and toxemic pregnancies (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10

P

"P-type," adrenergic, and cholinergic nerves in myometrium and special kind of synaptic contacts with smooth muscle cells, electron microscopy of (Sporrong et al.), 811
Pancreatic glucagon responses, fetal, in glucose-intolerant nonhuman primate pregnancy (Epstein et al.), 268
Papillary tumors of peritoneum in women: Mesothelioma or papillary carcinoma (Kannerstein et al.), 306
Pelvic celiotomy in obese patients (Morrow et al.), 335 (Clinical opinion)
  irradiation therapy, carcinoma of vagina 10 or more years following (Pride and Buchler), 513
  lymph nodes, decidual change in, in presence of cervical squamous cell carcinoma during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
  node metastasis, Stage I cervix cancer and (Boronow), 135
  prolapse, description of operation for, study of frozen sections of pelvis with (Spalding), 884 (Classic pages)
Pelvis, female, anatomical variations in, and their effect in labor with suggested classification (Caldwell and Moloy), 798 (Classic pages)
  study of frozen sections of, with description of operation for pelvic prolapse (Spalding), 884 (Classic pages)
Pentazocine withdrawal syndrome in newborn infant (Preis, Choi, and Rudolph), 205 (Comm. in brief)
Peripheral vein, maternal, cord vein, and cord artery serum, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Peritoneoscopy, pre-therapy, value of, in localized ovarian cancer (Piver et al.), 288

Peritoneum, papillary tumors of, in women: Mesothelioma or papillary carcinoma (Kannerstein et al.), 306
Phosphatase, placental, plasma human placental lactogen, and oxytocinase in normal and toxemic pregnancies (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
Phospholipids, tissue, incorporation of fatty acids into, in vitro, II. Human amnion metabolism (Schwartz et al.), 475
Phytohemagglutinin-induced transformation of human lymphocytes, inhibitory effect of progesterone and 20α-hydroxypregn-4-en-3-one on (Mori et al.), 151
Pituitary responses to synthetic luteinizing hormone–releasing hormone in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea (Van Campenhout et al.), 723
Placenta, chorangiosis of, with persistent transitional circulation (Caldwell et al.), 435 (Comm. in brief)
human, in vitro metabolism of prednisolone, dexamethasone, betamethasone, and cortisol by (Blanford and Murphy), 264
volumetric growth of: Longitudinal ultrasonic study (Bleker et al.), 657
and in maternal and cord erythrocytes of pre-eclamptic patients, Na/K- and Mg-ATPase activity in (Kuhnert et al.), 56
Placental lactogen levels, serum human, effect of smoking on (Spellacy, Buhi, and Birk), 232
plasma human, oxytocinase, and placental phosphatase in normal and toxemic pregnancies (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
transfer, maternal absorption and, of sulfasalazine (Hensleigh and Kauffman), 443 (Comm. in brief)
Plasma β-subunit human chorionic gonadotropin assay in molar pregnancy and choriocarcinoma (Yuen et al.), 711
cord, amniotic fluid, and neonate, effect of antepartum betamethasone treatment on cortisol levels in (Sybulski), 871
estrogen, progestin, and luteinizing hormone during normal menstrual cycle in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67
human placental lactogen, oxytocinase, and placental phosphatase in normal and toxemic pregnancies (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
Postoperative localized osteitis, increased incidence of, in mandibular third molar surgery associated with patients using oral contraceptives (Sweet and Butler), 518
Postpartum ovarian vein thrombophlebitis, intravenous pyelography in diagnosis and management of: Case report (Darney and Wilson) 439 (Comm. in brief)
Prednisolone, dexamethasone, betamethasone, and cortisol, in vitro metabolism of, by human placenta (Blanford and Murphy), 264
Pre-eclampsia, incipient, supine hypertensive test as predictor of (Karbhari, Harrigan, and LaMagra), 620
Pre-eclamptic patients, Na/K- and Mg-ATPase activity in placenta and in maternal and cord erythrocytes of (Kuhnert et al.), 56
Pregnancy (pregnancies), certain chronically stressed, relationship between accelerated pulmonary maturity and accelerated neurological maturity in (Gould, Gluck, and Kulovich), 181
in children at birth, during first week of life, and in adults, serum alpha-fetoprotein in women during: Sex difference (Caballero et al.), 384
combined intrauterine and tubal ectopic: Possible case of superfetation (Honoré and Nickerson), 885 (Comm. in brief)
complicated by chronic essential hypertension, angiotensin II pressor responsiveness in, prospective study of (Gant et al.), 369
diabetes, amniotic fluid glucose in (Cassady et al.), 21
decidual change in pelvic lymph nodes in presence of cervical squamous cell carcinoma during (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
early, basal and LRH-stimulated secretion of FSH during (Jeppsson et al.), 32
estrous cycle, and lactation, rat mammary deoxyribonucleic acid synthesis during, in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
glucose-intolerant nonhuman primate, fetal pancreatic glucagon responses in (Epstein et al.), 268
hemodynamic and metabolic studies of case of toxemia of (Freund et al.), 206 (Comm. in brief)
hormonal studies in. II. Unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by intrauterine growth retardation (Gorwill and Sarda), 17
Pregnancy (pregnancies)—Cont'd
human, serum calcium concentrations in (Pitkin and Gebhardt), 775
hypertensive diseases of, intravascular volume determinations and fetal outcome in (Soffronoff, Kaufmann, and Connaughton), 4
-induced hypertension, clinical evaluation of "roll-over test" for (Gusdon, Anderson, and May), 1
maternal warfarin therapy in, relationship of, to chondrodysplasia punctata: Report of case (Collins et al.), 444 (Comm. in brief)
midtrimester, immunologic and biologic activity of oxytocin in (Vasicka et al.), 171
molar, and choriocarcinoma, plasma β-subunit human chorionic gonadotropin assay in (Yuen et al.), 711
coagulation and fibrinolysis in (López-Llera et al.), 855
new lung functions and (Baldwin et al.), 235
normal and toxemic, plasma human placental lactogen, oxytocinase, and placental phosphatase in (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
outcome, some social and medical correlates of (Stickle and Ma), 162
renal disease in: Discussion (Holly), 638
rhesus-sensitized, effect of betamethasone on analysis of amniotic fluid in (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
in rudimentary horn with fetal salvage (Jarrell, Effer, and Mohide), 676 (Comm. in brief)
ruptured chronic ectopic, bilateral ureteral obstruction in (Livnat and Scommegna), 330 (Comm. in brief)
successful spontaneous, in patient with Forbes-Albright syndrome (Shapiro), 328 (Comm. in brief)
terminations, first-trimester, in ambulatory surgical center, statistical analysis of (Bozorgi), 763
test, capillary tube (Lau, Linkins, and King), 394
with congenital heart disease: Two-chambered heart (Seeds and Cefalo), 213 (Comm. in brief)
Pregnant ewe, circulatory response to systemic infusion of norepinephrine in (Rosenfeld and West), 376
sheep, normotensive and renal hypertensive, circulatory effects of magnesium sulfate in (Dandavino et al.), 769
woman and baby, fatal varicella in (Purtilo et al.), 208 (Comm. in brief)
women, surface IgM on lymphocytes from (Loke, Brook, and Allen), 846
Premature breech (Goldenberg and Nelson), 240
labor, inhibition of: Multicenter comparison of ritodrine and ethanol (Lauersen et al.), 837
threatening, evaluation of success in treatment of, by betamimetic drugs (Richter), 482
rupture of membranes, fetal growth after (Albrecht et al.), 869
and term labor, serum progesterone and estradiol-17β levels in (Cousins et al.), 612
Prenatal detection of genetic defects, amniocentesis for (Gerbie), 158
diagnosis of neural tube defects, equivocal amniotic fluid levels of alpha fetoprotein in (Henry and Robinson), 204 (Comm. in brief)
trisomy X: Its implications for genetic counseling (Mueller-Heubach, Garver, and Ciocco), 211 (Comm. in brief)
treatment with ethinyl estradiol, effect of, on mouse uterus and ovary (Yasuda, Kihara, and Nishimura), 832
Pressor responsiveness, angiotensin II, in pregnancies complicated by chronic essential hypertension, prospective study of (Gant et al.), 369
test, cold, in women: Effect on vaginal blood flow (Abrams et al.), 525
Pressure waveform characteristics, intrauterine, of spontaneous and oxytocin- or prostaglandin $F_{2\alpha}$–induced active labor (Seitchik, Chatkoff, and Hayashi), 223
Progesterone administration, chronic estrogen and, uterine blood flow and its distribution after (Anderson et al.), 138
and estradiol-17β levels, serum, in premature and term labor (Cousins et al.), 612
topical, in treatment of vulvar dystrophy (Jasionowski), 667 (Current investigation)
and 20α-hydroxypregn-4-en-3-one, inhibitory effect of, on phytohemagglutinin-induced transformation of human lymphocytes (Mori et al.), 151
Progestin, luteinizing hormone, and estrogen, plasma, during normal menstrual cycle in baboon: Role of luteinizing hormone (Koyama, de la Pena, and Hagino), 67

Prolactin, amniotic fluid, possible source of: Decidua (Riddick and Kusmik), 187
gonadotropin, and steroid hormone levels after discontinuation of oral contraceptives (Klein and Mishell), 585
and hypertension (Mati et al.), 616
levels, serum, effects of α- and β-adrenergic blocking agents on, in women with hyperprolactinemia and galactorrhea (Board et al.), 285
Prolapse, pelvic, description of operation for, study of frozen sections of pelvis with (Spalding), 884 (Classic pages)
Prostaglandin(s) E_2 suppositories, induction of labor in patients with missed abortion and fetal death in utero with (Lauersen and Wilson), 609
endogenous, role of, in regulation of uterine blooc flow and adrenergic neurotransmission (Clark et al.), 455
$F_{2\alpha}$, abortion deaths associated with use of (Cates et al.), 219
and E_2 and oxytocin, effect of elective induction of labor with, on uterine contraction and relaxation (Roux et al.), 718
–induced active labor, spontaneous and oxytocin- or, intrauterine pressure waveform characteristics of (Seitchik, Chatkoff, and Hayashi), 223
midtrimester abortion, cortisol levels in amniotic fluid in (Koren et al.), 639
methyl ester, 15(S)-15-methyl–, abortifacient and oxytocic effects of intravaginal silicone rubber device containing 0.5 per cent concentration of (Lauersen and Wilson), 784
Pulmonary maturity, accelerated, and accelerated neurological maturity, relationship between, in certain chronically stressed pregnancies (Gould, Gluck, and Kulovich), 181
Punctata, chondrodysplasia, relationship of maternal warfarin therapy in pregnancy to: Report of case (Collins et al.), 444 (Comm. in brief)
Purification of human ovarian tumor-associated antigen and demonstration of circulating tumor antigen in patients with advanced ovarian malignancy (Knauf and Urbach), 705
Pyelography, intravenous, in diagnosis and management of postpartum ovarian vein thrombophlebitis: Case report (Darney and Wilson), 439 (Comm. in brief)

R

Ratio, lecithin/sphingomyelin, in cases associated with fetomaternal disease (Morrison et al.), 363
Releasing, luteinizing hormone–, hormone (LRH), –stimulated secretion, basal and, of FSH during early pregnancy (Jeppsson et al.), 32
synthetic, pituitary responses to, in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea (Van Campenhout et al.), 723
Renal disease in pregnancy: Discussion (Holly), 638
hypertensive pregnant sheep, normotensive and, circulatory effects of magnesium sulfate in (Dandavino et al.), 769
Renin-angiotensin system, effect of normal labor on, in mother and fetus (Lammintausta, Eronen, and Erkkola), 390
Reproductive counseling in patients who have had spontaneous abortion (Poland et al.), 685
wastage, other, habitual abortion and, cytogenetics of (Stenchever et al.), 143
Respiratory arrhythmia, human fetal (Timor-Tritsch et al.), 662 (Current investigation)
diurnal, and other rhythms of fetal heart rate in lambs (Dalton, Dawes, and Patrick), 414
-like activity, ovine fetal, alteration of, by diazepam, caffeine, and doxapram (Piercy et al.), 43
Retardation, fetal growth, effects of behavioral and medical variables on (Miller, Hassanein, and Hensleigh), 643
intrauterine growth (Jones and Battaglia), 540 (Current developments)
prediction of, by determination of total intrauterine volume (Gohari, Berkowitz, and Hobbins), 255
unconjugated estriol in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Rh hemolytic disease, prevention of: Background of Liverpool work (Clarke and Finn), 538 (Classic pages)
Rhesus-sensitized pregnancy, effect of betamethasone on analysis of amniotic fluid in (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
Rhythms, diurnal, respiratory, and other, of fetal heart rate in lambs (Dalton, Dawes, and Patrick), 414
Ring sterilization procedure, Falope, two-year experience with (Yoon, King, and Parmley), 109 (Clinical opinion)
Risk, high-, score, Goodwin's, and fetal outcome, study of relationship between (Yeh et al.), 50
Ritodrine and ethanol, multicenter comparison of: Inhibition of premature labor (Lauersen et al.), 837
Rokitansky-Küster-Hauser syndrome (congenitally absent uterus), preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)
Roll-over test (Marshall and Newman), 623
for pregnancy-induced hypertension, clinical evaluation of (Gusdon, Anderson, and May), 1
Roster of American obstetrical and gynecological societies, 104-107
Rubber device, intravaginal silicone, containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of (Lauersen and Wilson), 784
Rudimentary horn, pregnancy in, with fetal salvage (Jarrell, Effer, and Mohide), 676 (Comm. in brief)
Rupture, premature, of membranes, fetal growth after (Albrecht et al.), 869
Ruptured chronic ectopic pregnancy, bilateral ureteral obstruction in (Livnat and Scommegna), 330 (Comm. in brief)

S

Saline, hypertonic, absence of chronoperiodic response following intra-amniotic instillation of (Edelman and Berger), 446 (Comm. in brief)
Scalp abscess, gonococcal fetal: Case report (Plavidal and Werch), 437 (Comm. in brief)
neonatal, following intrapartum fetal monitoring: Prospective comparison of two spiral electrodes (Okada and Chow), 875
Score, Goodwin's high-risk, and fetal outcome, study of relationship between (Yeh et al.), 50
Secretion, basal and LRH-stimulated, of FSH during early pregnancy (Jeppsson et al.), 32
Sections, frozen, of pelvis, study of, with description of operation for pelvic prolapse (Spalding), 884 (Classic pages)
Sensitized, rhesus-, pregnancy, effect of betamethasone on analysis of amniotic fluid in (Caritis, Mueller-Heubach, and Edelstone), 529 (Current investigation)
Septicemia and abortion with CU-7 (Viechnicki), 203 (Comm. in brief)
Serum alpha-fetoprotein in adults, in women during pregnancy, in children at birth, and during first week of life: Sex difference (Caballero et al.), 384
calcium concentrations in human pregnancy (Pitkin and Gebhardt), 775
estrogen levels, lack of effect of human chorionic gonadotropin on, in ovariectomized rhesus monkeys (Tullner, Nixon, and Hodgen), 677 (Comm. in brief)
human placental lactogen levels, effect of smoking on (Spellacy, Buhi, and Birk), 232
maternal peripheral vein, cord vein, and cord artery, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
progesterone and estradiol-17β levels in premature and term labor (Cousins et al.), 612
prolactin levels, effects of α- and β-adrenergic blocking agents on, in women with hyperprolactinemia and galactorrhea (Board et al.), 285
unconjugated estriol levels in third trimester and their relationship to gestational age. II (Sakakini, Buster, and Killam), 452
Sex difference: Serum alpha-fetoprotein in adults, in women during pregnancy, in children at birth, and during first week of life (Caballero et al.) 384
Silicone rubber device, intravaginal, containing 0.5 per cent concentration of 15(S)-15-methyl–prostaglandin $F_{2\alpha}$ methyl ester, abortifacient and oxytocic effects of (Lauersen and Wilson), 784
Sinus tumor, endodermal, I. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 73
mixed with other germ cell tumors, II. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 302
Sleep state in newborn infant, definition of, by heart rate analysis (DeHaan et al.), 753
Small–for–gestational age baby, small chorioangiomas and (Mahmood), 440 (Comm. in brief)

Smoking, effect of, on serum human placental lactogen levels (Spellacy, Buhi, and Birk), 232
Smooth muscle cells, special kind of synaptic contacts with, adrenergic, cholinergic, and "p-type" nerves in myometrium and, electron microscopy of (Sporrong et al.), 811
Social and medical correlates, some, of pregnancy outcome (Stickle and Ma), 162
Society of Obstetricians and Gynaecologists of Canada, transactions, thirty-second annual meeting, 685-762
Sodium, naproxen, treatment of dysmenorrhea with (Henzl et al.), 818
Sphingomyelin, lecithin/, ratio in cases associated with fetomaternal disease (Morrison et al.), 363
Spiral electrodes, two, prospective comparison of: Neonatal scalp abscess following intrapartum fetal monitoring (Okada and Chow), 875
Spontaneous abortion, reproductive counseling in patients who have had (Poland et al.), 685
Squamous cell carcinoma, cervical, decidual change in pelvic lymph nodes in presence of, during pregnancy (Covell, Disciullo, and Knapp), 674 (Comm. in brief)
Statistical analysis of first-trimester pregnancy terminations in ambulatory surgical center (Bozorgi), 763
Steerable hysteroscope, transcervical tubal occlusion with: Implantation of devices into extirpated human uteri (Brueschke et al.), 118
Sterilization, laparoscopic tubal, coagulation of infundibulopelvic ligament during: Report of unusual complication (Bartisch, Cremona, and Dillon), 888 (Comm. in brief)
  procedure, Falope ring, two-year experience with (Yoon, King, and Parmley), 109 (Clinical opinion)
Steroid(s) analysis, urinary, value of, in chorionic neoplasia (Kodama, Totani, and Kodama), 628
  contraceptive, effect of, on human lactation (Toddywalla, Joshi, and Virkar), 245
  hormone changes in fetal blood during labor (Arai and Yanaihara), 879
    levels, gonadotropin, prolactin, and, after discontinuation of oral contraceptives (Klein and Mishell), 585
Stressed pregnancies, certain chronically, relationship between accelerated pulmonary maturity and accelerated neurological maturity in (Gould, Gluck, and Kulovich), 181
Subunit, β-, human chorionic gonadotropin assay, plasma, in molar pregnancy and choriocarcinoma (Yuen et al.), 711
Sulfasalazine, maternal absorption and placental transfer of (Hensleigh and Kauffman), 443 (Comm. in brief)
Sulfate, magnesium, circulatory effects of, in normotensive and renal hypertensive pregnant sheep (Dandavino et al.), 769
Summary of analysis of published articles, 451 (Editorial)
Superfetation, possible case of: Combined intrauterine and tubal ectopic pregnancy (Honoré and Nickerson), 885 (Comm. in brief)
Supine hypertensive test as predictor of incipient pre-eclampsia (Karbhari, Harrigan, and LaMagra), 620
Suppositories, prostaglandin E_2, induction of labor in patients with missed abortion and fetal death in utero with (Lauersen and Wilson), 609
Surgery, mandibular third molar, increased incidence of postoperative localized osteitis in, associated with patients using oral contraceptives (Sweet and Butler), 518
Surgical center, ambulatory, first-trimester pregnancy terminations in, statistical analysis of (Bozorgi), 763
  management of carcinoma of cervix (Allen and Collins), 741
Survival in fetal rabbit exposed to intermittent hypoxia (Power, Bennett, and Longo), 428
Swyer's syndrome (46,XY pure gonadal dysgenesis), clinical, pathologic, and genetic findings in case of. I. Dysgerminoma and gonadoblastoma (Amarose et al.), 824
    II. Presence of H-Y antigen (Dorus et al.), 829
Synaptic contacts, special kind of, with smooth muscle cells, adrenergic, cholinergic, and "p-type" nerves in myometrium and, electron microscopy of (Sporrong et al.), 811
Syndrome (congenitally absent uterus), Rokitansky-Küster-Hauser, preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)
  Forbes-Albright, successful spontaneous pregnancy in patient with (Shapiro), 328 (Comm. in brief)
  (46,XY pure gonadal dysgenesis), Swyer's, clinical, pathologic, and genetic findings in case of. I. Dysgerminoma and gonadoblastoma (Amarose et al.), 824
    II. Presence of H-Y antigen (Dorus et al.), 829
Syndrome—Cont'd
  pentazocine withdrawal, in newborn infant (Preis, Choi, and Rudolph), 205 (Comm. in brief)
Synthesis, rat mammary deoxyribonucleic acid, during estrous cycle, pregnancy, and lactation in relation to mammary tumorigenesis (Nagasawa and Vorherr), 590
Synthetic luteinizing hormone–releasing hormone, pituitary responses to, in thirty-four cases of amenorrhea or oligomenorrhea associated with galactorrhea (Van Campenhout et al.), 723
Systemic infusion of norepinephrine, circulatory response to, in pregnant ewe (Rosenfeld and West), 376

T

T4 (thyroxine), intra-amniotic injection of, to human fetus (Lightner et al.), 487
Tampon-induced vaginal or cervical ulceration (Barrett et al.), 332 (Comm. in brief)
Teratoma, ovarian extraembryonal. I. Endodermal sinus tumor (Jimerson and Woodruff), 73
    II. Endodermal sinus tumor mixed with other germ cell tumors (Jimerson and Woodruff), 302
Term labor, premature and, serum progesterone and estradiol-17β levels in (Cousins et al.), 612
Terminations, first-trimester pregnancy, in ambulatory surgical center, statistical analysis of (Bozorgi), 763
Test(s), capillary tube pregnancy (Lau, Linkins, and King), 394
  cold pressor, in women: Effect on vaginal blood flow (Abrams et al.), 525
  oxytocin challenge, validity of weekly interval between (Parer and Afonso), 204 (Comm. in brief)
  roll-over (Marshall and Newman), 623
    for pregnancy-induced hypertension, clinical evaluation of (Gusdon, Anderson, and May), 1
  supine hypertensive, as predictor of incipient pre-eclampsia (Karbhari, Harrigan, and LaMagra), 620
Thermodilution measurement of human umbilical blood flow at delivery (McCallum), 491
Thrombophlebitis, postpartum ovarian vein, intravenous pyelography in diagnosis and management of: Case report (Darney and Wilson), 439 (Comm. in brief)
Thymidine, ^{3}H-, its effects on incorporation of, into deoxyribonucleic acid: Dexamethasone treatment of guinea pig fetus (Sanfaçon, Possmayer, and Harding), 745
Thyroidectomy, fetal, effects of, in ovine fetus (Bhakthavathsalan et al.), 278
Thyroxine (T4), intra-amniotic injection of, to human fetus (Lightner et al.), 487
Tissue phospholipids, incorporation of fatty acids into, in vitro, II. Human amnion metabolism (Schwartz et al.), 475
Topical progesterone in treatment of vulvar dystrophy (Jasionowski), 667 (Current investigation)
Toxemia of pregnancy, hemodynamic and metabolic studies of case of (Freund et al.), 206 (Comm. in brief)
Toxemic pregnancies, normal and, plasma human placental lactogen, oxytocinase, and placental phosphatase in (Spellacy, Usategui-Gomez, and Fernandez-deCastro), 10
Transactions, thirty-second annual meeting, Society of Obstetricians and Gynaecologists of Canada, 685-762
Transcervical tubal occlusion with steerable hysteroscope: Implantation of devices into extirpated human uteri (Brueschke et al.), 118
Transfer, placental, maternal absorption and, of sulfasalazine (Hensleigh and Kauffman), 443 (Comm. in brief)
Transillumination in operative gynecology (Zervoudakis and Birnbaum), 209 (Comm. in brief)
Trauma, head, hypopituitarism following (Weiss et al.), 678 (Comm. in brief)
Trimester, first-, pregnancy terminations in ambulatory surgical center, statistical analysis of (Bozorgi), 763
  second-, abortions, dilatation and curettage for (Hodari et al.), 850
  third, serum unconjugated estriol levels in, and their relationship to gestational age. II (Sakakini, Buster, and Killam), 452
Trisomy, D, case of cyclopia with (Neu, Grant, and Gardner), 212 (Comm. in brief)
  X, prenatal diagnosis of: Its implications for genetic counseling (Mueller-Heubach, Garver, and Ciocco), 211 (Comm. in brief)
Tubal ectopic pregnancy, combined intrauterine and: Possible case of superfetation (Honoré and Nickerson), 885 (Comm. in brief)

Tubal—Cont'd
occlusion, transcervical, with steerable hysteroscope: Implantation of devices into extirpated human uteri (Brueschke et al.), 118
sterilization, laparoscopic, coagulation of infundibulopelvic ligament during: Report of unusual complication (Bartsich, Cremona, and Dillon), 888 (Comm. in brief)
Tube defects, neural, equivocal amniotic fluid levels of alpha fetoprotein in prenatal diagnosis of (Henry and Robinson), 204 (Comm. in brief)
heterotopic Fallopian (Rosenow and Esterly), 442 (Comm. in brief)
pregnancy test, capillary (Lau, Linkins, and King), 394
Tuboovarian abscess, unilateral; Distinct entity (Golde, Israel, and Ledger), 807
Tumor(s)-associated antigen, ovarian, purification of, and demonstration of circulating tumor antigen in patients with advanced ovarian malignancy (Knauf and Urbach), 705
endodermal sinus, I. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 73
mixed with other germ cell tumors, II. Ovarian extraembryonal teratoma (Jimerson and Woodruff), 302
liver, associated with oral contraceptives, etiologic factors in pathogenesis of (Nissen, Kent, and Nissen), 61
papillary, of peritoneum in women: Mesothelioma or papillary carcinoma (Kannerstein et al.), 306
Tumorigenesis, mammary, rat mammary deoxyribonucleic acid synthesis during estrous cycle, pregnancy, and lactation in relation to (Nagasawa and Vorherr), 590
Twins, delivery of, labor and, lumbar epidural analgesia for (James et al.), 176

U

Ulceration, genital, and infectious mononucleosis: Report of case (Brown and Stenchever), 673 (Comm. in brief)
tampon-induced vaginal or cervical (Barrett et al.), 332 (Comm. in brief)
Ultrasonic study, longitudinal: Volumetric growth of human placenta (Bleker et al.), 657
Umbilical blood flow, human, thermodilution measurement of, at delivery (McCallum), 491
cord, true knot of (Chasnoff and Fletcher), 425
Unconjugated estriol levels, serum, in third trimester and their relationship to gestational age. II (Sakakini, Buster, and Killam), 452
in maternal peripheral vein, cord vein, and cord artery serum at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
Unilateral tuboovarian abscess: Distinct entity (Golde, Israel, and Ledger), 807
Unsaturated fatty acids, prolongation of gestation time in rats by (Waltman et al.), 626
Urea administration, hyperosmolar, association with: Coagulopathy with midtrimester induced abortion (Burkman et al.), 533 (Current investigation)
intra-amniotic, and intravenous oxytocin, induction of midtrimester abortion with (Smith et al.), 228
Ureteral obstruction, bilateral, in ruptured chronic ectopic pregnancy (Livnat and Scommegna), 330 (Comm. in brief)
Urinary estriol excretion, low, trial of intravenous therapy in women with (Chang et al.), 793
steroid analysis, value of, in chorionic neoplasia (Kodama, Totani, and Kodama), 628
Uterine activity during lumbar epidural analgesia with bupivacaine (Schellenberg), 26
blood flow and its distribution after chronic estrogen and progesterone administration (Anderson et al.), 138
regulation of, and adrenergic neurotransmission, role of endogenous prostaglandins in (Clark et al.), 455
contraction and relaxation, effect of elective induction of labor with prostaglandins $F_{2\alpha}$ and E_2 and oxytocin on (Roux et al.), 718
leiomyoma with hemangiopericytomatous foci: Histogenetic implications (Honoré), 891 (Comm. in brief)
mobilizer, new, for laparoscopy: Its use in 518 patients (Valtchev and Papsin), 738
Utero, fetal death in, missed abortion and, induction of labor in patients with, with prostaglandin E_2 suppositories (Lauersen and Wilson), 609
Uterus (uteri), extirpated human, implantation of devices into: Transcervical tubal occlusion with steerable hysteroscope (Brueschke et al.), 118
and ovary, mouse, effect of prenatal treatment with ethinyl estradiol on (Yasuda, Kihara, and Nishimura), 832
(Rokitansky-Küster-Hauser syndrome), congenitally absent, preliminary report on gonadotropin responsivity in (Shane et al.), 326 (Comm. in brief)

V

Vagina, carcinoma of, 10 or more years following pelvic irradiation therapy (Pride and Buchler), 513
quantitative microflora of (Levison et al.), 80
and vulva, primary multifocal carcinoma in situ of, in young woman (Levy and Kelly), 327 (Comm. in brief)
Vaginal blood flow, effect on: Cold pressor test in women (Abrams et al.), 525
or cervical ulceration, tampon-induced (Barrett et al.), 332 (Comm. in brief)
Variability quantitation, fetal and neonatal heart rate beat-to-beat, simple method of: Preliminary report (Modanlou, Freeman, and Braly), 861
Varicella, fatal, in pregnant woman and baby (Purtilo et al.), 208 (Comm. in brief)
Vein, maternal peripheral, cord vein, and cord artery serum, unconjugated estriol in, at delivery in pregnancies complicated by intrauterine growth retardation, II. Hormonal studies in pregnancy (Gorwill and Sarda), 17
thrombophlebitis, postpartum ovarian, intravenous pyelography in diagnosis and management of: Case report (Darney and Wilson), 439 (Comm. in brief)
Vitamin B_6 treatment of gestational diabetes mellitus (Spellacy, Buhi, and Birk), 599
Volume determinations, intravascular, and fetal outcome in hypertensive diseases of pregnancy (Soffronoff, Kaufmann, and Connaughton), 4
total intrauterine, prediction of intrauterine growth retardation by determination of (Gohari, Berkowitz, and Hobbins), 255
Volumetric growth of human placenta: Longitudinal ultrasonic study (Bleker et al.), 657
Vulva, carcinoma in situ of, management of (Forney et al.), 801 (Clinical opinion)
vagina and, primary multifocal carcinoma in situ of, in young woman (Levy and Kelly), 327 (Comm. in brief)
Vulvar dystrophy, topical progesterone in treatment of (Jasionowski), 667 (Current investigation)

W

Warfarin therapy, maternal, in pregnancy, relationship of, to chondrodysplasia punctata: Report of case (Collins et al.), 444 (Comm. in brief)
Waveform characteristics, intrauterine pressure, of spontaneous and oxytocin- or prostaglandin $F_{2\alpha}$–induced active labor (Seitchik, Chatkoff, and Hayashi), 223
Weight, fetal, estimation of, by fetography (Ogita, Kamei, and Sugawa), 37
Withdrawal, neonatal narcotic, observation and treatment of (Madden et al.), 199
syndrome, pentazocine, in newborn infant (Preis, Choi, and Rudolph), 205 (Comm. in brief)
Wound closure, delayed primary, use of, in preventing wound infections (Brown, Allen, and Robins), 713

X

X, trisomy, prenatal diagnosis of: Its implications for genetic counseling (Mueller-Heubach, Garver, and Ciocco), 211 (Comm. in brief)

Y

Young woman, primary multifocal carcinoma in situ of vagina and vulva in (Levy and Kelly), 327 (Comm. in brief)

Z

Zinc supplementation, effect of, on bacterial inhibitory activity of amniotic fluids from gestation of 20 weeks. VII. Bacterial growth inhibition by amniotic fluid (Schlievert, Johnson, and Galask), 603

American Journal of Obstetrics and Gynecology

Editors

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
T. Terry Hayashi
William H. Kirkley
Lawrence D. Longo
John Van S. Maeck
George W. Mitchell, Jr.
J. George Moore
Leon J. Shulman
J. C. G. Whetham
Samuel S. C. Yen

Board of corresponding editors

Oscar Aguero, *Caracas*
Fritz Beller, *Muenster/Westf.*
Pierre O. Hubinont, *Brussels*
Sir Norman Jeffcoate, *Liverpool*
Takashi Kobayashi, *Tokyo*

Volume 128
May-August, 1977
The C. V. Mosby Company
St. Louis
1977

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

***Volume* 128**
Copyright © 1977 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 128

Author index*

A

Abu-Ghazaleh, Samir (*see* Ranney and Abu-Ghazaleh), 626
Acerra, Dominick (*see* Harrigan et al.), 693
Adam, Ervin, (*see* Kaufman et al.), 51
Adams, Ruth L. (*see* Grossman, Adams, and Hierholzer), 690
Adamsons, K., and Myers, R. E. Late decelerations and brain tolerance of the fetal monkey to intrapartum asphyxia, 893
Adlercreutz, Herman, Martin, Finian, Lehtinen, Tessa, Tikkanen, Matti J., and Pulkkinen, Martti O. Effect of ampicillin administration on plasma conjugated and unconjugated estrogen and progesterone levels in pregnancy, 266
Airomlooi, Jahagir (*see* Künzel et al.), 201
Alexander, William. Enucleation of uterine fibroids, 811 (Classic pages)
Ambrus, Clara M. (*see* Ambrus et al.), 161
Ambrus, Julian L., Courey, Norman G., Browne, Brian J., Mink, Irving B., Moore, Robert H., and Ambrus, Clara M. Progestational agents and blood coagulation. VIII. Effect of low-dose, alternate-day, estrogen-progestin combinations on blood coagulation factors in man, with a special note on the effect of freezing of blood samples, 161
Amoss, Max (*see* Burgus et al.), 575
Anderson, Ernest R. (*see* Reeves and Anderson), 677
Appelbaum, P. C., Holloway, Y., Ross, S. M., and Dhupelia, I. The effect of amniotic fluid on bacterial growth in three population groups, 868
Arce, Juan J. (*see* Morris et al.), 279
Armstrong, D. T. (*see* Garner and Armstrong), 469
Atienza, Milagros F. (*see* Burkman, Atienza, and King), 556
Atlee, Washington Lemuel. A table of all the known operations of ovariotomy from 1701 to 1851, comprising 222 cases, and giving a synoptical history of each case, 684 (Classic pages)
Averback, P., and Wiglesworth, F. W. Monochorionic, monoamniotic, double-battledore placenta with stillbirth and postpartum cerebellar syndrome, 697 (Comm. in brief)
Azen, Stanley P., Roy, Subir, Pike, Malcolm C., Casagrande, John, and Mishell, Daniel R., Jr. A new procedure for the statistical evaluation of intrauterine contraception, 329
Aznar, Ramón (*see* Rosado et al.), 560

B

Bain, Robert W. (*see* Borno et al.), 916
Ballard, Charles (*see* Rutland and Ballard), 503
Barclay, Mel L., DeHart, Wilbur, and Mercer, Joyce E. Waveform analysis of intrauterine pressure curves with methods and models developed in cardiac research, 242
Bartlett, John G. (*see* Onderdonk et al.), 777
Bashore, R. A., and Westlake, J. R. Plasma unconjugated estriol values in high-risk pregnancy, 371
Bauhin, Kaspar. Gynaeciorum sive de mulierum affectibus commentari Graecorum, Latinorum, barbarorum, jam olim et nunc recens editorium, 222 (Classic pages)
Beard, R. W., Belsey, E. M., Lieberman, B. A., and Wilkinson, J. C. M. Pelvic pain in women, 566
Becker, Richard A. (*see* Hayashi et al.), 872
Behrman, S. J. (*see* Peterson, Musich, and Behrman), 662
Belisle, Serge, Fencl, Montserrat deM., and Tulchinsky, Dan. Amniotic fluid testosterone and follicle-stimulating hormone in the determination of fetal sex, 514
Belsey, E. M. (*see* Beard et al.), 566
Benjamin, Nigel (*see* Pipkin, Benjamin, and Macallan), 904
Berkowitz, Richard L. (*see* Warsof et al.), 881
Berkowitz, Ross S. (*see* Knapp and Berkowitz), 782
Berne, Bernard H. (*see* Lin et al.), 808
Besch, Norma F., Smith, Carol G., Besch, Paige K., and Kaufman, Raymond H. The effect of marihuana (delta-9-tetrahydrocannabinol) on the secretion of luteinizing hormone in the ovariectomized rhesus monkey, 635
Besch, Paige K. (*see* Besch et al.), 635
Bhakthavathsalan, Amrutha (*see* Künzel et al.), 201
Binder, Gary L. (*see* Kaufman et al.), 51
Bissell, Schuyler M. Pulmonary thromboembolism associated with gynecologic surgery and pregnancy, 418
Blackwell, Richard (*see* Burgus et al.), 575
Bohorquez, Joseph F. (*see* Nelson et al.), 336
Borno, Raymond P., Kirkendall, Henry L., Jr., Schwartz, Joseph A., Bain, Robert W., and Chen, Peter S. Vaginal delivery of a hydrocephalic fetus after transabdominal encephalocentesis, 916 (Comm. in brief)
Boronow, Richard C., and Hickman, Bernard T. A comparison of two radiation therapy–treatment plans for carcinoma of the cervix. II. Complications and survival rates, 99
Borth, Rudi (*see* Gerulath and Borth), 772
Boyce, John (*see* Nelson et al.), 336
Boyce, John G., Lu, Therese, Nelson, James H., Jr., and Fruchter, Rachel G. Oral contraceptives and cervical carcinoma, 761
Boyes, D. A., Nichols, T. M., and Millner, A. M. Recent results from the British Columbia screening program for cervical cancer, 692 (Comm. in brief)
Brass, Phillip. Splenic artery rupture in pregnancy: A case report, 228 (Comm. in brief)
Breart, Gérard (*see* Sturbois et al.), 901
Brennan, Susan C., McLaughlin, Margaret K., and Chez, Ronald A. Effects of prolonged infusion of β-adrenergic agonists on uterine and umbilical blood flow in pregnant sheep, 709
— (*see* Ehrenkranz et al.), 287
Brenner, Paul F. (*see* Mishell et al.), 60
Breus, Carl, and Koliško, Alexander. Die pathologischen Beckenformen, 341 (Classic pages)
Brink, Gary W. (*see* Resnik, Brink, and Plumer), 251
Brown, Jerry E. (*see* Morris et al.), 279
Browne, Brian J. (*see* Ambrus et al.), 161
Burd, Laurence I., Dorin, Melvin, Philipose, Vimala, and Lemons, James A. The relationship of mammary temperature to parturition in human subjects, 272
Burgus, Roger, Butcher, Madalyn, Ling, Nicholas, Monahan, Michael, Rivier, Jean, Fellows, Robert, Amoss, Max, Blackwell, Richard, Vale, Wylie, and Guillemin, Roger. Structure moléculaire du facteur hypothalamique (LRF) d'origine ovine contrôlant la sécrétion de l'hormone gonadotrope hypophysaire de lutéinisation (LH), 575 (Classic pages)
Burkman, Ronald T., Atienza, Milagros F., and King, Theodore M. Culture and treatment results in endometritis following elective abortion, 556
Burns, Gail (*see* Crosby et al.), 22
Butcher, Madalyn (*see* Burgus et al.), 575
Butler, Jane (*see* Laros et al.), 381

C

Canales, Elías S., Lasso, Pedro, Murrieta, Susana, Fonseca, Eugenia, Soria, Jorge, and Zárate, Arturo. Feasibility of suppressing and reinitiating lactation in women with premature infants, 695 (Comm. in brief)
Caras, John (*see* Cleary et al.), 862

*May 1, 1-118; May 15, 119-234; June 1, 235-352; June 15, 353-468; July 1, 469-584; July 15, 585-706; August 1, 707-824; August 15, 825-948.

CARMAN, FRED R., JR. (*see* RAO, GRIFFIN, AND CARMAN), 146
CARPENTER, C. W. (*see* COOPERBERG AND CARPENTER), 239
CARVALHO, ANGELINA C. A. (*see* KIMBALL ET AL.), 294
CASAGRANDE, JOHN (*see* AZEN ET AL.), 329
CAVANAGH, DENIS, RAO, PAPINENI S., TSAI, CHENG C., AND O'CONNOR, TIMOTHY C. Experimental toxemia in the pregnant primate, 75
CEDERQVIST, LARS L., WILLIAMS, LINDA R., SYMCHYCH, PAUL S., AND SAARY, ZOLTAN I. Prenatal diagnosis of fetal ascites by ultrasound, 229 (Comm. in brief)
CHANDRA, NAKUL (*see* HARRIGAN ET AL.), 693
CHANG, R. JEFFREY, KEYE, WILLIAM R., JR., YOUNG, JOHN R., WILSON, CHARLES B., AND JAFFE, ROBERT B. Detection, evaluation, and treatment of pituitary microadenomas in patients with galactorrhea and amenorrhea, 356
CHECK, JEROME H., RAKOFF, ABRAHAM E., GOLDFARB, ALVIN F., AND KING, LORRAINE C. Amenorrhea-galactorrhea associated with the empty-sella syndrome, 688 (Comm. in brief)
CHEN, PETER S. (*see* BORNO ET AL.), 916
CHENG, YUNG-SHENG. Pregnancy in liver cirrhosis and/or portal hypertension, 812 (Current developments)
CHEZ, RONALD A. (*see* BRENNAN, MCLAUGHLIN, AND CHEZ), 709
— (*see* EHRENKRANZ ET AL.), 177, 287
CHIA, GLORIA (*see* MUGGIA ET AL.), 314
CHIK, LAWRENCE (*see* SOKOL ET AL.), 652
CHONG, AUGUSTO P., TAYMOR, MELVIN L., AND LECHENE, CLAUDE P. Electron probe microanalysis of the chemical elemental content of human follicular fluid, 209 (Current investigation)
CHRISTIAN, C. D. (*see* GILES ET AL.), 400
CLEARY, ROBERT E., CARAS, JOHN, ROSENFIELD, ROBERT L., AND YOUNG, PETER C. M. Endocrine and metabolic studies in a patient with male pseudohermaphroditism and true agonadism, 862
COLE, PHILIP (*see* HERBST ET AL.), 43
COLTON, THEODORE (*see* HERBST ET AL.), 43
CONNOR, WILLIAM E. (*see* LIN, PITKIN, AND CONNOR), 735
COOLEY, JOHN R., AND KITAY, DAVID Z. Hematologic problems in pregnancy. V. Obstetric transfusion therapy, 476
COOPER, K. E. (*see* HARRIS ET AL.), 262
COOPERBERG, P. L., AND CARPENTER, C. W. Ultrasound as an aid in intrauterine transfusion, 239
CORDERO, LEANDRO (*see* ZUSPAN, CORDERO, AND SEMCHYSHYN), 571
CORRIGAN, JAMES J., JR. (*see* KLECKNER, GILES, AND CORRIGAN), 235
CORTES, RAUL (*see* PELOSI ET AL.), 919
COSTILOE, J. PAUL (*see* CROSBY ET AL.), 22
COUREY, NORMAN G. (*see* AMBRUS ET AL.), 161
CROSBY, WARREN M., METCOFF, JACK, COSTILOE, J. PAUL, MAMEESH, M., SANDSTEAD, H. H., JACOB, ROBERT A., MCCLAIN, PHILIP E., JACOBSON, GAIL, REID, WILLIAM, AND BURNS, GAIL. Fetal malnutrition: An appraisal of correlated factors, 22
CSAPO, A. I., AND ERDOS, T. Prevention of the abortifacient action of antiprogesterone serum by progesterone, 212 (Current investigation)

D

DAIKOKU, NORMAN H. (*see* JULIAN, DAIKOKU, AND GILLESPIE), 106
DAVIDSON, EZRA C., JR. (*see* MORRIS ET AL.), 279
DAVIS, JAMES E., AND LEIDER, HAROLD J. Rupture of prosthetic graft of aorta in pregnancy, 397
DAVY, MARGARET (*see* KOLSTAD, DAVY, AND HØEG), 617
DAWOOD, M. YUSOFF. Hormones in amniotic fluid, 576 (Current developments)
DEHART, WILBUR (*see* BARCLAY, DEHART, AND MERCER), 242
DELGADO, NÉSTOR M. (*see* ROSADO ET AL.), 560
DE VILLIERS, K. Q. (*see* MARIVATE, DE VILLIERS, AND FAIRBROTHER), 707
DHUPELIA, I. (*see* APPELBAUM ET AL.), 868
DIOKNO, ANANIAS C. (*see* SESKI AND DIOKNO), 643
DISAIA, PHILIP J. (*see* MORROW ET AL.), 424
DONALD, ARCHIBALD. Operation in cases of complete prolapse, 909 (Classic pages)
DONALDSON, E. S. (*see* VAN NAGELL ET AL.), 308, 767
DONG, LUTHER (*see* OGATA ET AL.), 197
DONOHUE, THOMAS M. (*see* SMITH ET AL.), 190
DORIN, MELVIN (*see* BURD ET AL.), 272
DORSEY, JAMES H. (*see* WHEELESS ET AL.), 546
DYKE, JOHN (*see* NEIBERG ET AL.), 911

E

EDDY, WILLIAM A., AND FRANKENFELD, ROBERT H. Congenital complete heart block in pregnancy, 223 (Comm. in brief)
EHRENKRANZ, RICHARD A., HAMILTON, LEWIS A., JR., BRENNAN, SUSAN C., OAKES, GARY K., WALKER, ADRIAN M., AND CHEZ, RONALD A. Effects of salbutamol and isoxsuprine on uterine and umbilical blood flow in pregnant sheep, 287
—, WALKER, ADRIAN M., OAKES, GARY K., HAMILTON, LEWIS A., JR., AND CHEZ, RONALD A. Effect of fenoterol (Th1165a) infusion on uterine and umbilical blood flow in pregnant sheep, 177
EICHHORST, BRADLEY C. (*see* SEEDS, EICHHORST, AND STOLEE), 13
ELESH, RICHARD (*see* HUGHEY AND ELESH), 463
ERDOS, T. (*see* CSAPO AND ERDOS), 212
ESCHENBACH, DAVID A., HARNISCH, JAMES P., AND HOLMES, KING K. Pathogenesis of acute pelvic inflammatory disease: Role of contraception and other risk factors, 838
EVANS, GARY T. (*see* HAYASHI ET AL.), 872
EVERIDGE, GEORGE J. (*see* PHELAN ET AL.), 173

F

FAIRBROTHER, PAUL (*see* MARIVATE, DE VILLIERS, AND FAIRBROTHER), 707
FANAROFF, AVROY A. (*see* GYVES ET AL.), 606
FARMER, MICHAEL F. (*see* WITWER ET AL.), 913
FAYYAD, ABDUL (*see* NEIBERG ET AL.), 911
FELLOWS, ROBERT (*see* BURGUS ET AL.), 575
FENCL, MONTSERRAT DEM. (*see* BELISLE, FENCL, AND TULCHINSKY), 514
FENOGLIO, C. M. (*see* PURI ET AL.), 550
FERENCZY, ALEX. Studies on the cytodynamics of experimental endometrial regeneration in the rabbit. I. Historadioautography and ultrastructure, 536
FLEURY, FREDERICK J., VAN BERGEN, WILLIAM S., PRENTICE, ROBERT L., RUSSELL, JAMES G., SINGLETON, JAMES A., AND STANDARD, JOHN V. Single dose of two grams of metronidazole for *Trichomonas vaginalis* infection, 320
FLOWERS, CHARLES E., JR. (*see* HUDDLESTON ET AL.), 599
FONSECA, EUGENIA (*see* CANALES ET AL.), 695
FRANKENFELD, ROBERT H. (*see* EDDY AND FRANKENFELD), 223
FRANKS, ROBERT C. (*see* HAYASHI ET AL.), 872
FRAZER, ROBERT (*see* MORRIS ET AL.), 279
FREDA, VINCENT J., GORMAN, JOHN G., AND POLLACK, WILLIAM. Prevention of Rh-hemolytic disease with Rh-immune globulin, 456 (Classic pages)
— (*see* GORMAN, FREDA, AND POLLACK), 455
FREEMAN, ROGER K. (*see* GABBE ET AL.), 757
FREUND, WILHELM ALEXANDER. Eine neue Methode der Exstirpation des ganzen Uterus, 117 (Classic pages)
FRUCHTER, RACHEL (*see* NELSON ET AL.), 336
FRUCHTER, RACHEL G. (*see* BOYCE ET AL.), 761

G

GABBE, STEVEN G., LOWENSOHN, RICHARD I., MESTMAN, JORGE H., FREEMAN, ROGER K., AND GOEBELSMANN, UWE. Lecithin/sphingomyelin ratio in pregnancies complicated by diabetes mellitus, 757
GALASK, RUDOLPH P. (*see* TAFARI ET AL.), 187
GARNER, P. R., AND ARMSTRONG, D. T. The effect of human chorionic gonadotropin and estradiol-17β on the maintenance of the human corpus luteum of early pregnancy, 469
GEORGE, MICHAEL E. D. (*see* LAUERSEN ET AL.), 300
GERSON, BENJAMIN (*see* SHERRER, GERSON, AND WOODRUFF), 6
GERULATH, ALAN H., AND BORTH, RUDI. Effect of progesterone and estradiol-17β on nucleic acid synthesis in vitro in carcinoma of the endometrium, 772
GIANNOSA, PAULINE (*see* KIMBALL ET AL.), 294
GILES, HARLAN R., ISAMAN, JERRY, MOORE, WM. J., AND CHRISTIAN, C. D. The Arizona high-risk maternal transport system: An initial view, 400
— (*see* KLECKNER, GILES, AND CORRIGAN), 235
GILLESPIE, ALAN (*see* JULIAN, DAIKOKU, AND GILLESPIE), 106
GIUNTOLI, ROBERT L. (*see* MIKUTA ET AL.), 119
GOEBELSMANN, UWE (*see* GABBE ET AL.), 757
GOETSCH, CARL. The state of our art, 353
GOHARI, PARVIZ (*see* WARSOF ET AL.), 881
GOLDENBERG, D. M. (*see* VAN NAGELL ET AL.), 308
GOLDFARB, ALVIN F. (*see* CHECK ET AL.), 688
GOLDKRAND, JOHN W., VARKI, AJIT, AND MCCLURG, JAMES E. Surface tension of amniotic fluid lipid extracts: Prediction of pulmonary maturity, 591
GOLUB, JOAN (*see* PROPPING ET AL.), 689

Goodlin, Robert C., and Haesslein, Hanns C. When is it fetal distress? 440
Goren, Barbara (*see* Onderdonk et al.), 777
Gorman, John G., Freda, Vincent J., and Pollack, William J. Intramuscular injection of a new experimental gamma$_2$ globulin preparation containing high levels of anti-Rh antibody as a means of preventing sensitization to Rh, 455 (Classic pages)
— (*see* Freda, Gorman, and Pollack), 456
Goscin, Stephen (*see* Lau et al.), 225
Gray, Paul Milton, Jr. (*see* Kaufman et al.), 51
Griffin, Larry P. (*see* Rao, Griffin, and Carman), 146
Grossman, John H., III, Adams, Ruth L., and Hierholzer, Walter J., Jr. Epidemiologic surveillance during a clinical trial of antibiotic prophylaxis in pelvic surgery, 690 (Comm. in brief)
Guillemin, Roger (*see* Burgus et al.), 575
Gyves, Michael T., Rodman, Harvey M., Little, A. Brian, Fanaroff, Avroy A., and Merkatz, Irwin R. A modern approach to management of pregnant diabetics: A two-year analysis of perinatal outcomes, 606

H

Haesslein, Hanns C. (*see* Goodlin and Haesslein), 440
Hager, W. D. (*see* van Nagell et al.), 767
Halbert, Seymour P. (*see* Lin et al.), 808
Halpern, Arnold (*see* Harrigan, Karbhari, and Halpern), 912
Hamel-Robillard, Lise (*see* Robillard et al.), 727
Hamilton, Lewis A., Jr. (*see* Ehrenkranz et al.), 177, 287
Haning, Ray V., Jr., Satin, Kenneth P., Lynskey, Mark T., Levin, Richard M., and Speroff, Leon. A direct radioimmunoassay for estriol-16-glucuronide in urine for monitoring pregnancy and induction of ovulation, 793
Harkness, William L. (*see* Naeye, Harkness, and Utts), 740
Harnisch, James P. (*see* Eschenbach, Harnisch, and Holmes), 838
Harrigan, John T., Acerra, Dominick, LaMagra, Robert, Hoeveler, John, and Chandra, Nakul. Fetal cardiac arrhythmia during labor, 693 (Comm. in brief)
—, Karbhari, Dilip, and Halpern, Arnold. Term delivery through a spontaneously occurring cervicovaginal fistula following second-trimester surgical repair, 912 (Comm. in brief)
Harris, Robert E. (*see* Marraro and Harris), 722
Harris, W. H., Pittman, Q. J., Veale, W. L., Cooper, K. E., and Van Petten, G. R. Cardiovascular effects of fever in the ewe and fetal lamb, 262
Hart, R. G. (*see* Salisbury, Hart, and Lodge), 342
Haughey, K. G. A method of delaying birth in ewes, 685 (Comm. in brief)
Hayashi, Robert H., Becker, Richard A., Evans, Gary T., Morris, Kay, and Franks, Robert C. Prospective study of angiotensin II response to positional change in pregnancy-induced hypertension, 872
Hebard, Jo C. (*see* Sandberg and Hebard), 364
Heilbron, David C. (*see* Laros et al.), 381
Heinemann, Murk-Hein, Tang, Chik-Kwun, and Kramer, Elmer E. Placental bacteremia and maternal sepsis complicating Shirodkar procedure, 226 (Comm. in brief)
Heinonen, Olli P. (*see* Shapiro et al.), 480
— (*see* Slone et al.), 486
Heller, Richard H. (*see* Lau et al.), 225
Hellman, Louis M. The federal government in primary care, 825 (Clinical opinion)
Helmkamp, B. Frederick. Abdominal wound dehiscence, 803
Herbst, Arthur L., Cole, Philip, Colton, Theodore, Robboy, Stanley J., and Scully, Robert E. Age-incidence and risk of diethylstilbestrol-related clear cell adenocarcinoma of the vagina and cervix, 43
Herrmann, U. (*see* Marti and Herrmann), 489
Hickman, Bernard T. (*see* Boronow and Hickman), 99
Hierholzer, Walter J., Jr. (*see* Grossman, Adams, and Hierholzer), 690
Hill, Edward C. (*see* Rust et al.), 431
Hill, Jay M. (*see* Merenstein et al.), 520
Hobbins, John C. (*see* Warsof et al.), 881
Hochberg, Howard M. (*see* Lauersen et al.), 300
Høeg, Kari (*see* Kolstad, Davy, and Høeg), 617
Hoeveler, John (*see* Harrigan et al.), 693
Holloway, Y. (*see* Appelbaum et al.), 868
Holmes, King K. (*see* Eschenbach, Harnisch, and Holmes), 838
Huddleston, John F., Perlis, Howard W., Macy, Josiah, Jr., Myers, Ronald E., and Flowers, Charles E., Jr. The prediction of fetal oxygenation by an on-line computer analysis of fetal monitor output, 599
Hughey, Michael, and Elesh, Richard. Profound atrial tachycardia in utero, 463 (Comm. in brief)
Hukkinen, K. (*see* Kariniemi and Hukkinen), 526

I

Isaman, Jerry (*see* Giles et al.), 400

J

Jacob, Robert A. (*see* Crosby et al.), 22
Jacobson, Gail (*see* Crosby et al.), 22
Jaffe, Robert B. (*see* Chang et al.), 356
Johnson, Robert Duren, Jr. (*see* Underwood et al.), 86
Judd, Howard L., McPherson, Richard A., Rakoff, Jeffrey S., and Yen, Samuel S. C. Correlation of the effects of dexamethasone administration on urinary 17-ketosteroid and serum androgen levels in patients with hirsutism, 408
Julian, Conrad G., Daikoku, Norman H., and Gillespie, Alan. Adenoepidermoid and adenosquamous carcinoma of the uterus, 106

K

Kalyanaraman, Uma (*see* Prezyna and Kalyanaraman), 914
Karbhari, Dilip (*see* Harrigan, Karbhari, and Halpern), 912
Kariniemi, V., and Hukkinen, K. Quantification of fetal heart rate variability by magnetocardiography and direct electrocardiography, 526
Kaskarelis, D. (*see* Lolis et al.), 724
Kaufman, David W. (*see* Shapiro et al.), 480
— (*see* Slone et al.), 486
Kaufman, Raymond H. Tomorrow is here, 585
—, Binder, Gary L., Gray, Paul Milton, Jr., and Adam, Ervin. Upper genital tract changes associated with exposure in utero to diethylstilbestrol, 51
— (*see* Besch et al.), 635
Keifer, Walter S., Jr., and Scott, John C. Liver neoplasms and the oral contraceptives, 448
Keller, David W. (*see* Paulson et al.), 851
Kelley, Lucky K. (*see* Smith et al.), 190
Kennedey, Roland L. (*see* Robillard et al.), 727
Keye, William R., Jr. (*see* Chang et al.), 356
Kimball, Margaret E., Milunsky, Aubrey, Giannosa, Pauline, and Carvalho, Angelina C. Amniotic fluid fibrinogen degradation products in the prenatal diagnosis of neural tube defects, 294
King, Barry F. (*see* Smith et al.), 190
King, Lorraine C. (*see* Check et al.), 688
King, Theodore M. (*see* Burkman, Atienza, and King), 556
Kirk, John A. Sarcoma-like benign pelvic tumors: Three case reports, 393
Kirkendall, Henry L., Jr. (*see* Borno et al.), 916
Kitay, David Z. (*see* Cooley and Kitay), 476
Kitterman, Joseph A. (*see* Ogata et al.), 197
Kleckner, Howard B., Giles, Harlan R., and Corrigan, James J., Jr. The association of maternal and neonatal thrombocytopenia in high-risk pregnancies, 235
Kleinberg, Fredric (*see* Ogata et al.), 197
Kletzky, Oscar A. (*see* Mishell et al.), 60
— (*see* Morrow et al.), 424
Knapp, Robert C., and Berkowitz, Ross S. *Corynebacterium parvum* as an immunotherapeutic agent in an ovarian cancer model, 782
Kolisko, Alexander (*see* Breus and Kolisko), 341
Kolstad, Per, Davy, Margaret, and Høeg, Kari. Individualized treatment of ovarian cancer, 617
Konstantinidis, K. (*see* Lolis et al.), 724
Kramer, Elmer E. (*see* Heinemann, Tang, and Kramer), 226
Kreutner, Albert (*see* Underwood et al.), 86
Künzel, Wolfgang, Mann, Leon I., Bhakthavathsalan, Amrutha, Airomlooi, Jahagir, and Liu, Maida. The effect of umbilical vein occlusion on fetal oxygenation, cardiovascular parameters, and fetal electroencephalogram, 201

L

LaMagra, Robert (*see* Harrigan et al.), 693
Lamb, Emmet J. (*see* Rust et al.), 431

Langer, Alvin (*see* Pelosi et al.), 919
Langley, Ivan I. (*see* Rust et al.), 431
Laros, Russell K., Jr., Wong, Wilson S., Heilbron, David C., Parer, Julian T., Schnider, Sol M., Naylor, Hilary, and Butler, Jane. A comparison of methods for quantitating fetal heart rate variability, 381
Lasso, Pedro (*see* Canales et al.), 695
Lau, H. Lorrin, Heller, Richard H., Goscin, Stephen, Winn, Kevin, and Linkins, Susan E. Changes in alpha-fetoprotein levels in a case with multiple congenital anomalies, 225 (Comm. in brief)
Lauersen, Niels H., Hochberg, Howard M., George, Michael E. D., Tegge, Carlton S., and Meighan, James J. A new technique for improving the Doppler ultrasound signal for fetal heart rate monitoring, 300
Lechene, Claude P. (*see* Chong, Taymor, and Lechene), 209
Lehtinen, Tessa (*see* Adlercreutz et al.), 266
Leider, Harold J. (*see* Davis and Leider), 397
Lemons, James A. (*see* Burd et al.), 272
Levin, Richard M. (*see* Haning et al.), 793
Li, Tien Shun (*see* Pelosi et al.), 919
Lieberman, B. A. (*see* Beard et al.), 566
Lin, Don S., Pitkin, Roy M., and Connor, William E. Placental transfer of cholesterol into the human fetus, 735
Lin, Tsue-Ming, Halbert, Seymour P., Spellacy, William N., and Berne, Bernard H. Plasma concentrations of four pregnancy proteins in complications of pregnancy, 808 (Current investigation)
Ling, Nicholas (*see* Burgus et al.), 575
Linkins, Susan E. (*see* Lau et al.), 225
Little, A. Brian (*see* Gyves et al.), 606
Liu, Maida (*see* Künzel et al.), 201
Lodge, J. R. (*see* Salisbury, Hart, and Lodge), 342
Lolis, D., Konstantinidis, K., Papevangelou, G., and Kaskarelis, D. Comparative study of amniotic fluid and maternal blood serum human placental lactogen in normal and prolonged pregnancies, 724
Lorentzen-Styr, Anne-Marie (*see* Stray-Pedersen and Lorentzen-Styr), 716
Low, J. A. Urethral behavior during the involuntary detrusor contraction, 32
Lowensohn, Richard I. (*see* Gabbe et al.), 757
Lu, Therese (*see* Boyce et al.), 761
— (*see* Nelson et al.), 336
Lutz, Myron H. (*see* Underwood et al.), 86
Lynskey, Mark T. (*see* Haning et al.), 793

M

Macallan, Colin (*see* Pipkin, Benjamin, and Macallan), 904
Macasaet, Milagros (*see* Nelson et al.), 336
McClain, Philip E. (*see* Crosby et al.), 22
McClurg, James E. (*see* Goldkrand, Varki, and McClurg), 591
McLaughlin, Margaret K. (*see* Brennan, McLaughlin, and Chez), 709
McPherson, Richard A. (*see* Judd et al.), 408
Macy, Josiah, Jr. (*see* Huddleston et al.), 599
Maidman, Jack E. (*see* Morris et al.), 279
Mameesh, M. (*see* Crosby et al.), 22
Mangan, Charles E. (*see* Mikuta et al.), 119
Mann, Leon I. (*see* Künzel et al.), 201
Marivate, M., de Villiers, K. Q., and Fairbrother, Paul. Effect of prophylactic outpatient administration of fenoterol on the time of onset of spontaneous labor and fetal growth rate in twin pregnancy, 707
Marraro, Robert V., and Harris, Robert E. Incidence and spontaneous resolution of postpartum bacteriuria, 722
Marti, J. J., and Herrmann, U. Immunogestosis: A new etiologic concept of "essential" EPH gestosis, with special consideration of the primigravid patient, 489
Martin, Alice O. (*see* Simpson and Martin), 167
Martin, Finian (*see* Adlercreutz et al.), 266
Martinez, Olga, and Roe, Daphne A., Effect of oral contraceptives on blood folate levels in pregnancy, 255
Martínez-Manautou, Jorge (*see* Rosado et al.), 560
Maruyama, Y. (*see* van Nagell et al.), 767
Mates, Judith (*see* Ogata et al.), 197
Mattingly, Richard F. (*see* Stafl, Wilkinson, and Mattingly), 128
Mavromatis, Fedon (*see* Neiberg et al.), 911
Meighan, James J. (*see* Lauersen et al.), 300
Mercer, Joyce E. (*see* Barclay, DeHart, and Mercer), 242
Merenstein, Gerald B., Pettett, Gary, Woodall, John, and Hill, Jay M. An analysis of air transport results in the sick newborn. II. Antenatal and neonatal referrals, 520
Merkatz, Irwin R. (*see* Gyves et al.), 606
Mestman, Jorge H. (*see* Gabbe et al.), 757
Metcoff, Jack (*see* Crosby et al.), 22
Meyer, M. B., and Tonascia, J. A. Maternal smoking, pregnancy complications, and perinatal mortality, 494
Mikuta, John J., Giuntoli, Robert L., Rubin, Elliot L., and Mangan, Charles E. The "problem" radical hysterectomy, 119
Miller, M. Clinton, III (*see* Underwood et al.), 86
Millner, A. M. (*see* Boyes, Nichols, and Millner), 692
Milunsky, Aubrey (*see* Kimball et al.), 294
Mink, Irving B. (*see* Ambrus et al.), 161
Mishell, Daniel R. (*see* Morrow et al.), 424
Mishell, Daniel R., Jr., Kletzky, Oscar A., Brenner, Paul F., Roy, Subir, and Nicoloff, John. The effect of contraceptive steroids on hypothalamic-pituitary function, 60
— (*see* Azen et al.), 329
Monahan, Michael (*see* Burgus et al.), 575
Monson, Richard R. (*see* Shapiro et al.), 480
— (*see* Slone et al.), 486
Moon, Nancy E. (*see* Onderdonk et al.), 777
Moore, Robert H. (*see* Ambrus et al.), 161
Moore, Wm. J. (*see* Giles et al.), 400
Morris, John A., Davidson, Ezra C., Jr., Maidman, Jack E., Arce, Juan J., Brown, Jerry E., and Frazer, Robert. Sampling the fetoplacental circulation. II. Combined laparoscopy-fetoscopy in the pregnant ovine, 279
Morris, Kay (*see* Hayashi et al.), 872
Morrow, C. Paul, Kletzky, Oscar A., Disaia, Philip J., Townsend, Duane E., Mishell, Daniel R., and Nakamura, Robert M. Clinical and laboratory correlates of molar pregnancy and trophoblastic disease, 424
Muggia, Franco M., Chia, Gloria, Reed, L. Juden, and Romney, Seymour L. Doxorubicin-cyclophosphamide: Effective chemotherapy for advanced endometrial adenocarcinoma, 314
Murrieta, Susana (*see* Canales et al.), 695
Musich, John R. (*see* Peterson, Musich, and Behrman), 662
Myers, R. E. (*see* Adamsons and Myers) 893
Myers, Ronald E. (*see* Huddleston et al.), 599

N

Naeye, Richard L., Harkness, William L., and Utts, Jessica. Abruptio placentae and perinatal death: A prospective study, 740
— (*see* Tafari et al.), 187
Nakamura, Robert M. (*see* Morrow et al.), 424
Naylor, Hilary (*see* Laros et al.), 381
Neiberg, Alan D., Mavromatis, Fedon, Dyke, John, and Fayyad, Abdul. Blastomyces dermatitidis treated during pregnancy: Report of a case, 911 (Comm. in brief)
Nelson, D. Michael (*see* Smith et al.), 190
Nelson, James H., Jr., Boyce, John, Macasaet, Milagros, Lu, Therese, Bohorquez, Joseph F., Nicastri, Anothony D., and Fruchter, Rachel. Incidence, significance, and follow-up of para-aortic lymph node metastases in late invasive carcinoma of the cervix, 336
— (*see* Boyce et al.), 761
— (*see* Urcuyo, Rome, and Nelson), 787
Newman, Cyril (*see* Phelan et al.), 173
Nicastri, Anthony D. (*see* Nelson et al.), 336
Nichols, T. M. (*see* Boyes, Nichols, and Millner), 692
Nicoloff, John (*see* Mishell et al.), 60
Notation, Albert D., and Tagatz, George E. Unconjugated estriol and 15α-hydroxyestriol in complicated pregnancies, 747
Nubar, Jean C. (*see* Scheer and Nubar), 907

O

Oakes, Gary K. (*see* Ehrenkranz et al.), 177, 287
O'Connor, Timothy C. (*see* Cavanagh et al.), 75
Ogata, Edward S., Kitterman, Joseph A., Kleinberg, Fredric, Dong, Luther, Willis, Mary, Mates, Judith, and Phibbs, Roderic H. The effect of time of cord clamping and maternal blood pressure on placental transfusion with cesarean section, 197

ONDERDONK, ANDREW B., POLK, B. FRANK, MOON, NANCY E., GOREN, BARBARA, AND BARTLETT, JOHN G. Methods for quantitative vaginal flora studies, 777

P

PANNALL, P. R. (*see* VORSTER, PANNALL, AND SLABBER), 879
PAPEVANGELOU, G. (*see* LOLIS ET AL.), 724
PARER, JULIAN T. (*see* LAROS ET AL.), 381
PARKER, J. C., JR. (*see* VAN NAGELL ET AL.), 767
PAULSON, JOHN D., KELLER, DAVID W., WIEST, WALTER G., AND WARREN, JAMES C. Free testosterone concentration in serum: Elevation is the hallmark of hirsutism, 851
PEARSE, WARREN H., AND TRABIN, JAY R. Subspecialization in obstetrics and gynecology, 303
PELOSI, MARCO ANTONIO, LANGER, ALVIN, LI, TIEN SHUN, ZANVETTOR, JORGE, AND CORTES, RAUL. Failed termination of pregnancy due to uterus bicornis unicollis with bilateral pregnancy, 919 (Comm. in brief)
PERLIS, HOWARD W. (*see* HUDDLESTON ET AL.), 599
PETERSON, E. P., MUSICH, JOHN R., AND BEHRMAN, S. J. Uterotubal implantation and obstetric outcome after previous sterilization, 662
PETTETT, GARY (*see* MERENSTEIN ET AL.), 520
PHELAN, JEFFREY P., EVERIDGE, GEORGE J., WILDER, THOMAS L., AND NEWMAN, CYRIL. Is the supine pressor test an adequate means of predicting acute hypertension in pregnancy? 173
PHIBBS, RODERIC H. (*see* OGATA ET AL.), 197
PHILIPOSE, VIMALA (*see* BURD ET AL.), 272
PIKE, MALCOLM C. (*see* AZEN ET AL.), 329
PIPKIN, FIONA BROUGHTON, BENJAMIN, NIGEL, AND MACALLAN, COLIN. Placental transfer of a large angiotensin fragment in the guinea pig, 904
PITKIN, ROY M. (*see* LIN, PITKIN, AND CONNOR), 735
PITTMAN, Q. J. (*see* HARRIS ET AL.), 262
PLUMER, MICHAEL H. (*see* RESNIK, BRINK, AND PLUMER), 251
POLK, B. FRANK (*see* ONDERDONK ET AL.), 777
POLLACK, WILLIAM (*see* FREDA, GORMAN, AND POLLACK), 456
POLLACK, WILLIAM J. (*see* GORMAN, FREDA, AND POLLACK), 455
POWELL, JOHN E. (*see* STEVENS, SHELDEN, AND POWELL), 323
PRENTICE, ROBERT L. (*see* FLEURY ET AL.), 320
PREZYNA, ANTHONY P., AND KALYANARAMAN, UMA. Bowen's carcinoma in vulvovaginal Crohn's disease (regional enterocolitis): Report of first case, 914 (Comm. in brief)
PROPPING, DIRK, STUBBLEFIELD, PHILLIP G., GOLUB, JOAN, AND ZUCKERMAN, JAMES. Uterine rupture following midtrimester abortion by laminaria, prostaglandin $F_{2\alpha}$, and oxytocin: Report of two cases, 689 (Comm. in brief)
PULKKINEN, MARTTI O. (*see* ADLERCREUTZ ET AL.), 266
PURI, S., FENOGLIO, C. M., RICHART, R. M., AND TOWNSEND, D. Clear cell carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol: Three cases with scanning and transmission electron microscopy, 550

R

RAKOFF, ABRAHAM E. (*see* CHECK ET AL.), 688
RAKOFF, JEFFREY S. (*see* JUDD ET AL.), 408
RANNEY, BROOKS, AND ABU-GHAZALEH, SAMIR. The future function and fortune of ovarian tissue which is retained in vivo during hysterectomy, 626
RAO, CH. V., GRIFFIN, LARRY P., AND CARMAN, FRED R., JR. Gonadotropin receptors in human corpora lutea of the menstrual cycle and pregnancy, 146
RAO, PAPINENI S. (*see* CAVANAGH ET AL.), 75
REED, L. JUDEN (*see* MUGGIA ET AL.), 314
REEVES, BILLY D., AND ANDERSON, ERNEST R. Perinatal mortality rate at a community hospital, 1956 to 1975, 677
REID, WILLIAM (*see* CROSBY ET AL.), 22
RESNIK, ROBERT, BRINK, GARY W., AND PLUMER, MICHAEL H. The effect of progesterone on estrogen-induced uterine blood flow, 251
RICHART, R. M. (*see* PURI ET AL.), 550
RIGG, L. A., AND YEN, S. S. C. Multiphasic prolactin secretion during parturition in human subjects, 215 (Current investigation)
RITCHIE, DON (*see* STANTON AND RITCHIE), 461
RIVIER, JEAN (*see* BURGUS ET AL.), 575
ROBBOY, STANLEY J. (*see* HERBST ET AL.), 43
ROBILLARD, JEAN E., SESSIONS, CHRISTINE, KENNEDEY, ROLAND L., HAMEL-ROBILLARD, LISE, AND SMITH, FRED G., JR. Interrelationship between glomerular filtration rate and renal transport of sodium and chloride during fetal life, 727
RODMAN, HARVEY M. (*see* GYVES ET AL.), 606
ROE, DAPHNE A. (*see* MARTINEZ AND ROE), 255
ROME, ROBERT M. (*see* URCUYO, ROME, AND NELSON), 787
ROMNEY, SEYMOUR L. (*see* MUGGIA ET AL.), 314
ROSADO, ADOLFO, DELGADO, NÉSTOR M., VELÁZQUEZ, ANSELMO, AZNAR, RAMÓN, AND MARTÍNEZ-MANAUTOU, JORGE. Cyclic changes in salivary activity of N-acetyl-β-D-glucosaminidase, 560
ROSEN, MORTIMER G. (*see* SOKOL ET AL.), 652
ROSENFIELD, ROBERT L. (*see* CLEARY ET AL.), 862
ROSS, S. M. (*see* APPELBAUM ET AL.), 868
ROSS, SAMUEL M. (*see* TAFARI ET AL.), 187
ROTHSTEIN, ARDEN AIBEL. Men's reactions to their partners' elective abortions, 831 (Clinical opinion)
ROTTEN, DANIEL (*see* STURBOIS ET AL.), 901
ROY, SUBIR (*see* AZEN ET AL.), 329
— (*see* MISHELL ET AL.), 60
RUBIN, ELLIOT L. (*see* MIKUTA ET AL.), 119
RUBIO, C. A. A trap for atypical cells, 687 (Comm. in brief)
RUSSELL, JAMES G. (*see* FLEURY ET AL.), 320
RUSSELL, KEITH P. Cries and whispers, 1
RUST, JESSE A., LANGLEY, IVAN I., HILL, EDWARD C., AND LAMB, EMMET J. Panel discussion, 431
RUTLAND, ANDREW, AND BALLARD, CHARLES. Vaginal prostaglandin E_2 for missed abortion and intrauterine fetal death, 503
RUZYCKI, STEPHEN M. (*see* SMITH ET AL.), 190

S

SAARY, ZOLTAN I. (*see* CEDERQVIST ET AL.), 229
SALISBURY, G. W., HART, R. G., AND LODGE, J. R. The spermatozoan genome and fertility, 342 (Current developments)
SANDBERG, EUGENE C., AND HEBARD JO C. Examination of young women exposed to stilbestrol in utero, 364
SANDSTEAD, H. H. (*see* CROSBY ET AL.), 22
SATIN, KENNETH P. (*see* HANING ET AL.), 793
SCHEER, KENNETH, AND NUBAR, JEAN C. Rapid conclusive diagnosis of intrauterine fetal death, 907 (Current investigation)
SCHWARTZ, JOSEPH A. (*see* BORNO ET AL.), 916
SCOTT, JAMES R. Fetal growth retardation associated with maternal administration of immunosuppressive drugs, 668
SCOTT, JOHN C. (*see* KEIFER AND SCOTT), 448
SCULLY, ROBERT E. (*see* HERBST ET AL.), 43
SEEDS, A. ELMORE, EICHHORST, BRADLEY C., AND STOLEE, ANN. Factors determining human chorion laeve permeability in vitro, 13
SEMCHYSHYN, STEFAN (*see* ZUSPAN, CORDERO, AND SEMCHYSHYN), 571
SESKI, JAN C., AND DIOKNO, ANANIAS C. Bladder dysfunction after radical abdominal hysterectomy, 643
SESSIONS, CHRISTINE (*see* ROBILLARD ET AL.), 727
SHAPIRO, SAMUEL, HEINONEN, OLLI P., SISKIND, VICTOR, KAUFMAN, DAVID W., MONSON, RICHARD R., AND SLONE, DENNIS. Antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, 480
— (*see* SLONE ET AL.), 486
SHARKEY, R. M. (*see* VAN NAGELL ET AL.), 308
SHEIKH, HAMID H. Hysterosalpingographic follow-up of the partial salpingectomy type of sterilization, 858
SHELDEN, ROBERT M. (*see* STEVENS, SHELDEN, AND POWELL), 323
SHERRER, C. WILLIS, GERSON, BENJAMIN, AND WOODRUFF, J. DONALD. The incidence and significance of polynuclear follicles, 6
SHNIDER, SOL M. (*see* LAROS ET AL.), 381
SIMPSON, JOE LEIGH. Diagnosis and management of the infant with genital ambiguity, 137 (Clinical opinion)
—, AND MARTIN, ALICE O. Cytogenetic nomenclature, 167
SINGLETON, JAMES A. (*see* FLEURY ET AL.), 320
SISKIND, VICTOR (*see* SHAPIRO ET AL.), 480
— (*see* SLONE ET AL.), 486
SLABBER, C. F. (*see* VORSTER, PANNALL, AND SLABBER), 879
SLONE, DENNIS, SISKIND, VICTOR, HEINONEN, OLLI P., MONSON, RICHARD R., KAUFMAN, DAVID W., AND SHAPIRO, SAMUEL. Antenatal exposure to the phenothiazines in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, 486
— (*see* SHAPIRO ET AL.), 480
SMITH, CARL H., NELSON, D. MICHAEL, KING, BARRY F., DONOHUE, THOMAS M., RUZYCKI, STEPHEN M., AND KELLEY, LUCKY K. Characterization of a microvillous membrane preparation from human placental syncytiotrophoblast: A morphologic, biochemical, and physiologic study, 190

Smith, Carol G. (*see* Besch et al.), 635
Smith, Fred G., Jr. (*see* Robillard et al.), 727
Sokol, Robert J., Rosen, Mortimer G., Stojkov, Jean, and Chik, Lawrence. Clinical application of high-risk scoring on an obstetric service, 652
Solomon, Lewis S. (*see* Witwer et al.), 913
Soria, Jorge (*see* Canales et al.), 695
Spellacy, William N. (*see* Lin et al.), 808
Speroff, Leon (*see* Haning et al.), 793
Stafl, Adolf, Wilkinson, Edward J., and Mattingly, Richard F. Laser treatment of cervical and vaginal neoplasia, 128
Staley, Kathryn (*see* Yuen, Wittmann, and Staley), 219
Standard, John V. (*see* Fleury et al.), 320
Stanton, Stuart L., and Ritchie, Don. Urilos: The practical detection of urine loss, 461 (Comm. in brief)
Stevens, Vernon C., Shelden, Robert M., and Powell, John E. Effect of synthetic thyrotropin-releasing hormone on ovulation in baboons, 323
Stojkov, Jean (*see* Sokol et al.), 652
Stolee, Ann (*see* Seeds, Eichhorst, and Stolee), 13
Stoot, J. E. G. M. (*see* Tushuizen, Stoot, and Ubachs), 507
Stray-Pedersen, Babill, and Lorentzen-Styr, Anne-Marie. Uterine toxoplasma infections and repeated abortions, 716
Stubblefield, Phillip G. (*see* Propping et al.), 689
Sturbois, Gilbert, Uzan, Serge, Rotten, Daniel, Breart, Gérard, and Sureau, Claude. Continuous subcutaneous pH measurement in human fetuses, 901
Sureau, Claude (*see* Sturbois et al.), 901
Symchych, Paul S. (*see* Cederqvist et al.), 229

T

Tafari, Nebiat, Ross, Samuel M., Naeye, Richard L., Galask, Rudolph P., and Zaar, Bertil. Failure of bacterial growth inhibition by amniotic fluid, 187
Tagatz, George E. (*see* Notation and Tagatz), 747
Tang, Chik-Kwun (*see* Heinemann, Tang, and Kramer), 226
Taymor, Melvin L. (*see* Chong, Taymor, and Lechene), 209
Tegge, Carlton S. (*see* Lauersen et al.), 300
TeLinde, Richard W. (*see* Wheeless et al.), 546
Tikkanen, Matti J. (*see* Adlercreutz et al.), 266
Tonascia, J. A. (*see* Meyer and Tonascia), 494
Townsend, D. (*see* Puri et al.), 550
Townsend, Duane E. (*see* Morrow et al.), 424
Trabin, Jay R. (*see* Pearse and Trabin), 303
Tsai, Cheng C. (*see* Cavanagh et al.), 75
Tulchinsky, Dan (*see* Belisle, Fencl, and Tulchinsky), 514
Tushuizen, P. B. Th., Stoot, J. E. G. M., and Ubachs, J. M. H. Clinical experience in nonstressed antepartum cardiotocography, 507

U

Ubachs, J. M. H. (*see* Tushuizen, Stoot, and Ubachs), 507
Underwood, Paul B., Jr., Lutz, Myron H., Kreutner, Albert, Miller, M. Clinton, III, and Johnson, Robert Duren, Jr. Carcinoma of the endometrium: Radiation followed immediately by operation, 86
Urcuyo, Rodrigo, Rome, Robert M., and Nelson, James H., Jr. Some observations on the value of endocervical curettage performed as an integral part of colposcopic examination of patients with abnormal cervical cytology, 787
Utley, J. (*see* van Nagell et al.), 767
Utts, Jessica (*see* Naeye, Harkness, and Utts), 740
Uzan, Serge (*see* Sturbois et al.), 901

V

Vale, Wylie (*see* Burgus et al.), 575
Van Bergen, William S. (*see* Fleury et al.), 320
van Nagell, J. R., Jr., Donaldson, E. S., Wood, E. G., Sharkey, R. M., and Goldenberg, D. M. The prognostic significance of carcinoembryonic antigen in the plasma and tumors of patients with endometrial adenocarcinoma, 308
—, Parker, J. C., Jr., Maruyama, Y., Utley, J., Hager, W. D., Donaldson, E. S., and Wood, E. G. The effect of pelvic inflammatory disease on enteric complications following radiation therapy for cervical cancer, 767
Van Petten, G. R. (*see* Harris et al.), 262
Varki, Ajit (*see* Goldkrand, Varki, and McClurg), 591
Veale, W. L. (*see* Harris et al.), 262
Velázquez, Anselmo (*see* Rosado et al.), 560
Vorster, C. Z., Pannall, P. R., and Slabber, C. F. The prognostic value of serum human placental lactogen determinations in early pregnancy, 879

W

Walker, Adrian M. (*see* Ehrenkranz et al.), 177, 287
Wallach, Edward E. (*see* Weiner, Wright, and Wallach), 154
Wand, Joseph S. (*see* Witwer et al.), 913
Warren, James C. (*see* Paulson et al.), 851
Warsof, Steven L., Gohari, Parviz, Berkowitz, Richard L., and Hobbins, John C. The estimation of fetal weight by computer-assisted analysis, 881
Weiner, Stuart, Wright, Karen H., and Wallach, Edward E. The influence of ovarian denervation and nerve stimulation on ovarian contractions, 154
Westlake, J. R. (*see* Bashore and Westlake), 371
Wharton, Lawrence R. (*see* Wheeless et al.), 546
Wheeless, Clifford R., Jr., Wharton, Lawrence R., Dorsey, James H., and TeLinde, Richard W. The Goebell-Stoeckel operation for universal cases of urinary incontinence, 546
Wiest, Walter G. (*see* Paulson et al.), 851
Wiglesworth, F. W. (*see* Averback and Wiglesworth), 697
Wilder, Thomas L. (*see* Phelan et al.), 173
Wilkin, Jonathan K. Molluscum contagiosum venereum in a women's outpatient clinic: A venereally transmitted disease, 531
Wilkinson, Edward J. (*see* Stafl, Wilkinson, and Mattingly), 128
Wilkinson, J. C. M. (*see* Beard et al.), 566
Williams, Linda R. (*see* Cederqvist et al.), 229
Willis, Mary (*see* Ogata et al.), 197
Wilson, Charles B. (*see* Chang et al.), 356
Winn, Kevin (*see* Lau et al.), 225
Wittmann, Bernd K. (*see* Yuen, Wittmann, and Staley), 219
Witwer, Michael W., Farmer, Michael F., Wand, Joseph S., and Solomon, Lewis S. Extensive actinomycosis associated with an intrauterine contraceptive device, 913 (Comm. in brief)
Wong, Wilson S. (*see* Laros et al.), 381
Wood, E. G. (*see* van Nagell et al.), 308, 767
Woodall, John (*see* Merenstein et al.), 520
Woodruff, J. Donald. (*see* Sherrer, Gerson, and Woodruff), 6
Wright, Karen H. (*see* Weiner, Wright, and Wallach), 154

Y

Yen, S. S. C. (*see* Rigg and Yen), 215
Yen, Samuel S. C. (*see* Judd et al.), 408
Young, John R. (*see* Chang et al.), 356
Young, Peter C. M. (*see* Cleary et al.), 862
Yuen, Basil Ho, Wittmann, Bernd K., and Staley, Kathryn. Cyclic 3′,5′-adenosine monophosphate in umbilical cord and maternal plasma before and after the onset of parturition, 219 (Current investigation)

Z

Zaar, Bertil (*see* Tafari et al.), 187
Zanvettor, Jorge (*see* Pelosi et al.), 919
Zárate, Arturo (*see* Canales et al.), 695
Zuckerman, James (*see* Propping et al.), 689
Zuspan, Frederick P., Cordero, Leandro, and Semchyshyn, Stefan. Effects of hydrocortisone on lecithin-sphingomyelin ratio, 571 (Current investigation)

Subject index*

A

Abdominal hysterectomy, radical, bladder dysfunction after (Seski and Diokno), 643
wound dehiscence (Helmkamp), 803
Abortifacient action of antiprogesterone serum by progesterone, prevention of (Csapo and Erdos), 212 (Current investigation)
Abortion(s), elective, culture and treatment results in endometritis following (Burkman, Atienza, and King) 556
their partners', men's reactions to (Rothstein), 831 (Clinical opinion)
midtrimester, by laminaria, prostaglandin $F_{2\alpha}$, and oxytocin, uterine rupture following: Report of two cases (Propping et al.), 689 (Comm. in brief)
missed, and intrauterine fetal death, vaginal prostaglandin E_2 for (Rutland and Ballard), 503
repeated, uterine toxoplasma infections and (Stray-Pedersen and Lorentzen-Styr), 716
Abruptio placentae and perinatal death: Prospective study (Naeye, Harkness, and Utts), 740
Acetyl-β-D-glucosaminidase, N-, cyclic changes in salivary activity of (Rosado et al.), 560
Acid synthesis, nucleic, in vitro in carcinoma of endometrium, effect of progesterone and estradiol-17β on (Gerulath and Borth), 772
Actinomycosis, extensive, associated with intrauterine contraceptive device (Witwer et al.), 913 (Comm. in brief)
Adenocarcinoma, advanced endometrial, effective chemotherapy for: Doxorubicin-cyclophosphamide (Muggia et al.), 314
diethylstilbestrol-related clear cell, of vagina and cervix, age-incidence and risk of (Herbst et al.), 43
endometrial, prognostic significance of carcinoembryonic antigen in plasma and tumors of patients with (van Nagell et al.), 308
Adenoepidermoid and adenosquamous carcinoma of uterus (Julian, Daikoku, and Gillespie), 106
Adenosine monophosphate, cyclic 3′, 5′-, in umbilical cord and maternal plasma before and after onset of parturition (Yuen, Wittmann, and Staley), 219 (Current investigation)
Adenosquamous and adenoepidermoid carcinoma of uterus (Julian, Daikoku, and Gillespie), 106
Adrenergic, β-, agonists, effects of prolonged infusion of, on uterine and umbilical blood flow in pregnant sheep (Brennan, McLaughlin, and Chez), 709
"Age, gynecologic," low: Obstetric risk factor (Zlatnik and Burmeister), 183
-incidence and risk of diethylstilbestrol-related clear cell adenocarcinoma of vagina and cervix (Herbst et al.), 43
Agonadism, true, male pseudohermaphroditism and, endocrine and metabolic studies in patient with (Cleary et al.), 862
Agonists, β-adrenergic, effects of prolonged infusion of, on uterine and umbilical blood flow in pregnant sheep (Brennan, McLaughlin, and Chez), 709
Air transport results in sick newborn, analysis of. II. Antenatal and neonatal referrals (Merenstein et al.), 520
Alpha-fetoprotein levels in case with multiple congenital anomalies, changes in (Lau et al.), 225 (Comm. in brief)
Amenorrhea-galactorrhea associated with empty-sella syndrome (Check et al.), 688 (Comm. in brief)
detection, evaluation, and treatment of pituitary microadenomas in patients with (Chang et al.), 356
American Association of Obstetricians and Gynecologists, transactions, eighty-seventh annual meeting, 1-116, 119-136
Amniotic fluid, effect of, on bacterial growth in three population groups (Appelbaum et al.), 868
failure of bacterial growth inhibition by (Tafari et al.), 187
fibrinogen degradation products in prenatal diagnosis of neural tube defects (Kimball et al.), 294
hormones in (Dawood), 576 (Current developments)
Amniotic fluid—Cont'd
lipid extracts, surface tension of: Prediction of pulmonary maturity (Goldkrand, Varki, and McClurg), 591
and maternal blood serum human placental lactogen in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
testosterone and follicle-stimulating hormone in determination of fetal sex (Belisle, Fencl, and Tulchinsky), 514
Ampicillin administration on plasma conjugated and unconjugated estrogen and progesterone levels in pregnancy, effect of (Adlercreutz et al.), 266
Androgen, serum, and urinary 17-ketosteroid levels in patients with hirsutism, correlation of effects of dexamethasone administration on (Judd et al.), 408
Angiotensin fragment, large, placental transfer of, in guinea pig (Pipkin, Benjamin, and Macallan), 904
II response to positional change in pregnancy-induced hypertension, prospective study of (Hayashi et al.), 872
Anomalies, multiple congenital, changes in alpha-fetoprotein levels in case with (Lau et al.), 225 (Comm. in brief)
Antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score (Shapiro et al.), 480
phenothiazines in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score (Slone et al.), 486
and neonatal referrals. II. Analysis of air transport results in sick newborn (Merenstein et al.), 520
Antepartum cardiotocography, nonstressed, clinical experience in (Tushuizen, Stoot, and Ubachs), 507
Antibiotic prophylaxis in pelvic surgery, epidemiologic surveillance during clinical trial of (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
Antigen, carcinoembryonic, in plasma and tumors of patients with endometrial adenocarcinoma, prognostic significance of (van Nagell et al.), 308
Antiprogesterone serum by progesterone, prevention of abortifacient action of (Csapo and Erdos), 212 (Current investigation)
Aorta in pregnancy, rupture of prosthetic graft of (Davis and Leider), 397
Arizona high-risk maternal transport system: Initial view (Giles et al.), 400
Arrhythmia, fetal cardiac, during labor (Harrigan et al.), 693 (Comm. in brief)
Artery rupture, splenic, in pregnancy: Case report (Brass), 228 (Comm. in brief)
Ascites, fetal, by ultrasound, prenatal diagnosis of (Cederqvist et al.), 229 (Comm. in brief)
Asphyxia, intrapartum, late decelerations and brain tolerance of fetal monkey to (Adamsons and Myers), 893
Atrial tachycardia, profound, in utero (Hughey and Elesh), 463 (Comm. in brief)
Atypical cells, trap for (Rubio), 687 (Comm. in brief)

B

Bacteremia, placental, and maternal sepsis complicating Shirodkar procedure (Heinemann, Tang, and Kramer), 226 (Comm. in brief)
Bacterial growth, effect of amniotic fluid on, in three population groups (Appelbaum et al.), 868
inhibition by amniotic fluid, failure of (Tafari et al.), 187
Bacteriuria, postpartum, incidence and spontaneous resolution of (Marraro and Harris), 722
Battledore, double-, placenta, monochorionic, monoamniotic, with stillbirth and postpartum cerebellar syndrome (Averback and Wiglesworth), 697 (Comm. in brief)

*May 1, 1-118; May 15, 119-234; June 1, 235-352; June 15, 353-468; July 1, 469-584; July 15, 585-706; August 1, 707-824; August 15, 825-948.

Bendectin (dicyclomine hydrochloride and doxylamine succinate) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Shapiro et al.), 480
Benign pelvic tumors, sarcoma-like: Three case reports (Kirk), 393
β-adrenergic agonists, effects of prolonged infusion of, on uterine and umbilical blood flow in pregnant sheep (Brennan, McLaughlin, and Chez), 709
Bicornis unicollis, uterus, with bilateral pregnancy, failed termination of pregnancy due to (Pelosi et al.), 919 (Comm. in brief)
Bilateral pregnancy, uterus bicornis unicollis with, failed termination of pregnancy due to (Pelosi et al.), 919 (Comm. in brief)
Birth in ewes, method of delaying (Haughey), 685 (Comm. in brief)
weight, intelligence quotient score, congenital malformations, and perinatal mortality rate, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
Bladder dysfunction after radical abdominal hysterectomy (Seski and Diokno), 643
Blastomyces dermatitidis treated during pregnancy: Report of case (Neiberg, Mavromatis, and Fayyad), 911 (Comm. in brief)
Block, congenital complete heart, in pregnancy (Eddy and Frankenfeld), 223 (Comm. in brief)
Blood coagulation and progestational agents. VIII. Effect of low-dose, alternate-day, estrogen-progestin combinations on blood coagulation factors in man, with special note on effect of freezing of blood samples (Ambrus et al.), 161
flow, estrogen-induced uterine, effect of progesterone on (Resnik, Brink, and Plumer), 251
uterine and umbilical, in pregnant sheep, effect(s) of fenoterol (Th1165a) infusion on (Ehrenkranz et al.), 177
prolonged infusion of β-adrenergic agonists on (Brennan, McLaughlin, and Chez), 709
salbutamol and isoxsuprine on (Ehrenkranz et al.), 287
folate levels in pregnancy, effect of oral contraceptives on (Martinez and Roe), 255
pressure, maternal, and time of cord clamping on placental transfusion with cesarean section, effect of (Ogata et al.), 197
serum, maternal, and amniotic fluid human placental lactogen in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
Books received, 234, 468, 706, 928
Bowen's carcinoma in vulvovaginal Crohn's disease (regional enterocolitis): Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)
Brain tolerance, late decelerations and, of fetal monkey to intrapartum asphyxia (Adamsons and Myers), 893
British Columbia screening program for cervical cancer, recent results from (Boyes et al.), 692 (Comm. in brief)

C

Cancer, cervical, effect of pelvic inflammatory disease on enteric complication following radiation therapy for (van Nagell et al.), 767
recent results from British Columbia screening program for (Boyes et al.), 692 (Comm. in brief)
model, ovarian, *Corynebacterium parvum* as immunotherapeutic agent in (Knapp and Berkowitz), 782
ovarian, individualized treatment of (Kolstad, Davy, and Høeg), 617
Carcinoembryonic antigen in plasma and tumors of patients with endometrial adenocarcinoma, prognostic significance of (van Nagell et al.), 308
Carcinoma, adenoepidermoid and adenosquamous, of uterus (Julian, Daikoku, and Gillespie), 106
Bowen's, in vulvovaginal Crohn's disease (regional enterocolitis): Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)
cervical, and oral contraceptives (Boyce et al.), 761
of cervix, comparison of two radiation therapy–treatment plans for. II. Complications and survival rates (Boronow and Hickman), 99
clear cell, of cervix and vagina in progeny of women who received diethylstilbestrol: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
of endometrium, effect of progesterone and estradiol-17β on nucleic acid synthesis in vitro in (Gerulath and Borth), 772
Carcinoma of endometrium—Cont'd
Radiation followed immediately by operation (Underwood et al.), 86
late invasive, of cervix, incidence, significance, and follow-up of para-aortic lymph node metastases in (Nelson et al.), 336
Cardiac arrhythmia, fetal, during labor (Harrigan et al.), 693 (Comm. in brief)
research, wave-form analysis of intrauterine pressure curves with methods and models developed in (Barclay, DeHart, and Mercer), 242
Cardiotocography, nonstressed antepartum, clinical experience in (Tushuizen, Stoot, and Ubachs), 507
Cardiovascular effects of fever in ewe and fetal lamb (Harris et al.), 262
parameters, fetal encephalogram, and fetal oxygenation, effect of umbilical vein occlusion on (Künzel et al.), 201
Cell adenocarcinoma, diethylstilbestrol-related clear, of vagina and cervix, age-incidence and risk of (Herbst et al.), 43
Cell(s), atypical, trap for (Rubio), 687 (Comm. in brief)
carcinoma, clear, in progeny of women who received diethylstilbestrol: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
Central Association of Obstetricians and Gynecologists, transactions, forty-fourth annual meeting, 585-683
Cerebellar syndrome, postpartum, stillbirth and, monochorionic, monoamniotic, double-battledore placenta with (Averback and Wiglesworth), 697 (Comm. in brief)
Cervical cancer, effect of pelvic inflammatory disease on enteric complications following radiation therapy for (van Nagell et al.), 767
recent results from British Columbia screening program for (Boyes et al.), 692 (Comm. in brief)
carcinoma and oral contraceptives (Boyce et al.), 761
cytology, abnormal, some observations on value of endocervical curettage performed as integral part of colposcopic examination of patients with (Urcuyo, Rome, and Nelson), 787
and vaginal neoplasia, laser treatment of (Stafl, Wilkinson, and Mattingly), 128
Cervicovaginal fistula, spontaneously occurring, term delivery through, following second-trimester surgical repair (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Cervix, comparison of two radiation therapy–treatment plans for carcinoma of. II. Complications and survival rates (Boronow and Hickman), 99
incidence, significance, and follow-up of para-aortic lymph node metastases in late invasive carcinoma of (Nelson et al.), 336
and vagina, clear cell carcinoma of, in progeny of women who received diethylstilbestrol: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
diethylstilbestrol-related clear cell adenocarcinoma of, age-incidence and risk of (Herbst et al.), 43
Cesarean section, effect of time of cord clamping and maternal blood pressure on placental transfusion with (Ogata et al.), 197
Chemotherapy, effective, for advanced endometrial adenocarcinoma: Doxorubicin-cyclophosphamide (Muggia et al.), 314
Chloride and sodium during fetal life, interrelationship between glomerular filtration and renal transport of (Robillard et al.), 727
Cholesterol into human fetus, placental transfer of (Lin, Pitkin, and Connor), 735
Chorion laeve permeability, human, in vitro, factors determining (Seeds, Eichhorst, and Stolee), 13
Chorionic gonadotropin, human, and estradiol-17β on maintenance of human corpus luteum of early pregnancy, effect of (Garner and Armstrong), 469
Circulation, fetoplacental, sampling. II. Combined laparoscopy-fetoscopy in pregnant ovine (Morris et al.), 279
Cirrhosis, liver, and/or portal hypertension, pregnancy in (Cheng), 812 (Current developments)
Clamping, cord, and maternal blood pressure on placental transfusion with cesarean section, effect of time of (Ogata et al.), 197
Classic pages, 117, 222, 341, 455-460, 575, 684, 811, 909
Clear cell adenocarcinoma, diethylstilbestrol-related, of vagina and cervix, age-incidence and risk of (Herbst et al.), 43
carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
Clinic, women's outpatient, molluscum contagiosum venereum in: Venereally transmitted disease (Wilkin), 531

Clinical application of high-risk scoring on obstetric service (Sokol et al.), 652
experience in nonstressed antepartum cardiotocography (Tushuizen, Stoot, and Ubachs), 507
and laboratory correlates of molar pregnancy and trophoblastic disease (Morrow et al.), 424
opinion, 137-145, 825-837
trial of antibiotic prophylaxis in pelvic surgery, epidemiologic surveillance during (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
Coagulation factors, blood, in man, with a special note on effect of freezing of blood samples, effect of low-dose, alternate-day, estrogen-progestin combinations on. VIII. Progestational agents and blood coagulation (Ambrus et al.), 161
Colposcopic examination of patients with abnormal cervical cytology, some observations on value of endocervical curettage performed as integral part of (Urcuyo, Rome, and Nelson), 787
Communications in brief, 223-230, 461-465, 685-699, 911-920
Community hospital, 1956 to 1975, perinatal mortality rate at (Reeves and Anderson), 677
Complications, pregnancy, perinatal mortality, and maternal smoking (Meyer and Tonascia), 494
plasma concentrations of four pregnancy proteins in (Lin et al.), 808 (Current investigation)
Computer analysis, on-line, of fetal monitor output, prediction of fetal oxygenation by (Huddleston et al.), 599
-assisted analysis, estimation of fetal weight by (Warsof et al.), 881
Concentration, free testosterone, in serum: Elevation is hallmark of hirsutism (Paulson et al.), 851
Congenital anomalies, multiple, changes in alpha-fetoprotein levels in case with (Lau et al.), 225 (Comm. in brief)
complete heart block in pregnancy (Eddy and Frankenfeld), 223 (Comm. in brief)
malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
Contraception, intrauterine, new procedure for statistical evaluation of (Azen et al.), 329
and other risk factors, role of: Pathogenesis of acute pelvic inflammatory disease (Eschenbach, Harnisch, and Holmes), 838
Contraceptive(s) device, intrauterine, extensive actinomycosis associated with (Witwer et al.), 913 (Comm. in brief)
oral, on blood folate levels in pregnancy, effect of (Martinez and Roe), 255
and cervical carcinoma (Boyce et al.), 761
liver neoplasms (Keifer and Scott), 448
steroids on hypothalamic-pituitary function, effect of (Mishell et al.), 60
Contraction(s), involuntary detrusor, urethral behavior during (Low), 32
ovarian, influence of ovarian denervation and nerve stimulation on (Weiner, Wright, and Wallach), 154
Cord clamping and maternal blood pressure on placental transfusion with cesarean section, effect of time of (Ogata et al.), 197
umbilical, and maternal plasma before and after onset of parturition, cyclic 3′,5′-adenosine monophosphate in (Yuen, Wittmann, and Staley), 219 (Current investigation)
Corpus (corpora) luteum (lutea), human, of early pregnancy, effect of human chorionic gonadotropin and estradiol-17β on maintenance of (Garner and Armstrong), 469
menstrual cycle and pregnancy, gonadotropin receptors in (Rao, Griffin, and Carman), 146
Correspondence, 231-233, 466-467, 700-705, 921-927
Corynebacterium parvum as immunotherapeutic agent in ovarian cancer model (Knapp and Berkowitz), 782
Crohn's disease (regional enterocolitis), vulvovaginal, Bowen's carcinoma in: Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)
Culture and treatment results in endometritis following elective abortion (Burkman, Atienza, and King), 556
Curettage, endocervical, performed as integral part of colposcopic examination of patients with abnormal cervical cytology, some observations on value of (Urcuyo, Rome, and Nelson), 787
Current developments, 342-350, 576-583, 812-822
Current—Cont'd
investigation, 209-221, 571-574, 808-810, 907-908
Curves, intrauterine pressure, with methods and models developed in cardiac research, wave-form analysis of (Barclay, DeHart, and Mercer), 242
Cycle, menstrual, and pregnancy, godadotropin receptors in human corpora lutea of (Rao, Griffin, and Carman), 146
Cyclic changes in salivary activity of N-acetyl-β-D-glucosaminidase (Rosado et al.), 560
3′,5′-adenosine monophosphate in umbilical cord and maternal plasma before and after onset of parturition (Yuen, Wittmann, and Staley), 219 (Current investigation)
Cyclophosphamide, doxorubicin-: Effective chemotherapy for advanced endometrial adenocarcinoma (Muggia et al.), 314
Cytodynamics of experimental endometrial regeneration in rabbit, studies on. I. Historadioautography and ultrastructure (Ferenczy), 536
Cytogenetic nomenclature (Simpson and Martin), 167
Cytology, abnormal cervical, some observations on value of endocervical curettage performed as integral part of colposcopic examination of patients with (Urcuyo, Rome, and Nelson), 787

D

Death, intrauterine fetal, and missed abortion, vaginal prostaglandin E_2 for (Rutland and Ballard), 503
rapid conclusive diagnosis of (Scheer and Nubar), 907 (Current investigation)
perinatal, and abruptio placentae: Prospective study (Naeye, Harkness, and Utts), 740
Decelerations, late, and brain tolerance of fetal monkey to intrapartum asphyxia (Adamsons and Myers), 893
Defects, neural tube, amniotic fluid fibrinogen degradation products in prenatal diagnosis of (Kimball et al.), 294
Degradation products, amniotic fluid fibrinogen, in prenatal diagnosis of neural tube defects (Kimball et al.), 294
Dehiscence, abdominal wound (Helmkamp), 803
Delaying birth in ewes, method of (Haughey), 685 (Comm. in brief)
Delivery, term, through spontaneously occurring cervicovaginal fistula following second-trimester surgical repair (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
vaginal, of hydrocephalic fetus after transabdominal encephalocentesis (Borno et al.), 916 (Comm. in brief)
Delta-9-tetrahydrocannabinol (marihuana) on secretion of luteinizing hormone in ovariectomized rhesus monkey, effect of (Besch et al.), 635
Denervation, ovarian, and nerve stimulation on ovarian contractions, influence of (Weiner, Wright, and Wallach), 154
Dermatitidis, blastomyces, treated during pregnancy: Report of case (Neiberg, Mavromatis, and Fayyad), 911 (Comm. in brief)
Detection, evaluation, and treatment of pituitary microadenomas in patients with galactorrhea and amenorrhea (Chang et al.), 356
Detrusor contraction, involuntary, urethral behavior during (Low) 32
Device, intrauterine contraceptive, extensive actinomycosis associated with (Witwer et al.), 913 (Comm. in brief)
Dexamethasone administration on urinary 17-ketosteroid and serum androgen levels in patients with hirsutism, correlation of effects of (Judd et al.), 408
Diabetes mellitus, lecithin/sphingomyelin ratio in pregnancies complicated by (Gabbe et al.), 757
Diabetics, pregnant, modern approach to management of: Two-year analysis of perinatal outcomes (Gyves et al.), 606
Diagnosis and management of infant with genital ambiguity (Simpson), 137 (Clinical opinion)
prenatal, of fetal ascites by ultrasound (Cederqvist et al.), 229 (Comm. in brief)
neural tube defects, amniotic fluid fibrinogen degradation products in (Kimball et al.), 294
rapid conclusive, of intrauterine fetal death (Scheer and Nubar), 907 (Current investigation)
Dicyclomine hydrochloride and doxylamine succinate (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Shapiro et al.), 480
Diethylstilbestrol, clear cell carcinoma of cervix and vagina in progeny of women who received: Three cases with scanning and transmission electron microscopy (Puri et al.), 550

Diethylstilbestrol—Con.'d
-related clear cell adenocarcinoma of vagina and cervix, age-incidence and risk of (Herbst et al.), 43
upper genital tract changes associated with exposure in utero to (Kaufman et al.), 50
Disease, acute pelvic inflammatory, pathogenesis of: Role of contraception and other risk factors (Eschenbach, Harnisch, and Holmes), 838
pelvic inflammatory, on enteric complications following radiation therapy for cervical cancer, effect of (van Nagell et al.), 767
(regional enterocolitis), vulvovaginal Crohn's, Bowen's carcinoma in: Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)
Rh-hemolytic, prevention of, with Rh-immune globulin (Freda, Gorman, and Pollack), 456 (Classic pages)
trophoblastic, and molar pregnancy, clinical and laboratory correlates of (Morrow et al.), 423
venereally transmitted: Molluscum contagiosum venereum in women's outpatient clinic (Wilkin), 531
Distress, fetal, when is it (Goodlin and Haesslein), 440
Doppler ultrasound signal for fetal heart rate monitoring, new technique for improving (Lauersen et al.), 300
Double-battledore placenta, monochorionic, monoamniotic, with stillbirth and postpartum cerebellar syndrome (Averback and Wiglesworth), 697 (Comm. in brief)
Doxorubicin-cyclophosphamide: Effective chemotherapy for advanced endometrial adenocarcinoma (Muggia et al.), 314
Doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Shapiro et al.), 480
Drugs, immunosuppressive, fetal growth retardation associated with maternal administration of (Scott), 668
Dysfunction, bladder, after radical abdominal hysterectomy (Seski and Diokno), 643

E

E_2, vaginal prostaglandin, for missed abortions and intrauterine fetal death (Rutland and Ballard), 503
Elective abortion(s), culture and treatment results in endometritis following (Burkman, Atienza, and King), 556
their partners', men's reactions to (Rothstein), 831 (Clinical opinion)
Electrocardiography, direct, and magnetocardiography, quantification of fetal heart rate variability by (Kariniemi and Hukkinen), 526
Electroencephalogram, fetal, cardiovascular parameters, and fetal oxygenation, effect of umbilical vein occlusion on (Künzel et al.), 201
Electron microscopy, scanning and transmission, three cases with: Clear cell carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol (Puri et al.), 550
probe microanalysis of chemical elemental content of human follicular fluid (Chong, Taymor, and Lechene), 209 (Current investigation)
Empty-sella syndrome, amenorrhea-galactorrhea associated with (Check et al.), 688 (Comm. in brief)
Encephalocentesis, transabdominal, vaginal delivery of hydrocephalic fetus after (Borno et al.), 916 (Comm. in brief)
Endocervical curettage performed as integral part of colposcopic examination of patients with abnormal cervical cytology, some observations on value of (Urcuyo, Rome, and Nelson), 787
Endocrine and metabolic studies in patient with male pseudohermaphroditism and true agonadism (Cleary et al.), 862
Endometrial adenocarcinoma, advanced, effective chemotherapy for: Doxorubicin-cyclophosphamide (Muggia et al.), 314
prognostic significance of carcinoembryonic antigen in plasma and tumors of patients with (van Nagell et al.), 308
regeneration, experimental, in rabbit, studies on cytodynamics of. I. Historadioautography and ultrastructure (Ferenczy), 536
Endometritis following elective abortion, culture and treatment results in (Burkman, Atienza, and King), 556
Endometrium, carcinoma of: Radiation followed immediately by operation (Underwood et al.), 86
effect of progesterone and estradiol-17β on nucleic acid synthesis in vitro in carcinoma of (Gerulath and Borth), 772
Enteric complications following radiation therapy for cervical cancer, effect of pelvic inflammatory disease on (van Nagell et al.), 767
Enterocolitis (vulvovaginal Crohn's disease), regional, Bowen's carcinoma in: Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)
EPH gestosis, "essential," with special consideration of primigravid patient, new etiologic concept of: Immunogestosis (Marti and Herrmann), 489
Epidemiologic surveillance during clinical trial of antibiotic prophylaxis in pelvic surgery (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
Estradiol-17β and human chorionic gonadotropin on maintenance of human corpus luteum of early pregnancy, effect of (Garner and Armstrong), 469
and progesterone on nucleic acid synthesis in vitro in carcinoma of endometrium, effect of (Gerulath and Borth), 772
Estriol-16-glucuronide in urine for monitoring pregnancy and induction of ovulation, direct radioimmunoassay for (Haning et al.), 793
unconjugated, and 15α-hydroxyestriol in complicated pregnancies (Notation and Tagatz), 747
values, plasma unconjugated, in high-risk pregnancy (Bashore and Westlake), 371
Estrogen-induced uterine blood flow, effect of progesterone on (Resnik, Brink, and Plumer), 251
and progesterone levels, plasma conjugated and unconjugated, in pregnancy, effect of ampicillin administration on (Adlercreutz et al.), 266
-progestin combinations, low-dose, alternate-day, on blood coagulation factors in man, with special note on effect of freezing of blood samples, effect of. VIII. Progestational agents and blood coagulation (Ambrus et al.), 161
Experimental endometrial regeneration in rabbit, studies on cytodynamics of. I. Historadioautography and ultrastructure (Ferenczy), 536
toxemia in pregnant primate (Cavanagh et al.), 75
Extracts, amniotic fluid lipid, surface tension of: Prediction of pulmonary maturity (Goldkrand, Varki, and McClurg), 591

F

$F_{2\alpha}$, prostaglandin, oxytocin, and laminaria, uterine rupture following midtrimester abortion by: Report of two cases (Propping et al.), 689 (Comm. in brief)
Failed termination of pregnancy due to uterus bicornis unicollis with bilateral pregnancy (Pelosi et al.), 919 (Comm. in brief)
Federal government in primary care (Hellman), 825 (Clinical opinion)
Fenoterol, effect of prophylactic outpatient administration of, on time of onset of spontaneous labor and fetal growth rate in twin pregnancy (Marivate, de Villiers, and Fairbrother), 707
(Th1165a) infusion on uterine and umbilical blood flow in pregnant sheep, effect of (Ehrenkranz et al.), 177
Fertility and spermatozoan genome (Salisbury, Hart, and Lodge), 342 (Current developments)
Fetal ascites by ultrasound, prenatal diagnosis of (Cederqvist et al.), 229 (Comm. in brief)
cardiac arrhythmia during labor (Harrigan et al.), 693 (Comm. in brief)
death, intrauterine, and missed abortion, vaginal prostaglandin E_2 for (Rutland and Ballard), 503
rapid conclusive diagnosis of (Scheer and Nubar), 907 (Current investigation)
distress, when is it (Goodlin and Haesslein), 440
electroencephalogram, fetal oxygenation, and cardiovascular parameters, effect of umbilical vein occlusion on (Künzel et al.), 201
growth rate and time of onset of spontaneous labor in twin pregnancy, effect of prophylactic outpatient administration of fenoterol on (Marivate, de Villiers, and Fairbrother), 707
retardation associated with maternal administration of immunosuppressive drugs (Scott), 668
heart rate monitoring, new technique for improving Doppler ultrasound signal for (Lauersen et al.), 300
variability, comparison of methods for quantitating (Laros et al.), 381
quantification of, by magnetocardiography and direct electrocardiography (Kariniemi and Hukkinen), 526

Fetal—Cont'd
lamb, ewe and, cardiovascular effects of fever in (Harris et al.), 262
life, interrelationship between glomerular filtration rate and renal transport of sodium and chloride during (Robillard et al.), 727
malnutrition: Appraisal of correlated factors (Crosby et al.), 22
monitor output, prediction of fetal oxygenation by on-line computer analysis of (Huddleston et al.), 599
monkey, late decelerations and brain tolerance of, to intrapartum asphyxia (Adamsons and Myers), 893
oxygenation, cardiovascular parameters, and fetal electroencephalogram, effect of umbilical vein occlusion on (Künzel et al.), 201
prediction of, by on-line computer analysis of fetal monitor output (Huddleston et al.), 599
sex, amniotic fluid testosterone and follicle-stimulating hormone in determination of (Belisle, Fencl, and Tulchinsky), 514
weight, estimation of, by computer-assisted analysis (Warsof et al.), 881
Fetoplacental circulation, sampling. II. Combined laparoscopy-fetoscopy in pregnant ovine (Morris et al.), 279
Fetoprotein, alpha-, levels in case with multiple congenital anomalies, changes in (Lau et al.), 225 (Comm. in brief)
Fetoscopy, combined laparoscopy-, in pregnant ovine. II. Sampling fetoplacental circulation (Morris et al.), 279
Fetus (fetuses), human, continuous subcutaneous pH measurement in (Sturbois et al.), 901
placental transfer of cholesterol into (Lin, Pitkin, and Connor), 735
hydrocephalic, vaginal delivery of, after transabdominal encephalocentesis (Borno et al.), 916 (Comm. in brief)
Fever in ewe and fetal lamb, cardiovascular effects of (Harris et al.), 262
Fibrinogen degradation products, amniotic fluid, in prenatal diagnosis of neural tube defects (Kimball et al.), 294
Filtration rate, glomerular, and renal transport of sodium and chloride during fetal life, interrelationship between (Robillard et al.), 727
Fistula, cervicovaginal, spontaneously occurring term delivery through, following second-trimester surgical repair (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Flora studies, quantitative vaginal, methods for (Onderdonk et al.), 777
Flow, estrogen-induced uterine blood, effect of progesterone on (Resnik, Brink, and Plumer), 251
uterine and umbilical blood, in pregnant sheep, effect(s) of fenoterol (Th1165a) infusion on (Ehrenkranz et al.), 177
prolonged infusion of β-adrenergic agonists on (Brennan, McLaughlin, and Chez), 709
salbutamol and isoxsuprine on (Ehrenkranz et al.), 287
Fluid, amniotic, effect of, on bacterial growth in three population groups (Appelbaum et al.), 868
failure of bacterial growth inhibition by (Tafari et al.), 187
fibrinogen degradation products in prenatal diagnosis of neural tube defects (Kimball et al.), 294
hormones in (Dawood), 576 (Current developments)
and maternal blood serum human placental lactogen in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
human follicular, electron probe microanalysis of chemical elemental content of (Chong, Taymor, and Lechene), 209 (Current investigation)
lipid extracts, amniotic, surface tension of: Prediction of pulmonary maturity (Goldkrand, Varki, and McClurg), 591
testosterone, amniotic, and follicle-stimulating hormone in determination of fetal sex (Belisle, Fencl, and Tulchinsky), 514
Folate levels, blood, in pregnancy, effect of oral contraceptives on (Martinez and Roe), 255
Follicle(s), polynuclear, incidence and significance of (Sherrer, Gerson, and Woodruff), 6
-stimulating hormone and amniotic fluid testosterone in determination of fetal sex (Belisle, Fencl, and Tulchinsky), 514
Follicular fluid, human, electron probe microanalysis of chemical elemental content of (Chong, Taymor, and Lechene), 209 (Current investigation)
Free testosterone concentration in serum: Elevation is hallmark of hirsutism (Paulson et al.), 851
Freezing of blood samples, effect of low-dose, alternate-day, estrogen-progestin combination on blood coagulation factors in man, with special note on effect of. VIII. Progestational agents and blood coagulation (Ambrus et al.), 161

G

Galactorrhea, amenorrhea-, associated with empty-sella syndrome (Check et al.), 688 (Comm. in brief)
detection, evaluation, and treatment of pituitary microadenomas in patients with (Chang et al.), 356
Genital ambiguity, diagnosis and management of infant with (Simpson), 137 (Clinical opinion)
tract, upper, changes associated with exposure in utero to diethylstilbestrol (Kaufman et al.), 51
Genome, spermatozoan, and fertility (Salisbury, Hart, and Lodge), 342 (Current developments)
Gestosis, "essential" EPH, with special consideration of primigravid patient, new etiologic concept of: Immunogestosis (Marti and Herrmann), 489
Globulin, Rh-immune, prevention of Rh-hemolytic disease with (Freda, Gorman, and Pollack), 456 (Classic pages)
Glomerular filtration rate and renal transport of sodium and chloride during fetal life, interrelationship between (Robillard et al.), 727
Glucosaminidase, N-acetyl-β-D-, cyclic changes in salivary activity of (Rosado et al.), 560
Glucuronide, estriol-16-, in urine for monitoring pregnancy and induction of ovulation, direct radioimmunoassay for (Haning et al.), 793
Goebell-Stoeckel operation for universal cases of urinary incontinence (Wheeless et al.), 546
Gonadotropin, human chorionic, and estradiol-17β on maintenance of human corpus luteum of early pregnancy, effect of (Garner and Armstrong), 469
receptors in human corpora lutea of menstrual cycle and pregnancy (Rao, Griffin, and Carman), 146
Government, federal, in primary care (Hellman), 825 (Clinical opinion)
Graft, prosthetic, of aorta in pregnancy, rupture of (Davis and Leider), 397
Growth, bacterial, effect of amniotic fluid on, in three population groups (Appelbaum et al.), 868
inhibition, bacterial, by amniotic fluid, failure of (Tafari et al.), 187
rate, fetal, and time of onset of spontaneous labor in twin pregnancy, effect of prophylactic outpatient administration of fenoterol on (Marivate, de Villiers, and Fairbrother), 707
retardation, fetal, associated with maternal administration of immunosuppressive drugs (Scott), 668
"Gynecologic age," low: Obstetric risk factor (Zlatnik and Burmeister), 183
surgery and pregnancy, pulmonary thromboembolism associated with (Bissell), 418
Gynecology and obstetrics, subspecialization in (Pearse and Trabin), 303

H

Heart block, congenital complete, in pregnancy (Eddy and Frankenfeld), 223 (Comm. in brief)
rate monitoring, fetal, new technique for improving Doppler ultrasound signal for (Lauersen et al.), 300
variability, fetal, comparison of methods for quantitating (Laros et al.), 381
by magnetocardiography and direct electrocardiography, quantification of (Kariniemi and Hukkinen), 526
Hematologic problems in pregnancy. V. Obstetric transfusion therapy (Cooley and Kitay), 476
Hemolytic, Rh-, disease, prevention of, with Rh-immune globulin (Freda, Gorman, and Pollack), 456 (Classic pages)
High-risk maternal transport system, Arizona: Initial view (Giles et al.), 400
pregnancy (pregnancies), association of maternal and neonatal thrombocytopenia in (Kleckner, Giles, and Corrigan), 235
plasma unconjugated estriol values in (Bashore and Westlake), 371
scoring on obstetric service, clinical application of (Sokol et al.), 652

Hirsutism, correlation of effects of dexamethasone administration on urinary 17-ketosteroid and serum androgen levels in patients with (Judd et al.), 408
elevation is hallmark of: Free testosterone concentration in serum (Paulson et al.), 851
Historadioautography and ultrastructure. I. Studies on cytodynamics of experimental endometrial regeneration in rabbit (Ferenczy), 536
Hormone(s) in amniotic fluid (Dawood), 576 (Current developments)
follicle-stimulating, and amniotic fluid testosterone in determination of fetal sex (Belisle, Fencl, and Tulchinsky), 514
luteinizing, in ovariectomized rhesus monkey, effect of marihuana (delta-9-tetrahydrocannabinol) on secretion of (Besch et al.), 635
synthetic thyrotropin-releasing, on ovulation in baboons, effect of (Stevens, Shelden, and Powell), 323
Hospital, community, 1956 to 1975, perinatal mortality rate at (Reeves and Anderson), 677
Human chorion laeve permeability in vitro, factors determining (Seeds, Eichhorst, and Stolee), 13
chorionic gonadotropin and estradiol-17β on maintenance of human corpus luteum of early pregnancy, effect of (Garner and Armstrong), 469
corpora lutea of menstrual cycle and pregnancy, gonadotropin receptors in (Rao, Griffin, and Carman), 146
fetus, placental transfer of cholesterol into (Lin, Pitkin, and Connor), 735
follicular fluid, electron probe microanalysis of chemical elemental content of (Chong, Taymor, and Lechene), 209 (Current investigation)
placental lactogen, amniotic fluid and maternal blood serum, in normal and prolonged pregnancies (Lolis et al.), 724
determinations, serum, in early pregnancy, prognostic value of (Vorster, Pannall, and Slabber), 879
syncytiotrophoblast, characterization of microvillous membrane preparation from. Morphologic, biochemical, and physiologic study (Smith et al.), 190
subjects, multiphasic prolactin secretion during parturition in (Rigg and Yen), 214 (Current investigation)
relationship of mammary temperature to parturition in (Burd et al.), 272
Hydrocephalic fetus, vaginal delivery of, after transabdominal encephalocentesis (Borno et al.), 916 (Comm. in brief)
Hydrochloride, dicyclomine, and doxylamine succinate (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Shapiro et al.), 480
Hydrocortisone on lecithin-sphingomyelin ratio, effects of (Zuspan, Cordero, and Semchyshyn), 571 (Current investigation)
Hydroxyestriol, 15α-, and unconjugated estriol in complicated pregnancies (Notation and Tagatz), 747
Hypertension, acute, in pregnancy, is supine pressor test adequate means of predicting (Phelan et al.), 173
portal, and/or liver cirrhosis, pregnancy in (Cheng), 812 (Current developments)
pregnancy-induced, angiotensin II response to positional change in, prospective study of (Hayashi et al.), 872
Hypothalamic-pituitary function, effect of contraceptive steroids on (Mishell et al.), 60
Hysterectomy, future function and fortune of ovarian tissue which is retained in vivo during (Ranney and Abu-Ghazaleh), 626
"problem" radical (Mikuta et al.), 119
radical abdominal, bladder dysfunction after (Seski and Diokno), 643
Hysterosalpingographic follow-up of partial salpingectomy type of sterilization (Sheikh), 858

I

Immune, Rh-, globulin, prevention of Rh-hemolytic disease with (Freda, Gorman, and Pollack), 456 (Classic pages)
Immunogestosis: New etiologic concept of "essential" EPH gestosis, with special consideration of primigravid patient (Marti and Herrmann), 489
Immunosuppressive drugs, fetal growth retardation associated with maternal administration of (Scott), 668
Immunotherapeutic agent in ovarian cancer model, *Corynebacterium parvum* as (Knapp and Berkowitz), 782
Implantation, uterotubal, and obstetric outcome after previous sterilization (Peterson, Musich, and Behrman), 662
Incontinence, urinary, Goebell-Stoeckel operation for (Wheeless et al.), 546
Induced, estrogen-, uterine blood flow, effect of progesterone on (Resnik, Brink, and Plumer), 251
pregnancy-, hypertension, angiotensin II response to positional change in, prospective study of (Hayashi et al.), 872
Infant(s), premature, feasibility of suppressing and reinitiating lactation in women with (Canales et al.), 695 (Comm. in brief)
with genital ambiguity, diagnosis and management of (Simpson), 137 (Clinical opinion)
Infection(s), *Trichomonas vaginalis*, single dose of two grams of metronidazole for (Fleury et al.), 320
uterine toxoplasma, and repeated abortions (Stray-Pedersen and Lorentzen-Styr), 716
Inflammatory disease, acute pelvic, pathogenesis of: Role of contraception and other risk factors (Eschenbach, Harnisch, and Holmes), 838
pelvic, on enteric complications following radiation therapy for cervical cancer, effect of (van Nagell et al.), 767
Inhibition, bacterial growth, by amniotic fluid, failure of (Tafari et al.), 187
Intelligence quotient score, congenital malformations, birth weight, and perinatal mortality rate, exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
Intrapartum asphyxia, late decelerations and brain tolerance of fetal monkey to (Adamsons and Myers), 893
Intrauterine contraception, new procedure for statistical evaluation of (Azen et al.), 329
contraceptive device, extensive actinomycosis associated with (Witwer et al.), 913 (Comm. in brief)
fetal death and missed abortion, vaginal prostaglandin E_2 for (Rutland and Ballard), 503
rapid conclusive diagnosis of (Scheer and Nubar), 907 (Current investigation)
pressure curves with methods and models developed in cardiac research, wave-form analysis of (Barclay, DeHart, and Mercer), 242
transfusion, ultrasound as aid in (Cooperberg and Carpenter), 239
Invasive carcinoma, late, of cervix, incidence, significance, and follow-up of para-aortic lymph node metastases in (Nelson et al.), 336
Isoxsuprine and salbutamol on uterine and umbilical blood flow in pregnant sheep, effects of (Ehrenkranz et al.), 287
Items, 118, 351-352, 584, 823-824

K

Ketosteroid, 17-, urinary, and serum androgen levels in patients with hirsutism, correlation of effects of dexamethasone administration on (Judd et al.), 408

L

Labor, fetal cardiac arrhythmia during (Harrigan et al.), 693 (Comm. in brief)
spontaneous, and fetal growth rate in twin pregnancy, effect of prophylactic outpatient administration of fenoterol on time of onset of (Marivate, de Villiers, and Fairbrother), 707
Laboratory and clinical correlates of molar pregnancy and trophoblastic disease (Morrow et al.), 424
Lactation in women with premature infants, feasibility of suppressing and reinitiating (Canales et al.), 695 (Comm. in brief)
Lactogen, amniotic fluid and maternal blood serum human placental, in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
determinations, serum human placental, in early pregnancy, prognostic value of (Vorster, Pannall, and Slabber), 879
Laeve permeability, human chorion, in vitro, factors determining (Seeds, Eichhorst, and Stolee), 13
Laminaria, prostaglandin $F_{2\alpha}$, and oxytocin, uterine rupture following midtrimester abortion by: Report of two cases (Propping et al.), 689 (Comm. in brief)
Laparoscopy-fetoscopy, combined, in pregnant ovine. II. Sampling fetoplacental circulation (Morris et al.), 279
Laser treatment of cervical and vaginal neoplasia (Stafl, Wilkinson, and Mattingly), 128

Late decelerations and brain tolerance of fetal monkey to intrapartum asphyxia (Adamsons and Myers), 893
Lecithin-sphingomyelin ratio, effects of hydrocortisone on (Zuspan, Cordero, and Semchyshyn), 571 (Current investigation)
in pregnancies complicated by diabetes mellitus (Gabbe et al.), 757
Life, fetal, interrelationship between glomerular filtration rate and renal transport of sodium and chloride during (Robillard et al.), 727
Lipid extracts, amniotic fluid, surface tension of: Prediction of pulmonary maturity (Goldrand, Varki, and McClurg), 591
Liver cirrhosis and/or portal hypertension, pregnancy in (Cheng), 812 (Current developments)
neoplasms and oral contraceptives (Keifer and Scott), 448
Luteinizing hormone in ovariectomized rhesus monkey, effect of marihuana (delta-9-tetrahydrocannabinol) on secretion of (Besch et al.), 635
Luteum (lutea), human corpus (corpora), of early pregnancy, effect of human chorionic gonadotopin and estradiol-17β on maintenance of (Garner and Armstrong), 469
menstrual cycle and pregnancy, gonadotropin receptors in (Rao, Griffin, and Carman), 146
Lymph node metastases, para-aortic, in late invasive carcinoma of cervix, incidence, significance, and follow-up of (Nelson et al.), 336

M

Magnetocardiography and direct electrocardiography, quantification of fetal heart rate variability by (Kariniemi and Hukkinen), 526
Male pseudohermaphroditism and true agonadism, endocrine and metabolic studies in patient with (Cleary et al.), 862
Malformations, congenital, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
Malnutrition, fetal: Appraisal of correlated factors (Crosby et al.), 22
Mammary temperature to parturition in human subjects, relationship of (Burd et al.), 272
Marihuana (delta-9-tetrahydrocannabinol) on secretion of luteinizing hormone in ovariectomized rhesus monkey, effect of (Besch et al.), 635
Maternal administration of immunosuppressive drugs, fetal growth retardation associated with (Scott) 668
blood pressure and time of cord clamping on placental transfusion with cesarean section, effect of (Ogata et al.), 197
serum and amniotic fluid human placental lactogen in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
and neonatal thrombocytopenia in high-risk pregnancies, association of (Kleckner, Giles, and Corrigan), 235
plasma and umbilical cord before and after onset of parturition, cyclic 3′,5′-adenosine monophosphate in (Yuen, Wittmann, and Staley), 219 (Current investigation)
sepsis and placental bacteremia complicating Shirodkar procedure (Heinemann, Tang, and Kramer), 226 (Comm. in brief)
smoking, pregnancy complications, and perinatal mortality (Meyer and Tonascia), 494
transport system, Arizona high-risk: Initial view (Giles et al.), 400
Maturity, pulmonary, prediction of: Surface tension of amniotic fluid lipid extracts (Goldkrand, Varki, and McClurg), 591
Mellitus, diabetes, lecithin/sphingomyelin ratio in pregnancies complicated by (Gabbe et al.), 757
Membrane, microvillous, preparation, from human placental syncytiotrophoblast, characterization of: Morphologic, biochemical, and physiologic study (Smith et al.), 190
Men's reactions to their partners' elective abortions (Rothstein), 831 (Clinical opinion)
Menstrual cycle and pregnancy, gonadotropin receptors in human corpora lutea of (Rao, Griffin, and Carman), 146
Metabolic studies, endocrine and, in patient with male pseudohermaphroditism and true agonadism (Cleary et al.), 862
Metastases, para-aortic lymph node, in late invasive carcinoma of cervix, incidence, significance, and follow-up of (Nelson et al.), 336
Metronidazole for *Trichomonas vaginalis* infection, single dose of two grams of (Fleury et al.), 320
Microadenomas, pituitary, in patients with galactorrhea and amenorrhea, detection, evaluation, and treatment of (Chang et al.), 356
Microanalysis, electron probe, of chemical elemental content of human follicular fluid (Chong, Taymor, and Lechene), 209 (Current investigation)
Microscopy, scanning and transmission electron, three cases with: Clear cell carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol (Puri et al.), 550
Microvillous membrane preparation from human placental syncytiotrophoblast, characterization of: Morphologic, biochemical, and physiologic study (Smith et al.), 190
Midtrimester abortion by laminaria, prostaglandin $F_{2\alpha}$, and oxytocin, uterine rupture following: Report of two cases (Propping et al.) 689 (Comm. in brief)
Molar pregnancy and trophoblastic disease, clinical and laboratory correlates of (Morrow et al.), 424
Molluscum contagiosum venereum in women's outpatient clinic: Venereally transmitted disease (Wilkin), 531
Monitor output, fetal, prediction of fetal oxygenation by on-line computer analysis of (Huddleston et al.), 599
Monitoring, fetal heart rate, new technique for improving Doppler ultrasound signal for (Lauersen et al.), 300
Monoamniotic, monochorionic, double-battledore placenta with stillbirth and postpartum cerebellar syndrome (Averback and Wiglesworth), 697 (Comm. in brief)
Monochorionic, monoamniotic, double-battledore placenta with stillbirth and postpartum cerebellar syndrome (Averback and Wiglesworth), 697 (Comm. in brief)
Mortality, perinatal, maternal smoking, and pregnancy complications (Meyer and Tonascia), 494
rate, perinatal, birth weight, intelligence quotient score, and congenital malformations, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
at community hospital, 1956 to 1975 (Reeves and Anderson), 677

N

Neonatal and antenatal referrals. I. Analysis of air transport results in sick newborn (Merenstein et al.), 520
and maternal thrombocytopenia in high-risk pregnancies, association of (Kleckner, Giles, and Corrigan), 235
Neoplasia, cervical and vaginal, laser treatment of (Stafl, Wilkinson, and Mattingly), 128
Neoplasms, liver, and oral contraceptives (Keifer and Scott), 448
Nerve stimulation and ovarian denervation on ovarian contractions, influence of (Weiner, Wright, and Wallach), 154
Neural tube defects, amniotic fluid fibrinogen degradation products in prenatal diagnosis of (Kimball et al.), 294
Newborn, sick, analysis of air transport results in. II. Antenatal and neonatal referrals (Merenstein et al.), 520
Node metastases, para-aortic lymph, in late invasive carcinoma of cervix, incidence, significance, and follow-up of (Nelson et al.), 336
Nonstressed antepartum cardiotocography, clinical experience in (Tushuizen, Stoot, and Ubachs), 507
Nucleic acid synthesis in vitro in carcinoma of endometrium, effect of progesterone and estradiol-17β on (Gerulath and Borth), 772

O

Obstetric(s) and gynecology, subspecialization in (Pearse and Trabin), 303
outcome and uterotubal implantation after previous sterilization (Peterson, Musich, and Behrman), 662
risk factor: Low "gynecologic age" (Zlatnik and Burmeister), 183
service, clinical application of high-risk scoring on (Sokol et al.), 652
transfusion therapy. V. Hematologic problems in pregnancy (Cooley and Kitay), 476
Occlusion, umbilical vein, on fetal oxygenation, cardiovascular parameters, and fetal electroencephalogram, effect of (Künzel et al.), 201
On-line computer analysis of fetal monitor output, prediction of fetal oxygenation by (Huddleston et al.), 599

Operation, Goebell-Stoeckel, for universal cases of urinary incontinence (Wheeless et al.), 546
radiation followed immediately by: Carcinoma of endometrium (Underwood et al.), 86
Oral contraceptives on blood folate levels in pregnancy, effect of (Martinez and Roe), 255
and cervical carcinoma (Boyce et al.), 760
liver neoplasms (Keifer and Scott), 448
Outpatient administration, prophylactic, of fenoterol, effect of, on time of onset of spontaneous labor and fetal growth rate in twin pregnancy (Marivate, de Villiers, and Fairbrother), 707
clinic, women's, molluscum contagiosum venereum: Venereally transmitted disease (Wilkin), 531
Ovarian cancer, individualized treatment of (Kolstad, Davy, and Høeg), 617
model, *Corynebacterium parvum* as immunotherapeutic agent in (Knapp and Berkowitz), 782
denervation and nerve stimulation on ovarian contractions, influence of (Weiner, Wright, and Wallach), 154
tissue which is retained in vivo during hysterectomy, future function and fortune of (Ranney and Abu-Ghazaleh), 626
Ovariectomized rhesus monkey, effect of marihuana (delta-9-tetrahydrocannabinol) on secretion of luteinizing hormone (Besch et al.), 635
Ovulation in baboons, effect of synthetic thyrotropin-releasing hormone on (Stevens, Shelden, and Powell), 323
direct radioimmunoassay for estriol-16-glucuronide in urine for monitoring pregnancy and induction of (Haning et al.), 793
Oxygenation, fetal, cardiovascular parameters, and fetal electroencephalogram, effect of umbilical vein occlusion on (Künzel et al.), 201
prediction of, by on-line computer analysis of fetal monitor output (Huddleston et al.), 599
Oxytocin, laminaria, and prostaglandin $F_{2\alpha}$, uterine rupture following midtrimester abortion by: Report of two cases (Propping et al.), 689 (Comm. in brief)

P

Pacific Coast Obstetrical and Gynecological Society, transactions, forty-third annual meeting, 353-454
Pain, pelvic, in women (Beard et al.), 566
Panel discussion (Rust et al.), 431
Para-aortic lymph node metastases in late invasive carcinoma of cervix, incidence, significance, and follow-up of (Nelson et al.), 336
Parturition, cyclic 3′,5′-adenosine monophosphate in umbilical cord and maternal plasma before and after onset of (Yuen, Wittmann, and Staley), 219 (Current investigation)
in human subjects, multiphasic prolactin secretion during (Rigg and Yen), 215 (Current investigation)
relationship of mammary temperature to (Burd et al.), 272
Parvum, Corynebacterium, as immunotherapeutic agent in ovarian cancer model (Knapp and Berkowitz), 782
Pathogenesis of acute pelvic inflammatory disease: Role of contraception and other risk factors (Eschenbach, Harnisch, and Holmes), 838
Pelvic inflammatory disease, acute, pathogenesis of: Role of contraception and other risk factors (Eschenbach, Harnisch, and Holmes), 838
on enteric complications following radiation therapy for cervical cancer, effect of (van Nagell et al.), 767
pain in women (Beard et al.), 566
surgery, epidemiologic surveillance during clinical trial of antibiotic prophylaxis in (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
tumors, sarcoma-like benign: Three case reports (Kirk), 393
Perinatal death and abruptio placentae: Prospective study (Naeye, Harkness, and Utts), 740
mortality, maternal smoking, and pregnancy complications (Meyer and Tonascia), 494
rate, birth weight, intelligence quotient score, and congenital malformations, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
at community hospital, 1956 to 1975 (Reeves and Anderson), 677
Perinatal—Cont'd
outcomes, two-year analysis of: Modern approach to management of pregnant diabetics (Gyves et al.), 606
Permeability, human chorion laeve, in vitro, factors determining (Seeds, Eichhorst, and Stolee), 13
pH measurement, continuous subcutaneous, in human fetuses (Sturbois et al.), 901
Phenothiazines in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Slone et al.), 486
Pituitary, hypothalamic-, function, effect of contraceptive steroids on (Mishell et al.), 60
microadenomas in patients with galactorrhea and amenorrhea, detection, evaluation, and treatment of (Chang et al.), 356
Placenta, monochorionic, monoamniotic, double-battledore, with stillbirth and postpartum cerebellar syndrome (Averback and Wiglesworth), 697 (Comm. in brief)
Placentae, abruptio, and perinatal death: Prospective study (Naeye, Harkness, and Utts), 740
Placental bacteremia and maternal sepsis complicating Shirodkar procedure (Heinemann, Tang, and Kramer), 226 (Comm. in brief)
lactogen determinations, serum human, in early pregnancy, prognostic value of (Vorster, Pannall, and Slabber), 879
amniotic fluid and maternal blood serum human, in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
syncytiotrophoblast, human, characterization of microvillous membrane preparation from: Morphologic, biochemical, and physiologic study (Smith et al.), 190
transfer of cholesterol into human fetus (Lin, Pitkin, and Connor), 735
large angiotensin fragment in guinea pig (Pipkin, Benjamin, and Macallan), 904
transfusion with cesarean section, effect of time of cord clamping and maternal blood pressure on (Ogata et al.), 197
Plasma concentrations of four pregnancy proteins in complications of pregnancy (Lin et al.), 808 (Current investigation)
conjugated and unconjugated estrogen and progesterone levels in pregnancy, effect of ampicillin administration of (Adlercreutz et al.), 266
umbilical cord and maternal, before and after onset of parturition, cyclic 3′,5′-adenosine monophosphate in (Yuen, Wittmann, and Staley), 219 (Current investigation)
and tumors of patients with endometrial adenocarcinoma, prognostic significance of carcinoembryonic antigen in (van Nagell et al.), 308
unconjugated estriol values in high-risk pregnancy (Bashore and Westlake), 371
Polynuclear follicles, incidence and significance of (Sherrer, Gerson, and Woodruff), 6
Positional change, angiotensin II response to, in pregnancy-induced hypertension, prospective study of (Hayashi et al.), 872
Postpartum bacteriuria, incidence and spontaneous resolution of (Marraro and Harris), 722
cerebellar syndrome, stillbirth and, monochorionic, monoamniotic, double-battledore placenta with (Averback and Wiglesworth), 697 (Comm. in brief)
Pregnancy (pregnancies), blastomyces dermatitidis treated during: Report of case (Neiberg, Mavromatis, and Fayyad), 911 (Comm. in brief)
complicated by diabetes mellitus, lecithin/sphingomyelin ratio in (Gabbe et al.), 757
unconjugated estriol and 15α-hydroxyestriol in (Notation and Tagatz), 747
complications, perinatal mortality, and maternal smoking (Meyer and Tonascia), 494
congenital complete heart block in (Eddy and Frankenfeld), 223 (Comm. in brief)
early, effect of human chorionic gonadotropin and estradiol-17β on maintenance of human corpus luteum of (Garner and Armstrong), 469
serum human placental lactogen determinations in, prognostic value of (Vorster, Pannall, and Slabber), 879
effect of ampicillin administration on plasma conjugated and unconjugated estrogen and progesterone levels in (Adlercreutz et al.), 266
oral contraceptives on blood folate levels in (Martinez and Roe), 255

Pregnancy (pregnancies)—Cont'd
failed termination of, due to uterus bicornis unicollis with bilateral pregnancy (Pelosi et al.), 919 (Comm. in brief)
and gynecologic surgery, plumonary thromboembolism associated with (Bissell), 418
hematologic problems in. V. Obstetric transfusion therapy (Cooley and Kitay), 476
high-risk, association of maternal and neonatal thrombocytopenia in (Kleckner, Giles, and Corrigan), 235
plasma unconjugated estriol values in (Bashore and Westlake), 371
-induced hypertension, angiotensin II response to positional change in, prospective study of (Hayashi et al.), 872
and induction of ovulation, direct radioimmunoassay for estriol-16-glucuronide in urine for monitoring (Haning et al.), 793
is supine pressor test adequate means of predicting acute hypertension in (Phelan et al.), 173
in liver cirrhosis and/or portal hypertension (Cheng), 812 (Current developments)
and menstrual cycle, gonadotropin receptors in human corpora lutea of (Rao, Griffin, and Carman), 146
molar, and trophoblastic disease, clinical and laboratory correlates of (Morrow et al.), 424
normal and prolonged, comparative study of amniotic fluid and maternal blood serum human placental lactogen in (Lolis et al.), 724
proteins, four, in complications of pregnancy, plasma concentrations of (Lin et al.), 808 (Current investigation)
rupture of prosthetic graft of aorta in (Davis and Leider), 397
splenic artery rupture in: Case report (Brass), 228 (Comm. in brief)
twin, effect of prophylactic administration of fenoterol on time of onset of spontaneous labor and fetal growth rate in (Marivate, de Villiers, and Fairbrother), 707
Pregnant diabetics, modern approach to management of: Two-year analysis of perinatal outcomes (Gyves et al.), 606
ovine, combined laparoscopy-fetoscopy in. II. Sampling fetoplacental circulation (Morris et al.), 279
primate, experimental toxemia in (Cavanagh et al.), 75
sheep, effect(s) of fenoterol (Th1165a) infusion of uterine and umbilical blood flow in (Ehrenkranz et al.), 177
prolonged infusion of β-adrenergic agonists on uterine and umbilical blood flow in (Brennan, McLaughlin, and Chez), 709
salbutamol and isoxsuprine on uterine and umbilical blood flow in (Ehrenkranz et al.), 287
Premature infants, feasibility of suppressing and reinitiating lactation in women with (Canales et al.), 695 (Comm. in brief)
Prenatal diagnosis of fetal ascites by ultrasound (Cederqvist et al.), 229 (Comm. in brief)
neural tube defects, amniotic fluid fibrinogen degradation products in (Kimball et al.), 294
Pressor test, supine, is adequate means of predicting acute hypertension in pregnancy (Phelan et al.), 173
Pressure curves, intrauterine, with methods and models developed in cardiac research, wave-form analysis of (Barclay, DeHart, and Mercer), 242
maternal blood, and time of cord clamping on placental transfusion with cesarean section, effect of (Ogata et al.), 197
Primary care, federal government in (Hellman), 825 (Clinical opinion)
Primigravid patient, new etiologic concept of "essential" EPH gestosis, with special consideration of: Immunogestosis (Marti and Herrmann), 489
Progeny of women who received diethylstilbestrol, clear cell carcinoma of cervix and vagina in: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
Progestational agents and blood coagulation. VIII. Effect of low-dose, alternate-day, estrogen-progestin combinations on blood coagulation factors in man, with special note on effect of freezing of blood samples (Ambrus et al.), 161
Progesterone, effect of, on estrogen-induced uterine blood flow (Resnik, Brink, and Plumer), 251
and estradiol-17β, effect of, on nucleic acid synthesis in vitro in carcinoma of endometrium (Gerulath and Borth), 772
estrogen levels, plasma conjugated and unconjugated, in pregnancy, effect of ampicillin administration on (Adlercreutz et al.), 266
prevention of abortifacient action of antiprogesterone serum by (Csapo and Erdos), 212 (Current investigation)
Progestin-estrogen combinations, low-dose, alternate-day, on blood coagulation factors in man, with special note on effect of freezing of blood samples, effect of. VIII. Progestational agents and blood coagulation (Ambrus et al.), 161
Prognostic significance of carcinoembryonic antigen in plasma and tumors of patients with endometrial adenocarcinoma (van Nagell et al.), 308
value of serum human placental lactogen determinations in early pregnancy (Vorster, Pannall, and Slabber), 879
Prolactin secretion, multiphasic, during parturition in human subjects (Rigg and Yen), 215 (Current investigation)
Prophylactic outpatient administration of fenoterol, effect of, on time of onset of spontaneous labor and fetal growth rate in twin pregnancy (Marivate, de Villiers, and Fairbrother), 707
Prophylaxis, antibiotic, in pelvic surgery, epidemiologic surveillance during clinical trial of (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
Prostaglandin E_2, vaginal, for missed abortions and intrauterine fetal death (Rutland and Ballard), 503
$F_{2\alpha}$, oxytocin, and laminaria, uterine rupture following midtrimester abortion by: Report of two cases (Propping et al.), 689 (Comm. in brief)
Prosthetic graft of aorta in pregnancy, rupture of (Davis and Leider), 397
Proteins, four pregnancy, in complications of pregnancy, plasma concentrations of (Lin et al.), 808 (Current investigation)
Pseudohermaphroditism, male, and true agonadism, endocrine and metabolic studies in patient with (Cleary et al.), 862
Pulmonary maturity, prediction of: Surface tension of amniotic fluid lipid extracts (Goldkrand, Varki, and McClurg), 591
thromboembolism associated with gynecologic surgery and pregnancy (Bissell), 418

Q

Quantification of fetal heart rate variability by magnetocardiography and direct electrocardiography (Kariniemi and Hukkinen), 526
Quotient score, intelligence, congenital malformations, perinatal mortality rate, and birth weight, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486

R

Radiation followed immediately by operation: Carcinoma of endometrium (Underwood et al.), 86
therapy for cervical cancer, effect of pelvic inflammatory disease on enteric complications following (van Nagell et al.), 767
–treatment plans, two, for carcinoma of cervix, comparison of. II. Complications and survival rates (Boronow and Hickman), 99
Radical abdominal hysterectomy, bladder dysfunction after (Seski and Diokno), 643
hysterectomy, "problem" (Mikuta et al.), 119
Radioimmunoassay, direct, for estriol-16-glucuronide in urine for monitoring pregnancy and induction of ovulation (Haning et al.), 793
Rate, fetal growth, and time of onset of spontaneous labor in twin pregnancy, effect of prophylactic outpatient administration of fenoterol on (Marivate, de Villiers, and Fairbrother), 707
glomerular filtration, and renal transport of sodium and chloride during fetal life, interrelationship between (Robillard et al.), 727
monitoring, fetal heart, new technique for improving Doppler ultrasound signal for (Lauersen et al.), 300
perinatal mortality, birth weight, intelligence quotient score, and congenital malformations, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
at community hospital, 1956 to 1975 (Reeves and Anderson), 677
variability, fetal heart, comparison of methods for quantitating (Laros et al.), 381
quantification of, by magnetocardiography and direct electrocardiography (Kariniemi and Hukkinen), 526
Ratio, lecithin-sphingomyelin, effects of hydrocortisone on (Zuspan, Cordero, and Semchyshyn), 571 (Current investigation)

Referrals, antenatal and neonatal. II. Analysis of air transport results in sick newborn (Merenstein et al.), 520
Regeneration, experimental endometrial, in rabbit, studies on cytodynamics of. I. Historadioautography and ultrastructure (Ferenczy), 536
Renal transport of sodium and chloride and glomerular filtration rate during fetal life, interrelationship between (Robillard et al.), 727
Repair, second-trimester surgical, term delivery through spontaneously occurring cervicovaginal fistula following (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Research, cardiac, wave-form analysis of intrauterine pressure curves with methods and models developed in (Barclay, DeHart, and Mercer), 242
Resolution, spontaneous, and incidence of postpartum bacteriuria (Marraro and Harris), 722
Retardation, fetal growth, associated with maternal administration of immunosuppressive drugs (Scott) 668
Rh-hemolytic disease, prevention of, with Rh-immune globulin (Freda, Gorman, and Pollack), 456 (Classic pages)
Risk and age-incidence of diethylstilbestrol-related clear cell adenocarcinoma of vagina and cervix (Herbst et al.), 43
  factor(s), obstetric: Low "gynecologic age" (Zlatnik and Burmeister), 183
    other, contraception and, role of: Pathogenesis of acute pelvic inflammatory disease (Eschenbach, Harnisch, and Holmes), 838
  high-, maternal transport system, Arizona: Initial view (Giles et al.), 400
    pregnancy (pregnancies), association of maternal and neonatal thrombocytopenia in (Kleckner, Giles, and Corrigan), 235
    plasma unconjugated estriol values in (Bashore and Westlake), 371
  scoring on obstetric service, clinical application of (Sokol et al.), 652
Rupture of prosthetic graft of aorta in pregnancy (Davis and Leider), 397
  splenic artery, in pregnancy: Case report (Brass), 228 (Comm. in brief)
  uterine, following midtrimester abortion by laminaria, prostaglandin $F_{2\alpha}$, and oxytocin: Report of two cases (Propping et al.), 689 (Comm. in brief)

S

Salbutamol and isoxsuprine on uterine and umbilical blood flow in pregnant sheep, effects of (Ehrenkranz et al.), 287
Salivary activity of N-acetyl-β-D-glucosaminidase, cyclic changes in (Rosado et al.), 560
Salpingectomy type, partial, of sterilization, hysterosalpingographic follow-up of (Sheikh), 858
Sarcoma-like benign pelvic tumors: Three case reports (Kirk), 393
Scanning and transmission electron microscopy, three cases with: Clear cell carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol (Puri et al.), 550
Scoring, high-risk, on obstetric service, clinical application of (Sokol et al.), 652
Screening program, British Columbia, for cervical cancer, recent results from (Boyes et al.), 692 (Comm. in brief)
Second-trimester surgical repair, term delivery through spontaneously occurring cervicovaginal fistula following (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Secretion of luteinizing hormone in ovariectomized rhesus monkey, effect of marihuana (delta-9-tetrahydrocannabinol) on (Besch et al.), 635
  multiphasic prolactin, during parturition in human subjects (Rigg and Yen), 215 (Current investigation)
Section, cesarean, effect of time of cord clamping and maternal blood pressure on placental transfusion with (Ogata et al.), 197
Sella, empty-, syndrome, amenorrhea-galactorrhea associated with (Check et al.), 688 (Comm. in brief)
Sepsis, maternal, and placental bacteremia complicating Shirodkar procedure (Heinemann, Tang, and Kramer), 226 (Comm. in brief)
Serum androgen and urinary 17-ketosteroid levels in patients with hirsutism, correlation of effects of dexamethasone administration on (Judd et al.), 408
  antiprogesterone, by progesterone, prevention of abortifacient action of (Csapo and Erdos), 212 (Current investigation)
Serum—Cont'd
  free testosterone concentration in: Elevation is hallmark of hirsutism (Paulson et al.), 851
  human placental lactogen determinations in early pregnancy, prognostic value of (Vorster, Pannall, and Slabber), 879
  maternal blood, and amniotic fluid human placental lactogen in normal and prolonged pregnancies, comparative study of (Lolis et al.), 724
Service, obstetric, clinical application of high-risk scoring on (Sokol et al.), 652
Sex, fetal, amniotic fluid testosterone and follicle-stimulating hormone in determination of (Belisle, Fencl, and Tulchinsky), 514
Shirodkar procedure, placental bacteremia and maternal sepsis complicating (Heinemann, Tang, and Kramer), 226 (Comm. in brief)
Sick newborn, analysis of air transport results in. II. Antenatal and neonatal referrals (Merenstein et al.), 520
Signal, Doppler ultrasound, for fetal heart rate monitoring, new technique for improving (Lauersen et al.), 300
Smoking, maternal, pregnancy complications, and perinatal mortality (Meyer and Tonascia), 494
Sodium and chloride during fetal life, interrelationship between glomerular filtration rate and renal transport of (Robillard et al.), 727
Spermatozoan genome and fertility (Salisbury, Hart, and Lodge), 342 (Current developments)
Sphingomyelin, lecithin-, ratio, effects of hydrocortisone on (Zuspan, Cordero, and Semchyshyn), 571 (Current investigation)
  in pregnancies complicated by diabetes mellitus (Gabbe et al.), 757
Splenic artery rupture in pregnancy: Case report (Brass), 228 (Comm. in brief)
Spontaneous labor and fetal growth rate in twin pregnancy, effect of prophylactic outpatient administration of fenoterol on time of onset of (Marivate, de Villiers, and Fairbrother), 707
  resolution and incidence of postpartum bacteriuria (Marraro and Harris), 722
Spontaneously occurring cervicovaginal fistula, term delivery through, following second-trimester surgical repair (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Statistical evaluation of intrauterine contraception, new procedure for (Azen et al.), 329
Sterilization, partial salpingectomy type of, hysterosalpingographic follow-up of (Sheikh), 858
  previous, uterotubal implantation and obstetric outcome after (Peterson, Musich, and Behrman), 662
Steroids, contraceptive, on hypothalamic-pituitary function, effect of (Mishell et al.), 60
Stilbestrol in utero, examination of young women exposed to (Sandberg and Hebard), 364
Stillbirth and postpartum cerebellar syndrome, monochorionic, monoamniotic, double-battledore placenta with (Averback and Wiglesworth), 697 (Comm. in brief)
Stimulation, nerve, and ovarian denervation on ovarian contractions, influence of (Weiner, Wright, and Wallach), 154
Stoeckel, Goebell-, operation for universal cases of urinary incontinence (Wheeless et al.), 546
Subcutaneous pH measurement, continuous, in human fetuses (Sturbois et al.), 901
Subspecialization in obstetrics and gynecology (Pearse and Trabin), 303
Succinate, doxylamine, and dicyclomine hydrochloride (Bendectin) in relation to congenital malformations, perinatal mortality rate, birth weight, and intelligence quotient score, antenatal exposure to (Shapiro et al.), 480
Supine pressor test, is adequate means of predicting acute hypertension in pregnancy (Phelan et al.), 173
Suppressing and reinitiating lactation in women with premature infants, feasibility of (Canales et al.), 695 (Comm. in brief)
Surface tension of amniotic fluid lipid extracts: Prediction of pulmonary maturity (Goldkrand, Varki, and McClurg), 591
Surgery, gynecologic, and pregnancy, pulmonary thromboembolism associated with (Bissell), 418
  pelvic, epidemiologic surveillance during clinical trial of antibiotic prophylaxis in (Grossman, Adams, and Hierholzer), 690 (Comm. in brief)
Surgical repair, second-trimester, term delivery through spontaneously occurring cervicovaginal fistula following (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)

Syncytiotrophoblast, human placental, characterization of microvillous membrane preparation from: Morphologic, biochemical, and physiologic study (Smith et al.), 190
Syndrome, empty-sella, amenorrhea-galactorrhea associated with (Check et al.), 688 (Comm. in brief)
postpartum cerebellar, stillbirth and, monochorionic, monoamniotic, double-battledore placenta with (Averback and Wigles-worth), 697 (Comm. in brief)
Synthesis, nucleic acid, in vitro in carcinoma of endometrium, effect of progesterone and estradiol-17β on (Gerulath and Borth), 772
Synthetic thyrotropin-releasing hormone on ovulation in baboons, effect of (Stevens, Shelden, and Powell), 323

T

Tachycardia, profound atrial, in utero (Hughey and Elesh), 463 (Comm. in brief)
Temperature, mammary, to parturition in human subjects, relationship of (Burd et al.), 272
Tension, surface, of amniotic fluid lipid extracts: Prediction of pulmonary maturity (Goldkrand, Varki, and McClurg), 591
Term delivery through spontaneously occurring cervicovaginal fistula following second-trimester surgical repair (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Termination, failed, of pregnancy due to uterus bicornis unicollis with bilateral pregnancy (Pelosi et al.), 919 (Comm. in brief)
Test, supine pressor, is adequate means of predicting acute hypertension in pregnancy (Phelan et al.), 173
Testosterone, amniotic fluid, and follicle-stimulating hormone in determination of fetal sex (Belisle, Fencl, and Tulchinsky), 514
concentration, free, in serum: Elevation is hallmark of hirsutism (Paulson et al.), 851
Tetrahydrocannabinol (marihuana), delta-9-, on secretion of luteinizing hormone in ovariectomized rhesus monkey, effect of (Besch et al.), 635
Therapy, obstetric transfusion. V. Hematologic problems in pregnancy (Cooley and Kitay), 476
radiation, for cervical cancer, effect of pelvic inflammatory disease on enteric complications following (van Nagell et al.), 767
–treatment plans, two, for carcinoma of cervix, comparison of. II. Complications and survival rates (Boronow and Hickman), 99
Th1165a (fenoterol) infusion on uterine and umbilical blood flow in pregnant sheep, effect of (Ehrenkranz et al.), 177
Thrombocytopenia, maternal and neonatal, in high-risk pregnancies, association of (Kleckner, Giles, and Corrigan), 235
Thromboembolism, pulmonary, associated with gynecologic surgery and pregnancy (Bissell), 418
Thyrotropin-releasing hormone, synthetic, on ovulation in baboons, effect of (Stevens, Shelden, and Powell), 323
Tissue, ovarian, which is retained in vivo during hysterectomy, future function and fortune of (Ranney and Abu-Ghazaleh), 626
Tomorrow is here (Kaufman), 585
Toxemia, experimental, in pregnant primate (Cavanagh et al.), 75
Toxoplasma infections, uterine, and repeated abortions (Stray-Pedersen and Lorentzen-Styr), 716
Tract, upper genital, changes associated with exposure in utero to diethylstilbestrol (Kaufman et al.), 51
Transabdominal encephalocentesis, vaginal delivery of hydrocephalic fetus after (Borno et al.), 916 (Comm. in brief)
Transactions, eighty-seventh annual meeting, American Association of Obstetricians and Gynecologists, 1-116, 119-136
forty-fourth annual meeting, Central Association of Obstetricians and Gynecologists, 585-683
-third annual meeting, Pacific Coast Obstetrical and Gynecological Society, 353-454
Transfer, placental, of cholesterol into human fetus (Lin, Pitkin, and Connor), 735
large angiotensin fragment in guinea pig (Pipkin, Benjamin, and Macallan), 904
Transfusion, intrauterine, ultrasound as aid in (Cooperberg and Carpenter), 239
placental, with cesarean section, effect of time of cord clamping and maternal blood pressure on (Ogata et al.), 197
therapy, obstetric. V. Hematologic problems in pregnancy (Cooley and Kitay), 476
Transmission electron microscopy, scanning and, three cases with: Clear cell carcinoma of cervix and vagina in progeny of women who received diethylstilbestrol (Puri et al.), 550
Transport, air, results in sick newborn, analysis of. II. Antenatal and neonatal referrals (Merenstein et al.), 520
renal, of sodium and chloride and glomerular filtration rate during fetal life, interrelationship between (Robillard et al.), 727
system, Arizona high-risk maternal: Initial view (Giles et al.), 400
Treated during pregnancy, blastomyces dermatitidis: Report of case (Neiberg, Mavromatis, and Fayyad), 911 (Comm. in brief)
Treatment and culture results in endometritis following elective abortion (Burkman, Atienza, and King), 556
detection, and evaluation of pituitary microadenomas in patients with galactorrhea and amenorrhea (Chang et al.), 356
individualized, of ovarian cancer (Kolstad, Davy, and Høeg), 617
laser, of cervical and vaginal neoplasia (Stafl, Wilkinson, and Mattingly), 128
two radiation therapy–, plans for carcinoma of cervix, comparison of. II. Complications and survival rates (Boronow and Hickman), 99
Trichomonas vaginalis infection, single dose of two grams of metronidazole for (Fleury et al.), 320
Trimester, second-, surgical repair, term delivery through spontaneously occurring cervicovaginal fistula following (Harrigan, Karbhari, and Halpern), 912 (Comm. in brief)
Trophoblastic disease and molar pregnancy, clinical and laboratory correlates of (Morrow et al.), 423
Tube defects, neural, amniotic fluid fibrinogen degradation products in prenatal diagnosis of (Kimball et al.), 294
Tumors and plasma of patients with endometrial adenocarcinoma, prognostic significance of carcinoembryonic antigen in (van Nagell et al.), 308
sarcoma-like benign pelvic: Three case reports (Kirk), 393

U

Ultrasound as aid in intrauterine transfusion (Cooperberg and Carpenter), 239
prenatal diagnosis of fetal ascites by (Cederqvist et al.), 229 (Comm. in brief)
signal. Doppler, for fetal heart rate monitoring, new technique for improving (Lauersen et al.), 300
Ultrastructure and historadioautography. I. Studies on cytodynamics of experimental endometrial regeneration in rabbit (Ferenczy), 536
Umbilical cord and maternal plasma before and after onset of parturition, cyclic 3′,5′-adenosine monophosphate in (Yuen, Wittmann, and Staley), 219 (Current investigation)
and uterine blood flow in pregnant sheep, effect(s) of fenoterol (Th1165a) infusion on (Ehrenkranz et al.), 177
prolonged infusion of β-adrenergic agonists on (Brennan, McLaughlin, and Chez), 709
salbutamol and isoxsuprine on (Ehrenkranz et al.), 287
vein occlusion on fetal oxygenation, cardiovascular parameters, and fetal electroencephalogram, effect of (Künzel et al.), 201
Unconjugated estriol and 15α-hydroxyestriol in complicated pregnancies (Notation and Tagatz), 747
Unicollis, uterus bicornis, with bilateral pregnancy, failed termination of pregnancy due to (Pelosi et al.), 919 (Comm. in brief)
Urethral behavior during involuntary detrusor contraction (Low), 32
Urilos: Practical detection of urine loss (Stanton and Ritchie), 461 (Comm. in brief)
Urinary incontinence, Goebell-Stoeckel operation for (Wheeless et al.), 546
17-ketosteroid and serum androgen levels in patients with hirsutism, correlation of effects of dexamethasone administration on (Judd et al.), 408
Urine loss, practical detection of: Urilos (Stanton and Ritchie), 461 (Comm. in brief)
for monitoring pregnancy and induction of ovulation, direct radioimmunoassay for estriol-16-glucuronide in (Haning et al.), 793
Uterine blood flow, estrogen-induced, effect of progesterone on (Resnik, Brink, and Plumer), 251
rupture following midtrimester abortion by laminaria, prostaglandin $F_{2\alpha}$, and oxytocin: Report of two cases (Propping et al.), 689 (Comm. in brief)
toxoplasma infections and repeated abortions (Stray-Pedersen and Lorentzen-Styr), 716

Uterine—Cont'd
and umbilical blood flow in pregnant sheep, effect(s) of fenoterol (Th1165a) infusion on (Ehrenkranz et al.), 177
prolonged infusion of β-adrenergic agonists on (Brennan, McLaughlin, and Chez), 709
salbutamol and isoxsuprine on (Ehrenkranz et al.), 287
Utero, examination of young women exposed to stilbestrol in (Sandberg and Hebard), 363
profound atrial tachycardia in (Hughey and Elesh), 463 (Comm. in brief)
upper genital tract changes associated with exposure in (Kaufman et al.), 51
Uterotubal implantation and obstetric outcome after previous sterilization (Peterson, Musich, and Behrman), 662
Uterus bicornis unicollis with bilateral pregnancy, failed termination of pregnancy due to (Pelosi et al.), 919 (Comm. in brief)

V

Vagina and cervix, age-incidence and risk of diethylstilbestrol-related clear cell adenocarcinoma of (Herbst et al.), 43
in progeny of women who received diethylstilbestrol, clear cell carcinoma of: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
Vaginal and cervical neoplasia, laser treatment of (Stafl, Wilkinson, and Mattingly), 128
delivery of hydrocephalic fetus after transabdominal encephalocentesis (Borno et al.), 916 (Comm. in brief)
flora studies, quantitative, methods for (Onderdonk et al.), 777
prostaglandin E_2 for missed abortion and intrauterine fetal death (Rutland and Ballard), 503
Vaginalis, Trichomonas, infection, single dose of two grams of metronidazole for (Fleury et al.), 320
Variability, fetal heart rate, comparison of methods for quantitating (Laros et al.), 381
quantification of, by magnetocardiography and direct electrocardiography (Kariniemi and Hukkinen), 526
Vein, occlusion, umbilical, on fetal oxygenation, cardiovascular parameters, and fetal electroencephalogram, effect of (Künzel et al.), 201
Venereally transmitted disease: Molluscum contagiosum venereum in women's outpatient clinic (Wilkin), 531
Vitro, factors determining human chorion laeve permeability in (Seeds, Eichhorst, and Stolee), 13
nucleic acid synthesis in, in carcinoma of endometrium, effect of progesterone and estradiol-17β on (Gerulath and Borth), 772
Vivo, future function and fortune of ovarian tissue which is retained in, during hysterectomy (Ranney and Abu-Ghazaleh), 626
Vulvovaginal Crohn's disease (regional enterocolitis), Bowen's carcinoma in: Report of first case (Prezyna and Kalyanaraman), 914 (Comm. in brief)

W

Wave-form analysis of intrauterine pressure curves with methods and models developed in cardiac research (Barclay, DeHart, and Mercer), 242
Weight, birth, intelligence quotient score, congenital malformations, and perinatal mortality rate, antenatal exposure to doxylamine succinate and dicyclomine hydrochloride (Bendectin) in relation to (Shapiro et al.), 480
phenothiazines in relation to (Slone et al.), 486
fetal, estimation of, by computer-assisted analysis (Warsof et al.), 881
Women('s) outpatient clinic, molluscum contagiosum venereum: Venereally transmitted disease (Wilkin), 531
pelvic pain in (Beard et al.), 566
who received diethylstilbestrol, clear cell carcinoma of cervix and vagina in progeny of: Three cases with scanning and transmission electron microscopy (Puri et al.), 550
with premature infants, feasibility of suppressing and reinitiating lactation in (Canales et al.), 695 (Comm. in brief)
young, exposed to stilbestrol in utero, examination of (Sandberg and Hebard), 364
Wound dehiscence, abdominal (Helmkamp), 803

American Journal of Obstetrics and Gynecology

Editors

Editors

JOHN I. BREWER, *Editor in Chief*

FREDERICK P. ZUSPAN, E. J. QUILLIGAN, *Editors*

ALBERT B. GERBIE, *Associate Editor*

HOWARD C. TAYLOR, JR., ALLAN C. BARNES, *Editors Emeritus*

Advisory committee on policy

David G. Anderson
T. Terry Hayashi
William H. Kirkley
Lawrence D. Longo
John Van S. Maeck
George W. Mitchell, Jr.
J. George Moore
Leon J. Shulman
J. C. G. Whetham
Samuel S. C. Yen

Board of corresponding editors

Oscar Aguero, *Caracas*
Fritz Beller, *Muenster/Westf.*
Pierre O. Hubinont, *Brussels*
Sir Norman Jeffcoate, *Liverpool*
Takashi Kobayashi, *Tokyo*

Volume 129
September-December, 1977
The C. V. Mosby Company
St. Louis
1977

in addition to those listed on the front cover
the Journal is the official publication
of the following societies

NEW YORK OBSTETRICAL SOCIETY
OBSTETRICAL SOCIETY OF PHILADELPHIA
BROOKLYN GYNECOLOGICAL SOCIETY
ST. LOUIS GYNECOLOGICAL SOCIETY
NEW ORLEANS GYNECOLOGICAL AND OBSTETRICAL SOCIETY
THE OBSTETRICAL AND GYNECOLOGICAL SOCIETY OF MARYLAND
CHICAGO GYNECOLOGICAL SOCIETY
CINCINNATI OBSTETRICAL AND GYNECOLOGICAL SOCIETY
WASHINGTON GYNECOLOGICAL SOCIETY
PITTSBURGH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
BOSTON OBSTETRICAL SOCIETY
LOUISVILLE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SEATTLE GYNECOLOGICAL SOCIETY
ALABAMA ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
AKRON OBSTETRICAL AND GYNECOLOGICAL SOCIETY
KANSAS CITY GYNECOLOGICAL SOCIETY
CENTRAL NEW YORK ASSOCIATION OF GYNECOLOGISTS AND OBSTETRICIANS
NEW JERSEY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
IOWA OBSTETRIC AND GYNECOLOGIC SOCIETY
THE TEXAS ASSOCIATION OF OBSTETRICIANS AND GYNECOLOGISTS
OKLAHOMA CITY OBSTETRICAL AND GYNECOLOGICAL SOCIETY
MEMPHIS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
UTAH OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ROCHESTER OBSTETRICAL AND GYNECOLOGICAL SOCIETY
ARKANSAS OBSTETRICAL AND GYNECOLOGICAL SOCIETY
TENNESSEE STATE OBSTETRICAL AND GYNECOLOGICAL SOCIETY
NEW YORK GYNECOLOGICAL SOCIETY
PACIFIC NORTHWEST OBSTETRICAL AND GYNECOLOGICAL ASSOCIATION
BUFFALO OBSTETRICAL AND GYNECOLOGICAL SOCIETY
SAN FRANCISCO GYNECOLOGICAL SOCIETY
JACKSON GYNECIC SOCIETY
INDIANA OBSTETRICAL AND GYNECOLOGICAL SOCIETY

Volume 129
Copyright © 1977 by The C. V. Mosby Company
(All rights reserved)

Printed in the United States of America

Index to volume 129

Author index*

A

Abe, Tetsuro, Furuhashi, Nobuaki, Yamaya, Yoshihiro, Wada, Yuichi, Hoshiai, Akira, and Suzuki, Masakuni. Correlation between climacteric symptoms and serum levesl of estradiol, progesterone, follicle-stimulating hormone, and luteinizing hormone, 65

Abel, F. (*see* Cefalo et al.), 434

Ackerman, Mona (*see* Frankl and Ackerman), 61

Ahuja, Satya (*see* Fisher et al.), 643

Alleman, Nancy (*see* Lee et al.), 503

Alpert, Susan (*see* Lee et al.), 150

Altshuler, Geoffrey (*see* Yamazaki, Price, and Altshuler), 703

Amstey, Marvin S. Effect of pregnancy hormones on herpesvirus and other deoxyribonucleic acid viruses, 159

Andersen, Willie A., and Harbert, Guy M., Jr. Conservative management of pre-eclamptic and eclamptic patients: A reevaluation, 260

Anderson, Stephen G., Still, J. Gordon, and Greiss, Frank C., Jr. Differential reactivity of the gravid uterine vasculatures: Effects of norepinephrine, 293

Ansbacher, Rudi (*see* Photopulos, Shirley, and Ansbacher), 533

Archer, David F. (*see* Josimovich and Archer), 777

Assali, N. S., Brinkman, C. R., III. Woods, J. R., Jr., Dandavino, A., and Nuwayhid, B. Development of neurohumoral control of fetal, neonatal, and adult cardiovascular functions, 748

—, and Vaughn, D. L. Blood volume in pre-eclampsia: Fantasy and reality, 355 (Clinical opinion)

Atienza, Milagros F. (*see* Burkman, Atienza, and King), 585

— (*see* King et al.), 817

Aula, P., Karjalainen, O., Rapola, J., Lindgren, J., and Seppälä, M. Prenatal diagnosis of the Meckel syndrome, 700 (Comm. in brief)

Ayromlooi, Jahangir, and Parsa, Hossein. Pregnancy following jejunoileal bypass for obesity, 921

B

Baer, Herman (*see* Monif, Welkos, and Baer), 614

Baird, James N., Jr., Krantz, Carl A., and DeVoe, Keith, Jr. Advanced tubal pregnancy, 223 (Comm. in brief)

Baker, Herman, Thind, Inderjit S., Frank, Oscar, DeAngelis, Barbara, Caterini, Herik, and Louria, Donald B. Vitamin levels in low–birth-weight newborn infants and their mothers, 521

Barlow, Joseph J. (*see* Piver et al.), 379

Baros, Nancy A. (*see* King et al.), 817

Barrada, M. Ismail, Virnig, Norman L., Edwards, Laura E., and Hakanson, Erick Y. Maternal intravenous ethanol in the prevention of respiratory distress syndrome, 25

Baskin, Harold F., Murray, James M., and Harris, Robert E. Low-dose heparin for prevention of thromboembolic disease in pregnancy, 590

Batson, Hiram W. K. (*see* Lee et al.), 503

Beck, Dan, Ginsburg, Haim, and Naot, Yehudith. The modulating effect of human chorionic gonadotropin on lymphocyte blastogenesis, 14

Beck, Mark (*see* d'Ablaing and Beck), 345

Becker, F. O. (*see* Northrop, Misenhimer, and Becker), 449

Beecham, Clayton T., and Skiendzielewski, John. Myoma in association with Mayer-Rokitansky-Kuester syndrome, 346 (Comm. in brief)

Beinert, W. C. (*see* Kemmann et al.), 145

Belgrad, Richard (*see* Hurt et al.), 304

Beling, C. B. (*see* Kemmann et al.), 145

Beluhan, Z. (*see* Zaneveld et al.), 368

Benigno, Benedict B. (*see* Funt, Benigno, and Thompson), 251

Bennett, Michael J. (*see* Challis and Bennett), 655

Berlin, Joyce (*see* Cole and Berlin),117

Bhattacharyya, A. K. (*see* Zaneveld et al.), 368

Blake, David A. (*see* King et al.), 817

Blanchet, Pierre, Daloze, Pierre, Lesage, Robert, Papas, Said, and Van Campenhout, Jacques. XY gonadal dysgenesis with gonadoblastoma discovered after kidney transplantation, 221 (Comm. in brief)

Blumenson, Leslie (*see* Piver et al.), 379

Bolduc, Lee R. (*see* Neuwirth, Richart, and Bolduc), 348

Bolognese, Ronald J. (*see* Corson and Bolognese), 918

— (*see* Hersh, Bolognese, and Corson), 110

Bonara, P. (*see* Rugarli et al.), 662

Boraca, Carl T. (*see* Sprang, Isaacs, and Boraca), 47

Boros, Stephen J., and Reynolds, John W. Intrauterine growth retardation following third-trimester exposure to busulfan, 111 (Comm. in brief)

Bostwick, John, III (*see* Franklin et al.), 285

Brekken, Alvin L. (*See* Fox, Harris, and Brekken), 705

Brenner, Paul F., Mishell, Daniel R., Jr., Stanczyk, Frank Z., and Goebelsmann, Uwe. Serum levels of *d*-norgestrel, luteinizing hormone, follicle-stimulating hormone, estradiol, and progesterone in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel, 133

Brinkman, C. R., III (*see* Assali et al.), 748

Brown, Zane A., Jung, August L., and Stenchever, Morton A. Aplasia cutis congenita and the fetal scalp electrode, 351 (Comm. in brief)

Bruce, Virginia T. (*see* Okada, Chow, and Bruce), 185

Burchell, R. Clay (*see* Weinfeld et al.), 698

Burgoyne, R. (*see* Enhorning et al.), 197

Burkman, Ronald T., Atienza, Milagros F., and King, Theodore M. Detachment of the uterine cervix in association with induced midtrimester abortion, 585 (Comm. in brief)

— (*see* King et al.), 817

Burns, Stephen A. (*see* Verkauf et al.), 274

Burrell, Matthew O. (*see* Franklin et al.), 285

Burrows, Stanley. Futility of routine culture of hysterectomy specimens for gonorrhea, 339 (Comm. in brief)

C

Calanog, Anthony, Sall, Sanford, Gordon, Gary G., and Southren, A. Louis. Androstenedione metabolism in patients with endometrial cancer, 553

Carson, Bonita A. (*see* Clewell, Carson, and Meschia), 384

Casthely, Sosthene, Diamandis, Harry P., and Pierre-Louis, Renan. Hilar cell tumor of the ovary: Diagnostic value of plasma testosterone by selective ovarian vein catheterization, 108 (Comm. in brief)

Caterini, Herik (*see* Baker et al.), 521

Cates, Willard, Jr. (*see* Grimes, Cates, and Tyler), 107

Cederqvist, Lars L., Merkatz, Irwin R., and Litwin, Stephen D. Fetal immunoglobulin synthesis following maternal immunosuppression, 687

— (*see* Zervoudakis and Cederqvist), 465

Cefalo, R. C., Simkovich, J. W., Abel, F., Hellegers, A. E., and Chez, R. A. Effect of potential placental surface area reduction on fetal growth, 434

Cetrulo, Curtis (*see* Gabbe et al.), 723

Challis, John R. G., and Bennett, Michael J. Cortisol binding in human amniotic fluid, 655

*September 1, 1-116; September 15, 117-238; October 1, 239-354; October 15, 355-478; November 1, 479-592; November 15, 593-714; December 1, 715-828; December 15, 829-950.

Chamberlain, D. (*see* Enhorning et al.), 197
Charles, Elsworth H., Condori, Jaime, and Sall, Sanford. Metastasis to the pericardium from squamous cell carcinoma of the cervix, 349 (Comm. in brief)
Cheatum, Sarah G. (*see* Hensleigh, Cheatum, and Spellacy), 675
Check, Jerome H., Goldfarb, Alvin F., Rakoff, Abraham E., and Jackson, Laird. Sexual infantilism related to adrenogenital syndrome in conjunction with a chromosomal defect, 919
Cheng, Mark C. E., and Rochat, Roger W. The safety of combined abortion-sterilization procedure, 548
Chez, R. A. (*see* Cefalo et al.), 434
Chin, Chang-Chen (*see* Warren, Mueller, and Chin), 788
Chow, Anthony W. (*see* Okada, Chow, and Bruce), 185
Cibils, Luis A. Clinical significance of fetal heart rate patterns during labor. IV. Agonal patterns, 833
Clewell, William H., Carson, Bonita A., and Meschia, Giacomo. Comparison of uterotrophic and vascular effects of estradiol-17β and estriol in the mature organism, 384
Cole, Philip, and Berlin, Joyce. Elective hysterectomy, 117 (Clinical opinion)
Colon, A. R. (*see* Hargus, Shearin, and Colon), 697
Condori, Jaime (*see* Charles, Condori, and Sall), 349
Connaughton, James F., Reeser, Dian, Schut, Jacob, and Finnegan, Loretta P. Perinatal addiction: Outcome and management, 679
Contreras, C. (*see* Enhorning et al.), 197
Coopland, A. T. (*see* Wodzicki and Coopland), 393
Corson, Stephen L., and Bolognese, Ronald J. Postpartum uterine atony treated with prostaglandins, 918
— (*see* Hersh, Bolognese, and Corson), 110
Courey, N. G. (*see* Shah, Courey, and Cunanan), 459
Crooks, L. Daniel, Jr. (*see* Hurt et al.), 304
Csapo, A. I., and Herczeg, J. Arrest of premature labor by isoxsuprine, 482
Cunanan, R. G., Jr. (*see* Shah, Courey, and Cunanan), 459

D

d'Ablaing, Gerrit, III, and Beck, Mark. Congenital neonatal eosinophilic cervicitis, 345 (Comm. in brief)
Dahm, Charles H., Jr., Minagawa, Junnosuke, and Jellinek, Max. Effects of progesterone on some enzymes of fat and carbohydrate metabolism in rat liver, 130
Daloze, Pierre (*see* Blanchet et al.), 221
Daly, A. Kathleen (*see* Lee et al.), 150
D'Amico, Joseph, and Israel, Robert. Bowel obstruction and perforation with an intraperitoneal loop intrauterine contraceptive device, 461 (Comm. in brief)
Dandavino, A. (*see* Assali et al.), 748
Dashow, Edward E., and Llorens, Alfred S. Resistant gonococcal infection from an intrauterine contraceptive device, 230 (Comm. in brief)
Davajan, Val (*see* Saga et al.), 154
David, Sami S. (*see* García and David), 740
Dawood, M. Yusoff, and Saxena, Brij B. Testosterone and dihydrotestosterone in maternal and cord blood and in amniotic fluid, 37
Dawson, Jeffrey R. (*see* Garcia et al.), 231
DeAngelis, Barbara (*see* Baker et al.), 521
DeVoe, Keith, Jr. (*see* Baird, Krantz, and DeVoe), 223
Diamandis, Harry P. (*see* Casthely, Diamandis, and Pierre-Louis), 108
Diengott, Daniel (*see* Granat et al.), 647
DiSaia, Philip J., and Morrow, C. Paul. Unusual side effect of megestrol acetate, 460 (Comm. in brief)
Dixon, Elizabeth (*see* Hensleigh et al.), 413
Dmytrus, K. C. (*see* Moss, Dmytrus, and Roux), 409
Doran, T. A. (*see* Piraňi et al.), 518
Doshi, Nalini, Fujikura, Toshio, and Kanbour, Anisa. Vaginal adenosis and polycystic ovaries during infancy and childhood, 374
Douglas, Ben H. (*see* Parks et al.), 464
Dubay, Mark (*see* Weifeld et al.), 698
Dubin, Norman H. (*See* King et al.), 817
Duenhoelter, Johann H., and Pritchard, Jack A. Fetal respiration, 326 (Current developments)
Dunn, Leo J. (*see* Fantl, Hurt, and Dunn), 299
Dupon, C. (*see* Schumacher et al.), 629

E

Edwards, Laura E. (*see* Barrada et al.), 25
Elrad, Haim (*see* Granat et al.), 647
Emmanouilides, George C. (*see* Thibeault and Emmanouilides), 43
Enhorning, G., Chamberlain, D., Contreras, C., Burgoyne, R., and Robertson, B. Isoxsuprine-induced release of pulmonary surfactant in the rabbit fetus, 197
Evans, Susan (*see* Moghissi et al.), 909

F

Fabio, G. (*see* Rugarli et al.), 662
Faiman, Charles (*see* Reyes, Winter, and Faiman), 557
Fantl, John Andrew, Hurt, Waverly Glenn, and Dunn, Leo J. Dysfunctional detrusor control, 299
Farrell, Philip M. (*see* Manniello and Farrell), 667
Feingold, Ellen (*see* Harper et al.), 417
Feldman, Martin J., Seeve, Carine C., and Srebnik, Elena. False positive cervical cytology: An important reason for colposcopy, 141
Fenton, Arnold N. (*see* Storch, Lane, and Fenton), 343
Finnegan, Loretta P. (*see* Connaughton et al.), 679
Fischer, Ronald P. (*see* Rothenberger et al.), 479
Fisher, Kenneth A., Ahuja, Satya, Luger, Alan, Spargo, Benjamin H., and Lindheimer, Marshall D. Nephrotic proteinuria with pre-eclampsia, 643
Fletcher, H. Stephen (*see* O'Driscoll et al.), 588
Fox, Murray E., Harris, Robert E., and Brekken, Alvin L. The active-duty military pregnancy: A new high-risk category, 705 (Comm. in brief)
Frable, William J. (*see* Hurt et al.), 304
Frank, Oscar (*see* Baker et al.), 521
Frankl, Gloria, and Ackerman, Mona. Xeromammography: Five years and 559 carcinomas, 61
Franklin, Ernest W., III, Bostwick, John, III, Burrell, Matthew O., and Powell, John L. Reconstructive techniques in radical pelvic surgery, 285
Frantz, Andrew G. (*see* Weiss et al.), 9
Freeman, Roger K. (*see* Gabbe et al.), 723
Fujikura, Toshio (*see* Doshi, Fujikura, and Kanbour), 374
Funt, Mark Ian, Benigno, Benedict B., and Thompson, John D. The residual adnexa—Asset or liability? 251
Furuhashi, Nobuaki (*see* Abe et al.), 65

G

Gabbe, Steven G., Mestman, Jorge H., Freeman, Roger K., Goebelsmann, Uwe T., Lowensohn, Richard I., Nochimson, David, Cetrulo, Curtis, and Quilligan, Edward J. Management and outcome of pregnancy in diabetes mellitus, Classes B to R, 723
Gall, Stanley A. (*see* Garcia et al.), 231
Gallant, T. E., Malinak, L. R., Gump, D. W., and Mead, P. B. *Hemophilus parainfluenzae* peritonitis associated with an intrauterine contraceptive device, 702 (Comm. in brief)
García, Celso-Ramón, and David, Sami S. Pelvic endometriosis: Infertility and pelvic pain, 740
Garcia, Jose A. Klein, Jerry L., Kutteh, William H., Dawson, Jeffrey R., and Gall, Stanley A. Immunologic studies on the cystic effusions of ovarian epithelial neoplasms, 281
Gardner, H. A. (*see* Pirani et al.), 518
Gautray, J. P., Jolivet, A., Vielh, J. P., and Guillemin, R. Presence of immunoassayable β-endorphin in human amniotic fluid: Elevation in cases of fetal distress, 211 (Current investigation)
Gemzell, C. A. (*see* Kemmann et al.), 145
Genadry, Rene, Parmley, Tim, and Woodruff, J. D. The origin and clinical behavior of the parovarian tumor, 873
Gersten-Woolf, Naola B. (*see* Harper et al.), 417
Ginsburg, Haim (*see* Beck, Ginsburg, and Naot), 14
Gisser, Susan D., and Young, Irving. Neurilemoma-like uterine myomas: An ultrastructural reaffirmation of their non-Schwannian nature, 389
Goebelsmann, Uwe (*see* Brenner et al.), 133
—. (*see* Gabbe et al.), 723
Golden, Stephen M., Merenstein, Gerald B., Todd, Warren A., and Hill, Jay M. Disseminated herpes simplex neonatorum: A complication of fetal monitoring, 917
Goldenberg, Lorraine A. (*see* White, Ory, and Goldenberg), 623

GOLDFARB, ALVIN F. (*see* CHECK ET AL.), 919
GOODLIN, ROBERT C., AND HAESSLEIN, HANNS C. Fetal reacting bradycardia, 845
GORDON, GARY G. (*see* Calanog et al.), 553
GRANAT, MENACHEM, SHARF, MORDECHAI, DIENGOTT, DANIEL, SPINDEL, AUGUSTINA, KAHANA, LUNA, AND ELRAD, HAIM. Further investigation of predictive value of human placental lactogen in high-risk pregnancies, 647
GREISS, FRANK C., JR. (*see* ANDERSON, STILL, AND GREISS), 293
GRIMES, DAVID A., CATES, WILLARD, JR., AND TYLER, CARL W., JR. Death after legal abortion by catheter placement, 107 (Comm. in brief)
GRUBER, JACK S. (*see* MOGHISSI ET AL.), 909
GUILLEMIN, ROGER. Purification, isolation, and primary structure of the hypothalamic luteinizing hormone–releasing factor of ovine origin, 214 (Classic pages)
—(*see* GAUTRAY ET AL.), 211
GUMP, D. W. (*see* GALLANT ET AL.), 702
GURPIDE, E., TSENG, L., AND GUSBERG, S. B. Estrogen metabolism in normal and neoplastic endometrium, 809
GUSBERG, S. B. (*see* GURPIDE, TSENG, AND GUSBERG), 809
GUSDON, JOHN P., JR., HEISE, EUGENE R., AND HERBST, GLENN A. Studies of lymphocyte populations in pre-eclampsia–eclampsia, 255
GUTKNECHT, G. D. (*see* ROSEMAN ET AL.), 225
GUZMAN, LORENZO G. (*see* NAJAFI AND GUZMAN), 463

H

HAESSLEIN, HANNS C. (*see* GOODLIN AND HAESSLEIN), 845
HAFEZ, E. S. E. The vagina and human reproduction, 573 (Current developments)
HAKANSON, ERICK Y. (*see* BARRADA ET AL.), 25
HALL, ELIZABETH (*see* HENSLEIGH ET AL.), 413
HALL, PHILIP W., III. (*see* SOKOL AND HALL), 208
HARBERT, GUY M., JR. Biorhythms of the pregnant uterus *(Macaca mulatta)*, 401
— AND ZUSPAN, FREDERICK P. Relationship between catecholamines and the periodicity of spontaneous uterine activity in a nonpregnant primate *(Macaca mulatta)*, 51
— (*see* ANDERSEN AND HARBERT), 260
HARGUS, EDWARD P., SHEARIN, ROBERT, AND COLON, A. R. Pulmonary embolism in a female adolescent with sickle cell trait and oral contraceptive use, 697 (Comm. in brief)
HARPER, RITA G., SOLISH, GEORGE, FEINGOLD, ELLEN, GERSTEN-WOOLF, NAOLA B., AND SOKAL, MYRON M. Maternal ingested methadone, body fluid methadone, and the neonatal withdrawal syndrome, 417
HARRIS, ROBERT E. (*see* BASKIN, MURRAY, AND HARRIS), 590
— (*see* FOX, HARRIS, AND BREKKEN), 705
HAYDEN, WILLIAM, OLSON, E. BURT, JR., AND ZACHMAN, RICHARD D. Effect of maternal isoxsuprine on fetal rabbit lung biochemical maturation, 691
HECKER, B. R., AND MCGUIRE, L. S. Psychosocial function in women treated for vaginal agenesis, 543
HEISE, EUGENE R. (*see* GUSDON, HEISE, AND HERBST), 255
HELLEGERS, A. E. (*see* CEFALO ET AL.), 434
HELLER, RICHARD H. (*see* RARY AND HELLER), 227
HENSLEIGH, PAUL A., CHEATUM, SARAH C., AND SPELLACY, WILLIAM N. Oxytocinase and human placental lactogen for prediction of intrauterine growth retardation, 675
—, LESLIE, WALTER, DIXON, ELIZABETH, HALL, ELIZABETH, KITAY, DAVID Z., AND JACKSON, JOSEPH E. Reduced dose of Rh_0(D) immune globulin following induced first-trimester abortion, 413
— (*see* JOHNSON AND HENSLEIGH), 105
HENSON, DONALD, AND TARONE, ROBERT. An epidemiologic study of cancer of the cervix, vagina, and vulva based on the Third National Cancer survey in the United States, 525
HERBST, GLENN A. (*see* GUSDON, HEISE, AND HERBST), 255
HERCZEG, J. (*see* CSAPO AND HERCZEG), 482
HERNANDEZ, LAZARO (*see* VERKAUF ET AL.), 274
HERSH, EDWARD G., BOLOGNESE, RONALD J., AND CORSON, STEPHEN L. Undiagnosed abdominal pregnancy with inadvertent prostaglandin administration, 110 (Comm. in brief)
HERTZ, ROGER H. (*see* WOLFSON ET AL.), 203
HIBBARD, LESTER T. A variation of ligature technique, 920
—. A self-retaining uterine elevator, 921
HILL, JAY M. (*see* GOLDEN ET AL.), 917
HOBBINS, JOHN C., AND MAHONEY, MAURICE J. Fetoscopy in continuing pregnancies, 440
HOCHBERG, CHARLES J. (*see* PHILLIPS ET AL.), 316
HOLMES, THOMAS F. (*see* HOLZMAN ET AL.), 124
HOLZMAN, GERALD B., SINGLETON, DIANNE, HOLMES, THOMAS F., AND MAATSCH, JACK L. Initial pelvic examination instruction: The effectiveness of three contemporary approaches, 124
HOSHIAI, AKIRA (*see* ABE ET AL.), 65
HOSSEINIAN, A. H. (*see* SCHUMACHER ET AL.), 629
HOWARTH, A. T., MORGAN, D. B., AND PAYNE, R. B. Urinary excretion of calcium in late pregnancy and its relation to creatinine clearance, 499
HURT, W. GLENN, SILVERBERG, STEVEN G., FRABLE, WILLIAM J., BELGRAD, RICHARD, AND CROOKS, L. DANIEL, JR. Adenocarcinoma of the cervix: Histopathologic and clinical features, 304
—(*see* FANTL, HURT, AND DUNN), 299

I

ISAACS, JOHN H. (*see* SPRANG, ISAACS, AND BORACA), 47
ISRAEL, ROBERT (*see* D'AMICO AND ISRAEL), 461

J

JACKSON, JOSEPH E. (*see* HENSLEIGH ET AL.), 413
JACKSON, LAIRD (*see* CHECK ET AL.), 919
JAMES, L. STANLEY (*see* MORISHIMA ET AL.), 443
JELLINEK, MAX (*see* DAHM, MINAGAWA, AND JELLINEK), 130
JOHANSSON, ELOF D. B. (*see* NILSSON, NYGREN, AND JOHANSSON), 178
JOHNSON, BRUCE, AND HENSLEIGH, PAUL A. Surfactant tests and amniotic fluid cortisol, 105 (Comm. in brief)
JOHNSON, LARRY W. Determining fetal lung maturity: A sensitive surfactant method, 190
JOLIVET, A. (*see* GAUTRAY ET AL.), 211
JONES, GEORGEANNA SEEGAR, WENTZ, ANNE COLSTON, ROSENWAKS, ZEV, AND SCHOEMAKER, JOOP. Dynamic testing of hypothalamic-pituitary function in abnormalities of ovulation, 760
JONES, J. P. (*see* KEMMANN ET AL.), 145, 341
JONES, JAMES R. (*see* KEMMANN AND JONES), 219
JONES, OLIVER W. (*see* YOUNG, MATSON, AND JONES), 21
JORDAN, ROBERT L. (*see* PARKS ET AL.), 464
JOSIMOVICH, JOHN B., AND ARCHER, DAVID F. The role of lactogenic hormones in the pregnant woman and the fetus, 777
JUNG, AUGUST L. (*see* BROWN, JUNG, AND STENCHEVER), 351

K

KAHANA, LUNA (*see* GRANAT ET AL.), 647
KANBOUR, ANISA (*see* DOSHI, FUJIKURA, AND KANBOUR), 374
KARCHMAR, J. (*see* LOW ET AL.), 857
KARJALAINEN, O. (*see* AULA ET AL.), 700
KAUFMAN, RAYMOND H. (*see* PRASAD, WERCH, AND KAUFMAN), 104
KEMMANN, E., GEMZELL, C. A., BEINERT, W. C., BELING, C. B., AND JONES, J. R. Plasma prolactin changes during the administration of human menopausal gonadotropins in nonovulatory women, 145
—, AND JONES, JAMES R. Microphthalmia and olfactogenital dysplasia: A possible relationship, 219 (Comm. in brief)
—, JONES, J. R., ORTI, E., AND TRICOMI, V. 45,X ovarian karyotype in ovulating female patient with Turner phenotype, 341 (Comm. in brief)
KENNEDY, ARLENE T. (*see* WEINFELD ET AL.), 698
KIM, D. S. (*see* ZANEVELD ET AL.), 368
KIM, M. H. (*see* SCHUMACHER ET AL.), 629
KING, THEODORE, M., DUBIN, NORMAN H., ATIENZA, MILAGROS F., BURKMAN, RONALD T., BLAKE, DAVID A., AND BAROS, NANCY A. Intra-amniotic urea and prostaglandin $F_{2\alpha}$ for midtrimester abortion: Clinical and laboratory evaluation, 817
— (*see* BURKMAN, ATIENZA, AND KING), 585
KITAY, DAVID Z. (*see* HENSLEIGH ET AL.), 413
KLEIN, JERRY L. (*see* GARCIA ET AL.), 231
KLEIN, THOMAS A., AND MISHELL, DANIEL R., JR. Absence of circulating chorionic gonadotropin in wearers of intrauterine contraceptive devices, 626
KRANTZ, CARL A. (*see* BAIRD, KRANTZ, AND DEVOE), 223
KUTTEH, WILLIAM H. (*see* GARCIA ET AL.), 231

L

Lane, Frederick E. (*see* Storch, Lane, and Fenton), 343
Lederman, Regina P., McCann, Daisy S., and Work, Bruce, Jr. Endogenous plasma epinephrine and norepinephrine in last-trimester pregnancy and labor, 5
Lee, Frederick Y. L., Batson, Hiram W. K., Alleman, Nancy, and Yamaguchi, Dean T. Fetal cardiac structure: Identification and recognition, 503
Lee, Sung C. (*see* Spratt and Lee), 699
Lee, Yhu-Hsiung, Rankin, Joel S., Alpert, Susan, Daly, A. Kathleen, and McCormack, William M. Microbiological investigation of Bartholin's gland abscesses and cysts, 150
Lein, A. (*see* Rigg, Lein, and Yen), 454
Lesage, Robert (*see* Blanchet et al.), 221
Leslie, Walter (*see* Hensleigh et al.), 413
Lin, Chin Chu (*see* Schulman et al.), 239
Lindgren, J. (*see* Aula et al.), 700
Lindheimer, Marshall D. (*see* Fisher et al.), 643
Lipshitz, Jeffrey. Use of β_2-sympathomimetic drug as a temporizing measure in the treatment of acute fetal distress, 31
Litwin, Stephen D. (*see* Cederqvist, Merkatz, and Litwin), 687
Llorens, Alfred S. (*see* Dashow and Llorens), 230
Longo, Lawrence D. The biological effects of carbon monoxide on the pregnant woman, fetus, and newborn infant, 69 (Current developments)
Louria, Donald B. (*see* Baker et al.), 521
Low, J. A., Pancham S. R., Piercy, W. N., Worthington, D., and Karchmar, J. Intrapartum fetal asphyxia: Clinical characteristics, diagnosis, and significance in relation to pattern of development, 857
Lowensohn, Richard I. (*see* Gabbe et al.), 723
Luger, Alan (*see* Fisher et al.), 643
Lutz, Myron H., Underwood, Paul B., Jr., Rozier, John C., and Putney, Floyd W. Genital malignancy in pregnancy, 536

M

Maatsch, Jack L. (*see* Holzman et al.), 124
McCann, Daisy S. (*see* Lederman, McCann, and Work), 5
McCormack, William M. (*see* Lee et al.), 150
McGuire, L. S. (*see* Hecker and McGuire), 543
Macklin, Martin (*see* Oldenburg and Macklin), 425
Macri, James N. (*see* Weiss et al.), 9
Mahoney, Maurice J. (*see* Hobbins and Mahoney), 440
Malinak, L. R. (*see* Gallant et al.), 702
Manniello, Robert L., and Farrell, Philip M. Analysis of United States neonatal mortality statistics from 1968 to 1974, with specific reference to changing trends in major causalities, 667
Matson, Melinda R. (*see* Young, Matson, and Jones), 21
Maudsley, Robert F. (*see* Roberts, Roberts, and Maudsley), 112
Mazzi, Eduardo. Possible neonatal diazepam withdrawal: A case report, 586 (Comm. in brief)
Mead, P. B. (*see* Gallant et al.), 702
Merenstein, Gerald B. (*see* Golden et al.), 917
Merkatz, Irwin R. (*see* Cederqvist, Merkatz, and Litwin), 687
Merker, Jay G. (*see* Weiss et al.), 9
Meschia, Giacomo (*see* Clewell, Carson, and Meschia), 384
Mestman, Jorge H. (*see* Gabbe et al.), 723
Milkovich, Lucille, and van den Berg, Bea J. Effects of antenatal exposure to anorectic drugs, 637
Miller, Frank C. (*see* Read and Miller), 228
— (*see* Read and Miller), 512
Millerick, Joseph D. (*see* Weinfeld et al.), 698
Minagawa, Junnosuke (*see* Dahm, Minagawa, and Jellinek), 130
Misenhimer, H. R. (*see* Northrop, Misenhimer, and Becker), 449
Mishell, Daniel R., Jr. (*see* Brenner et al.), 133
— (*see* Klein and Mishell), 626
Moghissi, Kamran S., Gruber, Jack S., Evans, Susan, and Yanez, Jose. Homologous artificial insemination, 909
Monif, Gilles R. G., Welkos, Susan L., and Baer, Herman. Clinical response of patients with gonococcal endocervicitis and endometritis-salpingitis-peritonitis to doxycycline, 614
Morgan, D. B. (*see* Howarth, Morgan, and Payne), 499
Morishima, Hisayo O., Yeh, Min-Neng, Niemann, Wendell H., and James, L. Stanley. Temperature gradient between fetus and mother as an index for assessing intrauterine fetal condition, 443
Morrow, C. Paul (*see* DiSaia and Morrow), 460
Moss, P. I., Dmytrus, K. C., and Roux, J. F. Evaluation of an impedance measurement technique for uterine contraction recording, 409
Muechler, E. K. Testosterone-producing ovarian tumor associated with erythrocytosis, hyperuricemia, and recurrent deep vein thrombosis, 467 (Comm. in brief)
Mueller, J. Robert (*see* Warren, Mueller, and Chin), 788
Mukherjee, Sushanta K. Recurrence of tubal stump pregnancy following female sexual tubal sterilization, 339 (Comm. in brief)
Murray, James M. (*see* Baskin, Murray, and Harris), 590

N

Najafi, Jalal A., and Guzman, Lorenzo G. Spontaneous pneumothorax in labor, 463 (Comm. in brief)
Nakamura, Robert M. (*see* Saga et al.), 154
Naot, Yehudith (*see* Beck, Ginsburg, and Naot), 14
Nelson, James H., Jr. (*see* Rome, Urcuyo, and Nelson), 565
Neuwirth, Robert S., Richart, Ralph M., and Bolduc, Lee R. Clinical trials with the single-application fertility-regulating device, 348 (Comm. in brief)
Nickerson, Charles W. Infertility and uterine contour, 268
Niemann, Wendell H. (*see* Morishima et al.), 443
Nilsson, Staffan, Nygren, Karl-Gösta, and Johansson, Elof D. B. *d*-Norgestrel concentrations in maternal plasma, milk, and child plasma during administration of oral contraceptives to nursing women, 178
Nochimson, David (*see* Gabbe et al.), 723
Northrop, Gretajo, Misenhimer, H. R., and Becker, F. O. Failure of parathyroid hormone to cross the nonhuman primate placenta, 449
Nuwayhid, B. (*see* Assali et al.), 748
Nygren, Karl-Gösta (*see* Nilsson, Nygren, and Johansson), 173

O

O'Driscoll, Robert G., Salerno, James G., Quartrell, Anthony C., and Fletcher, H. Stephen. A mesenteric cyst in pregnancy, 588 (Comm. in brief)
Okada, Donald M., Chow, Anthony W., and Bruce, Virginia T. Neonatal scalp abscess and fetal monitoring: Factors associated with infection, 185
Okigaki, Tohru (*see* Saga et al.), 154
Oldenburg, John T., and Macklin, Martin. Changes in the conduction of the fetal electrocardiogram to the maternal abdominal surface during gestation, 425
Olson, E. Burt, Jr. (*see* Hayden, Olson, and Zachman), 691
O'Quinn, A. Gale (*see* Rutledge et al.), 881
Orti, E. (*see* Kemmann et al.), 341
Ory, Howard W. (*see* White, Ory, and Goldenberg), 623
Ostergard, Donald R. The effect of age, gravidity, and parity on the location of the cervical squamocolumnar junction as determined by colposcopy, 59

P

Pairaudeau, N. (*see* Pirani et al.), 518
Pancham, S. R. (*see* Low et al.), 857
Papas, Said (*see* Blanchet et al.), 221
Parks, Bruce R., Jordan, Robert L., Rawson, John E., and Douglas, Ben H. Indomethacin: Studies of absorption and placental transfer, 464 (Comm. in brief)
Parmley, Tim (*see* Genadry, Parmley, and Woodruff), 873
Parsa, Hossein (*see* Ayromlooi and Parsa), 921
Payne, R. B. (*see* Howarth, Morgan, and Payne), 499
Pearlman, William H. (*see* Talbert, Pearlman, and Potter), 781
Petrakis, John K. (*see* Phillips et al.), 316
Petrie, Roy H. (*see* Steer and Petrie), 1
— (*see* Yordan, Quirk, and Petrie), 462
Phelan, Jeffrey P. Balanced reciprocal X-4 translocation in a female patient with early secondary amenorrhea, 607
—. Enhanced prediction of pregnancy-induced hypertension by combing supine pressor test with mean arterial pressure of middle trimester, 397
Phillips, James C., Hochberg, Charles J., Petrakis, John K., and Van Winkle, John D. Epidural analgesia and its effects on the "normal" progress of labor, 316
Photopulos, Guy J., Shirley, Robert E. L., Jr., and Ansbacher, Rudi. Evaluation of conventional diagnostic tests for detection of recurrent carcinoma of the cervix, 533

Piercy, W. N. (*see* Low et al.), 857
Pierre-Louis, Renan (*see* Casthely, Diamandis, and Pierre-Louis), 108
Pillay, Sasi K. (*see* Wolfson et al.), 203
Pirani, B. B. K., Pairaudeau, N., Doran, T. A., Wong, P. Y., and Gardner, H. A. Amniotic fluid testosterone in the prenatal determination of fetal sex, 518
Piver, M. Steven, Barlow, Joseph J., Vongtama, Vitune, and Blumenson, Leslie. Hydroxyurea as a radiation sensitizer in women with carcinoma of the uterine cervix, 379
Potter, Downing (*see* Talbert, Pearlman, and Potter), 781
Powell, John L. (*see* Fanklin et al.), 285
Prasad, Rupi, Werch, Angel, and Kaufman, Raymond H. A new isozyme of lactate dehydrogenase in the human placenta (?), 104 (Comm. in brief)
Pratt, Joseph H. (*see* Williams and Pratt), 245
Price, James Townley (*see* Yamazaki, Price, and Altshuler), 703
Pritchard, Jack A., and Pritchard, Signe A. Blood pressure response to estrogen-progestin oral contraceptive after pregnancy-induced hypertension, 733
— (*see* Duenhoelter and Pritchard), 326
Pritchard, Signe A. (*see* Pritchard and Pritchard), 733
Putney, Floyd W. (*see* Lutz et al.), 536

Q

Quartrell, Anthony C. (*see* O'Driscoll et al.), 588
Quattlebaum, Frank W. (*see* Rothenberger et al.), 479
Quilligan, Edward J. (*see* Gabbe et al.), 723
Quirk, J. Gerald, Jr. (*see* Yordan, Quirk, and Petrie), 462

R

Rakoff, Abraham E. (*see* Check et al.), 919
Randall, Clyde L. The obstetrician-gynecologist and reproductive health, 715
Randolph, Georgia (*see* Schulman et al.), 239
Rankin, Joel S. (*see* Lee et al.), 150
Rapola, J. (*see* Aula et al.), 700
Rary, Jack M., and Heller, Richard H. High spontaneous chromosomal aberration frequency in the cells of an amniotic fluid culture, 227 (Comm. in brief)
Rawson, John F. (*see* Parks et al.), 464
Read, John A., and Miller, Frank C. Fetal heart rate acceleration in response to acoustic stimulation as a measure of fetal well-being, 512
— and —. Technique of simultaneous direct intrauterine pressure recording for electronic monitoring of twin gestation in labor, 228 (Comm. in brief)
Reeser, Dian (*see* Connaughton et al.), 679
Reiter, Edward O. (*see* Verkauf et al.), 274
Reyes, Francisco I., Winter, Jeremy S. D., and Faiman, Charles. Pituitary-ovarian relationships preceding the menopause. I. A cross-sectional study of serum follicle-stimulating hormone, luteinizing hormone, prolactin, estradiol, and progesterone levels, 557
Reynolds, John W. (*see* Boros and Reynolds), 111
Richart, Ralph M. (*see* Neuwirth, Richart, and Bolduc), 348
Rigg, L. A., Lein, A., and Yen, S. S. C. Pattern of increase in circulating prolactin levels during human gestation, 454 (Current investigation)
Roberts, George Tregson (*see* Roberts, Roberts, and Maudsley), 112
Roberts, John T., Roberts, George Tregson, and Maudsley, Robert F. Indolent granulomatous necrosis in patients with previous tubal diathermy, 112 (Comm. in brief)
Robertson, B. (*see* Enhorning et al.), 197
Robins, Joel (*see* Weiss et al.), 9
Rochat, Roger W. (*see* Cheng and Rochat), 548
Rome, Robert M., Urcuyo, Rodrigo, and Nelson, James H., Jr. Observations on the surface area of the abnormal transformation zone associated with intraepithelial and early invasive squamous cell lesions of the cervix, 565
Roseman, T. J., Gutknecht, G. D., Stehle, R. G., and Southern, E. M. Clinical comparison of abortifacient activity of vaginally administered prostaglandin E_2 in two dosage forms, 225 (Comm. in brief)
Rosenwaks, Zev (*see* Jones et al.), 760
Ross, Griff T. Clinical relevance of research on the structure of human chorionic gonadotropin, 795
Rothenberger, David A., Quattlebaum, Frank W., Zabel, Joan, and Fischer, Ronald P. Diagnostic peritoneal lavage for blunt trauma in pregnant women, 479
Roux, J. F. (*see* Moss, Dmytrus, and Roux), 409
— (*see* Shapiro and Roux), 171
Rozier, John C. (*see* Lutz et al.), 536
Rugarli, C., Smeraldi, R. Scorza, Sabbadini, M. G., Fabio, G., and Bonara, P. Serum factors influencing spontaneous rosette formation by lymphocytes of pregnant women, 662
Rutledge, Felix N., Smith, Julian P., Wharton, J. Taylor, and O'Quinn, A. Gale. Pelvic exenteration: Analysis of 296 patients, 881

S

Sabbadini, M. G. (*see* Rugarli et al.), 662
Saga, Masahiko, Okigaki, Tohru, Davajan, Val, and Nakamura, Robert M. Mechanism of crystallization of purified human midcycle cervical mucus, 154
Salerno, James G. (*see* O'Driscoll et al.), 588
Saldana, Luis (*see* Schulman et al.), 239
Sall, Sanford (*see* Calanog et al.), 553
— (*see* Charles, Condori, and Sall), 349
Sandor, Steven M. Successful multiple resection and reconstruction of the oviduct, 344 (Comm. in brief)
Saxena, Brij B. (*see* Dawood and Saxena), 37
Schoemaker, Joop (*see* Jones et al.), 760
Schulman, Harold, Lin, Chin Chu, Saldana, Luis, and Randolph, Georgia. Quantitative analysis in the oxytocin challenge test, 239
Schumacher, G. F. B., Kim, M. H., Hosseinian, A. H., and Dupon, C. Immunoglobulins, proteinase inhibitors, albumin, and lysozyme in human cervical mucus. I. Communication: Hormonal profiles and cervical mucus changes—Methods and results, 629
— (*see* Zaneveld et al.), 368
Schut, Jacob (*see* Connaughton et al.), 679
Seeve, Carine C. (*see* Feldman, Seeve, and Srebnik), 141
Seppälä, M. (*see* Aula et al.), 700
Shah, A., Courey, N. G., and Cunanan, R. G., Jr. Pregnancy following laparoscopic tubal electrocoagulation and division, 459 (Comm. in brief)
Shapiro, Martin I., and Roux, Jacques F. Lipid transport and metabolism in the postterm rabbit, 171
Sharf, Mordechai (*see* Granat et al.), 647
Shearin, Robert (*see* Hargus, Shearin, and Colon), 697
Sher, Geoffrey. Pathogenesis and management of uterine inertia complicating abruptio placentae with consumption coagulopathy, 164
Sherman, Alfred I. Comparison of cancer cell surfaces of the lower reproductive tract by scanning electron microscopy, 893
Shinfeld, Jay S. Prolapse of the uterus during pregnancy: A report of two cases and review of management, 587 (Comm. in brief)
Shirley, Robert E. L., Jr. (*see* Photopulos, Shirley, and Ansbacher), 533
Shulman, Sidney (*see* Sudo, Shulman, and Stone), 360
Silverberg, Steven G. (*see* Hurt et al.), 304
Simkovich, J. W. (*see* Cefalo et al.), 434
Singleton, Dianne (*see* Holzman et al.), 124
Skiendzielewski, John (*see* Beecham and Skiendzielewski), 346
Smeraldi, R. Scorza (*see* Rugarli et al.), 662
Smith, Julian P. (*see* Rutledge et al.), 881
Sokal, Myron M. (*see* Harper et al.), 417
Sokol, Robert J., and Hall, Philip W., III. Fetal renal tubular function during late pregnancy and diabetes mellitus, 208
Solish, George (*see* Harper et al.), 417
Southern, E. M. (*see* Roseman et al.), 225
Southren, A. Louis (*see* Calanog et al.), 553
Spargo, Benjamin H. (*see* Fisher et al.), 643
Spellacy, William N. (*see* Hensleigh, Cheatum, and Spellacy), 675
Speroff, Leon (*see* Thliveris and Speroff), 492
Spindel, Augustina (*see* Granat et al.), 647
Sprang, M. Leroy, Isaacs, John H., and Boraca, Carl T. Management of carcinoma in situ of the cervix, 47
Spratt, Donald W., and Lee, Sung C. Verrucous carcinoma of the cervix, 699 (Comm. in brief)
Srebnik, Elena (*see* Feldman, Seeve, and Srebnik), 141

Stanczyk, Frank Z. (*see* Brenner et al.), 133
Steer, Charles M., and Petrie, Roy H. A comparison of magnesium sulfate and alcohol for the prevention of premature labor, 1
Stehle, R. G. (*see* Roseman et al.), 225
Stenchever, Morton A. (*see* Brown, Jung, and Stenchever), 351
Still, J. Gordon (*see* Anderson, Still, and Greiss), 293
Stone, Martin L. (*see* Sudo, Shulman, and Stone), 360
Storch, Marc P., Lane, Frederick E., and Fenton, Arnold N. Hyperlipoproteinemia and acute hemorrhagic pancreatitis complicating pregnancy, 343 (Comm. in brief)
Sudo, Norihito, Shulman, Sidney, and Stone, Martin L. Antibodies to spermatozoa. IX. Sperm-agglutination phenomenon in cervical mucus in vitro: A possible cause of infertility, 360
Suzuki, Masakuni (*see* Abe et al.), 65

T

Talbert, Luther M., Pearlman, William H., and Potter, H. Downing. Maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in vaginal delivery and cesarean section, 781
Tarone, Robert (*see* Henson and Tarone), 525
Thibeault, Donald W., and Emmanouilides, George C. Prolonged rupture of fetal membranes and decreased frequency of respiratory distress syndrome and patent ductus arteriosus in preterm infants, 43
Thind, Inderjit S. (*see* Baker et al.), 521
Thliveris, James A., and Speroff, Leon. Ultrastructure of the placental villi, chorion laeve, and decidua parietalis in normal and hypertensive pregnant women, 492
Thompson, John D. (*see* Funt, Benigno, and Thompson), 251
Thornton, William E. Folate deficiency in puerperal psychosis, 222 (Comm. in brief)
Timor-Tritsch, Ilan E. (*see* Wolfson et al.), 203
Todd, Warren A. (*see* Golden et al.), 917
Tricomi, V. (*see* Kemmann et al.), 341
Tseng, L. (*see* Gurpide, Tseng, and Gusberg), 809
Tyler, Carl W., Jr. (*see* Grimes, Cates, and Tyler), 107

U

Underwood, Paul B., Jr. (*see* Lutz et al.), 536
Urcuyo, Rodrigo (*see* Rome, Urcuyo, and Nelson), 565

V

Van Campenfout, Jacques (*see* Blanchet et al.), 221
van den Berg, Bea J. (*see* Milkovich and van den Berg), 637
Van Winkle, John D. (*see* Phillips et al.), 316
Vaughn, D. L. (*see* Assali and Vaughn), 355
Verkauf, Barry S., Reiter, Edward O., Hernandez, Lazaro, and Burns, Stephen A. Virilization of mother and fetus associated with luteoma of pregnancy: A case report with endocrinologic studies, 274
Vielh, J. P. (*see* Gautray et al.), 211
Virnig, Norman L. (*see* Barrada et al.), 25
Vongtama, Vitune (*see* Piver et al.), 379

W

Wada, Yuichi (*see* Abe et al.), 65
Warren, James C., Mueller, J. Robert, and Chin, Chang-Chen. Structure of the steroid-binding site of human placental estradiol-17β-dehydrogenase, 788
Weinfeld, Robert H., Dubay, Mark, Burchell, R. Clay, Millerick, Joseph D., and Kennedy, Arlene T. Pregnancy associated with anorexia and starvation, 698 (Comm. in brief)
Weiss, Robert R., Frantz, Andrew G., Macri, James N., Robins, Joel, and Merker, Jay G. Prolactin and human placental lactogen changes in maternal serum and amniotic fluid in midtrimester induced abortions, 9
Welkos, Susan L. (*see* Monif, Welkos, and Baer), 614
Wentz, Anne Colston (*see* Jones et al.), 760
Werch, Angel (*see* Prasad, Werch, and Kaufman), 104
Wharton, J. Taylor (*see* Rutledge et al.), 881
White, Michael K., Ory, Howard W., and Goldenberg, Lorraine A. A case-control study of uterine perforations documented at laparoscopy, 623
Williams, Bradford T. Pelvic abscess associated with repeated recovery of veillonella, 342 (Comm. in brief)
Williams, Tiffany J., and Pratt, Joseph H. Endometriosis in 1,000 consecutive celiotomies: Incidence and management, 245
Winter, Jeremy S. D. (*see* Reyes, Winter, and Faiman), 557
Wodzicki, A. M., and Coopland, A. T. Coagulation and the hypertensive diseases of pregnancy, 393
Wolfson, Robert N., Zador, Ivan E., Pillay, Sasi K., Timor-Tritsch, Ilan E., and Hertz, Roger H. Antenatal investigation of human fetal systolic time intervals, 203
Wong, P. Y. (*see* Pirani et al.), 518
Woodruff, J. D. (*see* Genadry, Parmley, and Woodruff), 873
Woods, J. R., Jr. (*see* Assali et al.), 748
Work, Bruce, Jr. (*see* Lederman, McCann, and Work), 5
World Health Organization Task Force on the Use of Prostaglandins for the Regulation of Fertility. Prostaglandins and abortion. I. Intramuscular administration of 15-methyl prostaglandin $F_{2\alpha}$ for induction of abortion in weeks 10 to 20 of pregnancy, 593
—. II. Single extra-amniotic administration of 0.92 mg. of 15-methyl prostaglandin $F_{2\alpha}$ in Hyskon for termination of pregnancies in weeks 10 to 20 of gestation: An international multicenter study, 597
—. III. Comparison of single intra-amniotic injections of 15-methyl prostaglandin $F_{2\alpha}$ and prostaglandin $F_{2\alpha}$ for termination of second-trimester pregnancy: An international multicenter study, 601
Worthington, D. (*see* Low et al.), 857

Y

Yamaguchi, Dean T. (*see* Lee et al.), 503
Yamaya, Yoshihiro (*see* Abe et al.), 65
Yamazaki, Kazuo, Price, James Townley, and Altshuler, Geoffrey. A placental view of the diagnosis and pathogenesis of congenital listeriosis, 703 (Comm. in brief)
Yanez, Jose (*see* Moghissi et al.), 909
Yeh, Min-Neng (*see* Morishima et al.), 443
Yen, S. S. C. (*see* Rigg, Lein, and Yen), 454
Yordan, Egardo L., Jr., Quirk, J. Gerald, Jr., and Petrie, Roy H. A nearly fatal case of placenta percreta, 462 (Comm. in brief)
Young, Irving (*see* Gisser and Young),389
Young, Philip E., Matson, Melinda R., and Jones, Oliver W. Fetal exsanguination and other vascular injuries from midtrimester genetic amniocentesis, 21

Z

Zabel, Joan (*see* Rothenberger et al.), 479
Zachman, Richard D. (*see* Hayden, Olson, and Zachman), 691
Zador, Ivan E. (*see* Wolfson et al.), 203
Zaneveld, L. J. D., Bhattacharyya, A. K., Kim, D. S., Schumacher, G. F. B., and Beluhan, Z. Primate model for the evaluation of vaginal contraceptives, 368
Zervoudakis, Ioannis A., and Cederqvist, Lars L. Effect of *Listeria monocytogenes* septicemia during pregnancy on the offspring, 465 (Comm. in brief)
Zuspan, Frederick P. (*see* Harbert and Zuspan), 51

Subject index*

A

Abortifacient activity of vaginally administered prostaglandin E_2 in two dosage forms, clinical comparison of (Roseman et al.), 225 (Comm. in brief)
Abortion(s), first-trimester, induced, reduced dose of Rh_0(D) immune globulin following (Hensleigh et al.), 413
induced midtrimester, detachment of uterine cervix in association with (Burkman, Atienza, and King), 585 (Comm. in brief)
induction of, in weeks 10 to 20 of pregnancy, intramuscular administration of 15-methyl prostaglandin $F_2\alpha$ for (WHO Task Force), 593 (Clinical opinion)
legal, by catheter placement, death after (Grimes, Cates, and Tyler), 107 (Comm. in brief)
midtrimester induced, prolactin and human placental lactogen changes in maternal serum and amniotic fluid in (Weiss et al.), 9
intra-amniotic urea and prostaglandin $F_2\alpha$ for: Clinical and laboratory evaluation (King et al.), 817
and prostaglandins: I, 593; II, 597; III, 601 (WHO Task Force (Clinical opinion)
-sterilization procedure, combined, safety of (Cheng and Rochat), 548
Abruptio placentae with consumption coagulopathy, uterine inertia complicating, pathogenesis and management of (Sher), 164
Addiction, perinatal: outcome and management (Connaughton et al.), 679
Adult, fetal, and neonatal cardiovascular functions, development of neurohumoral control of (Assali et al.), 748
Adenocarcinoma of cervix, histopathologic and clinical features (Hurt et al.), 304
Adenosis, vaginal, and polycystic ovaries during infancy and childhood (Doshi, Fujikura, and Kanbour), 374
Adnexa, residual—asset or liability? (Funt, Benigno, and Thompson), 251
Adrenogenital syndrome, sexual infantilism related to, in conjunction with chromosomal defect (Check et al.), 919 (Comm. in brief)
Age, effect of, on location of cervical squamocolumnar junction as determined by colposcopy (Ostergard), 59
Agonal patterns, IV. Clinical significance of fetal heart rate patterns during labor (Cibils), 833
Albumin, lysozyme, immunoglobulins, and proteinase inhibitors in human cervical mucus. I. Communication: hormonal profiles and cervical mucus changes—methods and results (Schumacher et al.), 629
Alcohol and magnesium sulfate, comparison of, for prevention of premature labor (Steer and Petrie), 1
Amenorrhea, early secondary, balanced reciprocal X-4 translocation in female patient with (Phelan, Upton, and Summitt), 607
American Gynecological Society, transactions, one hundredth annual meeting, 715-824, 833-915
Journal of Obstetrics and Gynecology, consultants for, 829 (Consultants)
Amniocentesis, midtrimester genetic, fetal exsanguination and other vascular injuries from (Young, Matson, and Jones), 21
Amniotic fluid cortisol and surfactant tests (Johnson and Hensleigh), 105 (Comm. in brief)
culture, high spontaneous chromosomal aberration frequency in cells of (Rary and Heller), 227 (Comm. in brief)
human, cortisol binding in (Challis and Bennett), 655
presence of immunoassayable β-endorphin in: elevation in cases of fetal distress (Gautray et al.), 211 (Current investigation)
and maternal serum, prolactin and human placental lactogen changes in, in midtrimester induced abortions (Weiss et al.), 9
testosterone in prenatal determination of fetal sex (Pirani et al.), 518
Analgesia, epidural, and its effects on "normal" progress of labor (Phillips et al.), 316
Androstenedione metabolism in patients with endometrial cancer (Calanog et al.), 553
Anorectic drugs, effects of antenatal exposure to (Milkovich and van den Berg), 637
Anorexia and starvation, pregnancy associated with (Weinfeld et al.), 698 (Comm. in brief)
Antenatal exposure to anorectic drugs, effects of (Milkovich and van den Berg), 637
Aplasia cutis congenita and fetal scalp electrode (Brown, Jung, and Stenchever), 351 (Comm. in brief)
Artificial insemination, homologous (Moghissi et al.), 909
Asphyxia, intrapartum fetal: Clinical characteristics, diagnosis, and significance in relation to pattern of development (Low et al.), 857
Atony, postpartum uterine, treated with prostaglandins (Corson and Bolognese), 918 (Comm. in brief)

B

Bartholin's gland abscesses and cysts, microbiological investigation of (Lee et al.), 150
β-Endorphin, immunoassayable, presence of, in human amniotic fluid: elevation in cases of fetal distress (Gautray et al.), 211 (Current investigation)
β_2-Sympathomimetic drug, use of, as temporizing measure in treatment of acute fetal distress (Lipshitz), 31
Binding, corticosteroid-, globulin, total cortisol and cortisone, and unbound cortisol, maternal and fetal serum levels of, in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
steroid-, site of human placental estradiol-17β-dehydrogenase, structure of (Warren, Mueller, and Chin), 788
Biorhythms of pregnant uterus *(Macaca mulatta)* (Harbert), 401
Blastogenesis, lymphocyte, modulating effect of human chorionic gonadotropin on (Beck, Ginsburg, and Naot), 14
Blood pressure response to estrogen-progestin oral contraceptive after pregnancy-induced hypertension (Pritchard and Pritchard), 733
volume in pre-eclampsia: fantasy and reality (Assali and Vaughn), 355 (Clinical opinion)
Books received, 238, 478, 714, 933
Bowel obstruction and perforation with intraperitoneal loop IUD (D'Amico and Israel), 461 (Comm. in brief)
Bradycardia, fetal reacting (Goodlin and Haesslein), 845
Busulfan, third-trimester exposure to, intrauterine growth retardation following (Boros and Reynolds), 111 (Comm. in brief)
Bypass, jejunoileal, for obesity, pregnancy following (Ayromlooi and Parsa), 921 (Comm. in brief)

C

Calcium, urinary excretion of, in late pregnancy and its relation to creatinine clearance (Howarth, Morgan, and Payne), 499
Cancer cell surfaces of lower reproductive tract, comparison of, by scanning electron microscopy (Sherman), 893
endometrial, androstenedione metabolism in patients with (Calanog et al.), 553
Survey, Third National, in U. S., epidemiologic study of cancer of cervix, vagina, and vulva based on (Henson and Tarone), 525
Carbohydrate and fat metabolism in rat liver, effects of progesterone on some enzymes of (Dahm, Minagawa, and Jellinek), 130
Carbon monoxide, biological effects of, on pregnant woman, fetus, and newborn infant (Longo), 69 (Current developments)
Carcinoma of cervix, recurrent, evaluation of conventional diagnostic tests for detection of (Photopulos, Shirley, and Ansbacher), 533

*September 1, 1-116; September 15, 117-238; October 1, 239-354; October 15, 355-478; November 1, 479-592; November 15, 593-714; December 1, 715-828; December 15, 829-950.

Carcinoma of cervix—Cont'd
squamous cell, metastasis from, to pericardium (Charles, Condori, and Sall), 349 (Comm. in brief)
verrucous (Spratt and Lee), 699 (Comm. in brief)
role of xeromammography in (Frankl and Ackerman), 61
in situ of cervix, management of (Sprang, Isaacs, and Boraca), 47
of uterine cervix, hydroxyurea as radiation sensitizer in women with (Piver et al.), 379
Cardiac structure, fetal, identification and recognition (Lee et al.), 503
Cardiovascular functions, fetal, neonatal, and adult, development of neurohumoral control of (Assali et al.), 748
Catecholamines and periodicity of spontaneous uterine activity, relationship between, in nonpregnant primate (Harbert and Zuspan), 51
Catheter placement for legal abortion, death after (Grimes, Cates, and Tyler), 107 (Comm. in brief)
Celiotomies, 1,000 consecutive, endometriosis in: incidence and management (Williams and Pratt). 245
Cell surfaces, cancer, of lower reproductive tract, comparison of, by scanning electron microscopy (Sherman), 893
Cervical cytology, false positive: important reason for colposcopy (Feldman, Seeve, and Srebnik), 141
mucus changes and hormonal profiles (Schumacher et al.), 629
human, immunoglobulins, proteinase inhibitors, albumin, and lysozyme in (Schumacher et al.), 629
purified human midcycle, mechanism of crystallization of (Saga et al.), 154
in vitro, sperm-agglutination phenomenon in: possible cause of infertility (Sudo, Shulman, and Stone), 360
squamocolumnar junction, location of, as determined by colposcopy, effect of age, gravidity, and parity on (Ostergard), 59
Cervicitis, congenital neonatal eosinophilic (d'Ablaing and Beck), 345 (Comm. in brief)
Cervix, adenocarcinoma of, histopathologic and clinical features (Hurt et al.), 304
cancer of, epidemiologic study of, based on Third National Cancer Survey in U. S. (Henson and Tarone), 525
carcinoma of, recurrent, evaluation of conventional diagnostic tests for detection of (Photopulos, Shirley, and Ansbacher), 533
verrucous (Spratt and Lee), 699 (Comm. in brief)
in situ of, management of (Sprang, Isaacs, and Boraca), 47
intraepithelial and early invasive squamous cell lesions of, observations on surface area of abnormal transformation zone associated with (Rome, Urcuyo, and Nelson), 565
squamous cell carcinoma of, metastasis from, to pericardium (Charles, Condori, and Sall), 349 (Comm. in brief)
uterine, carcinoma of, hydroxyurea as radiation sensitizer in women with (Piver et al.), 379
detachment of, in association with induced midtrimester abortion (Burkman, Atienza, and King), 585 (Comm. in brief)
Cesarean section, vaginal delivery and, maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in (Talbert, Pearlman, and Potter), 781
Child plasma, *d*-norgestrel concentrations in, during administration of oral contraceptives to nursing women (Nilsson, Nygren, and Johansson), 178
Chorion laeve, ultrastructure of, in normal and hypertensive pregnant women (Thliveris and Speroff), 492
Chorionic gonadotropin, human, clinical relevance of research on structure of (Ross), 795
Chromosomal aberration frequency, high spontaneous, in cells of amniotic fluid culture (Rary and Heller), 227 (Comm. in brief)
defect, sexual infantilism related to adrenogenital syndrome in conjunction with (Check et al.), 919 (Comm. in brief)
Classic pages, 68, 213-218, 324-325, 457-458, 571-572, 695-696, 825-826, 916
Climacteric symptoms and serum levels of estradiol, progesterone, follicle-stimulating hormone, and luteinizing hormone, correlation between (Abe et al.), 65
Clinical opinion, 117-123, 355-359, 593-606
Coagulation and hypertensive diseases of pregnancy (Wodzicki and Coopland), 393
Coagulopathy, consumption, uterine inertia complicating abruptio placentae with, pathogenesis and management of (Sher), 164
Colposcopy, effect of age, gravidity, and parity on location of cervical squamocolumnar junction as determined by (Ostergard), 59
Colposcopy—Cont'd
false positive cervical cytology important reason for (Feldman, Seeve, and Srebnik), 141
Communications in brief, 104-113, 219-230, 339-352, 459-469, 585-591, 697-707, 917-922
Consultants for American Journal of Obstetrics and Gynecology, 829 (Consultants)
Contraceptive(s) device(s), intrauterine, absence of circulating chorionic gonadotropin in wearers of (Klein and Mishell), 626
Hemophilus parainfluenzae peritonitis associated with (Gallant et al.), 702 (Comm. in brief)
resistant gonococcal infection from (Dashow and Llorens), 230 (Comm. in brief)
estrogen-progestin oral, blood pressure response to, after pregnancy-induced hypertension (Pritchard and Pritchard), 733
oral, administration of, to nursing women, *d*-norgestrel concentrations in maternal plasma, milk, and child plasma during (Nilsson, Nygren, and Johansson), 178
containing *dl*-norgestrel, serum levels of *d*-norgestrel, luteinizing hormone, follicle-stimulating hormone, estradiol, and progesterone in women during and following ingestion of (Brenner et al.), 133
use and sickle cell trait, pulmonary embolism in female adolescent with (Hargus, Shearin, and Colon), 697 (Comm. in brief)
vaginal, primate model for evaluation of (Zaneveld et al.), 368
Correspondence, 231-237, 470-477, 708-713, 923
Corticosteroid-binding globulin, total cortisol and cortisone, and unbound cortisol, maternal and fetal serum levels of, in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
Cortisol, amniotic fluid, and surfactant tests (Johnson and Hensleigh), 105 (Comm. in brief)
binding in human amniotic fluid (Challis and Bennett), 655
and cortisone, total, unbound cortisol, and corticosteroid-binding globulin, maternal and fetal serum levels of, in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
Cortisone, cortisol and, total, unbound cortisol, and corticosteroid-binding globulin, maternal and fetal serum levels of, in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
Creatinine clearance, urinary excretion of calcium in late pregnancy and its relation to (Howarth, Morgan, and Payne), 499
Current developments, 69-103, 326-338, 573-584
investigation, 211-212, 454-456
Cystic effusions of ovarian epithelial neoplasms, immunologic studies on (Garcia et al.), 281

D

d-Norgestrel concentrations in maternal plasma, milk, and child plasma during administration of oral contraceptives to nursing women (Nilsson, Nygren, and Johansson), 178
serum levels of, in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel (Brenner et al.), 133
dl-Norgestrel, combination oral contraceptives containing, serum levels of *d*-norgestrel, luteinizing hormone, follicle-stimulating hormone, estradiol, and progesterone in women during and following ingestion of (Brenner et al.), 133
Death after legal abortion by catheter placement (Grimes, Cates, and Tyler), 107 (Comm. in brief)
Decidua parietalis, ultrastructure of, in normal and hypertensive pregnant women (Thliveris and Speroff), 492
Dehydrogenase, estradiol-17β-, human placental, structure of steroid-binding site of (Warren, Mueller, and Chin), 788
Delivery, vaginal, and cesarean section, maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in (Talbert, Pearlman, and Potter), 781
Deoxyribonucleic acid viruses, effect of pregnancy hormones on (Amstey), 159
Detrusor control, dysfunctional (Fantl, Hurt, and Dunn), 299
Diabetes mellitus, Classes B to R, management and outcome of pregnancy in (Gabbe et al.), 723
fetal renal tubular function during (Sokol and Hall), 208

Diathermy, tubal, previous, indolent granulomatous necrosis in patients with (Roberts, Roberts, and Maudsley), 112 (Comm. in brief)
Diazepam withdrawal, neonatal, possible, case report (Mazzi), 586 (Comm. in brief)
Dihydrotestosterone and testosterone in maternal and cord blood and amniotic fluid (Dawood and Saxena), 37
Disseminated herpes simplex neonatorum: Complication of fetal monitoring (Golden et al.), 917 (Comm. in brief)

E

Eclampsia–pre-eclampsia, studies of lymphocyte populations in (Gusdon, Heise, and Herbst), 255
Eclamptic and pre-eclamptic patients, conservative management of: re-evaluation (Andersen and Harbert), 260
Electrocardiogram, fetal, changes in conduction of, to maternal abdominal surface during gestation (Oldenburg and Macklin), 425
Electron microscopy, scanning, comparison of cancer cell surfaces of lower reproductive tract by (Sherman), 893
Elevator, self-retaining uterine (Hibbard), 921 (Comm. in brief)
Embolism, pulmonary, in female adolescent with sickle cell trait and oral contraceptive use (Hargus, Shearin, and Colon), 697 (Comm. in brief)
Endocervicitis, gonococcal, and endometritis-salpingitis-peritonitis, clinical response of patients with, to doxycycline (Monif, Welkos, and Baer), 614
Endometrial cancer, androstenedione metabolism in patients with (Calanog et al.), 553
Endometriosis in 1,000 consecutive celiotomies: incidence and management (Williams and Pratt), 245
  pelvic: Infertility and pelvic pain (Garcia and David), 740
Endometritis-salpingitis-peritonitis and gonococcal endocervicitis, clinical response of patients with, to doxycycline (Monif, Welkos, and Baer), 614
Endometrium, normal and neoplastic, estrogen metabolism in (Gurpide, Tseng, and Gusberg), 809
Epidural analgesia and its effects on "normal" progress of labor (Phillips et al.), 316
Epinephrine and norepinephrine, endogenous plasma, in last-trimester pregnancy and labor (Lederman, McCann, and Work), 5
Erratum, 42
Erythrocytosis associated with testosterone-producing ovarian tumor (Muechler), 467 (Comm. in brief)
Estradiol, progesterone, follicle-stimulating hormone, luteinizing hormone, and prolactin, serum levels, cross-sectional study (Reyes, Winter, and Faiman), 557
  serum level(s) of, and climacteric symptoms, correlation between (Abe et al.), 65
    in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel (Brenner et al.), 133
  -17β and estriol, comparison of uterotrophic and vascular effects of, in mature organism (Clewell, Carson, and Meschia), 384
  -dehydrogenase, human placental, structure of steroid-binding site of (Warren, Mueller, and Chin), 788
Estriol and estradiol-17β, comparison of uterotrophic and vascular effects of, in mature organism (Clewell, Carson, and Meschia), 384
Estrogen metabolism in normal and neoplastic endometrium (Gurpide, Tseng, and Gusberg), 809
  -progestin oral contraceptive, blood pressure response to, after pregnancy-induced hypertension (Pritchard and Pritchard), 733
Ethanol, maternal intravenous, in prevention of respiratory distress syndrome (Barrada et al.), 25
Exenteration, pelvic: Analysis of 296 patients (Rutledge et al.), 881

F

$F_2\alpha$, prostaglandin, and urea, intra-amniotic, for midtrimester abortion: Clinical and laboratory evaluation (King et al.), 817
Fat and carbohydrate metabolism in rat liver, effects of progesterone on some enzymes of (Dahm, Minagawa, and Jellinek), 130
Fertility-regulating device, single-application, clinical trials with (Neuwirth, Richart, and Bolduc), 348 (Comm. in brief)
Fetal asphyxia, intrapartum: Clinical characteristics, diagnosis, and significance in relation to pattern of development (Low et al.), 857
Fetal—Cont'd
  cardiac structure, identification and recognition (Lee et al.), 503
  condition, intrauterine, temperature gradient between fetus and mother as index for assessing (Morishima et al.), 443
  distress, acute, use of β_2-sympathomimetic drug as temporizing measure in treatment of (Lipshitz), 31
    elevation of immunoassayable β-endorphin in human amniotic fluid in cases of (Gautray et al.), 211 (Current investigation)
  ECG, changes in conduction of, to maternal abdominal surface during gestation (Oldenburg and Macklin), 425
  exsanguination and other vascular injuries from midtrimester genetic amniocentesis (Young, Matson, and Jones), 21
  growth, effect of potential placental surface area reduction on (Cefalo et al.), 434
  heart rate acceleration in response to acoustic stimulation as measure of fetal well-being (Read and Miller), 512
    patterns during labor, clinical significance of. IV. Agonal patterns (Cibils), 833
  immunoglobulin synthesis following maternal immunosuppression (Cederqvist, Merkatz, and Litwin), 687
  lung maturity, determining: sensitive surfactant method (Johnson), 190
  membranes, prolonged rupture of, and decreased frequency of respiratory distress syndrome and patent ductus arteriosus in preterm infants (Thibeault and Emmanouilides), 43
  monitoring, complication of: Disseminated herpes simplex neonatorum (Golden et al.), 917 (Comm. in brief)
    and neonatal scalp abscess: factors associated with infection (Okada, Chow, and Bruce), 185
  neonatal, and adult cardiovascular functions, development of neurohumoral control of (Assali et al.), 748
  reacting bradycardia (Goodlin and Haesslein), 845
  renal tubular function during late pregnancy and diabetes mellitus (Sokol and Hall), 208
  respiration (Duenhoelter and Pritchard), 326 (Current developments)
  scalp electrode and aplasia cutis congenita (Brown, Jung, and Stenchever), 351 (Comm. in brief)
  serum levels, maternal and, of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
  sex, prenatal determination of, amniotic fluid testosterone in (Pirani et al.), 518
  systolic time intervals, antenatal investigation of (Wolfson et al.), 203
  well-being, fetal heart rate acceleration in response to acoustic stimulation as measure of (Read and Miller), 512
Fetoscopy in continuing pregnancies (Hobbins and Mahoney), 440
Fetus, biological effects of carbon monoxide on (Longo), 69 (Current developments)
  pregnant woman and, role of lactogenic hormones in (Josimovich and Archer), 777
  rabbit, isoxsuprine-induced release of pulmonary surfactant in (Enhorning et al.), 197
Folate deficiency in puerperal psychosis (Thornton), 222 (Comm. in brief)
Follicle-stimulating hormone, luteinizing hormone, prolactin, estradiol, and progesterone, serum levels, cross-sectional study (Reyes, Winter, and Faiman), 557
  serum level(s) of, and climacteric symptoms, correlation between (Abe et al.), 65
    in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel (Brenner et al.), 133

G

Genital malignancy in pregnancy (Lutz et al.), 536
Gestation, human, pattern of increase in circulating prolactin levels during (Rigg, Lein, and Yen), 454 (Current investigation)
Globulin, corticosteroid-binding, total cortisol and cortisone, and unbound cortisol, maternal and fetal serum levels of, in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
  Rh_o(D), immune, reduced dose of, following induced first-trimester abortion (Hensleigh et al.), 413
Gonadal dysgenesis, XY, with gonadoblastoma discovered after kidney transplantation (Blanchet et al.), 221 (Comm. in brief)
Gonadoblastoma with XY gonadal dysgenesis discovered after kidney transplantation (Blanchet et al.), 221 (Comm. in brief)

Gonadotropin(s), chorionic, circulating, absence of, in wearers of IUD's (Klein and Mishell), 626
human chorionic, clinical relevance of research on structure of (Ross), 795
modulating effect of, on lymphocyte blastogenesis (Beck, Ginsburg, and Naot), 14
menopausal, administration of, in nonovulatory women, plasma prolactin changes during (Kemmann et al.), 145
Gonococcal endocervicitis and endometritis-salpingitis-peritonitis, clinical response of patients with, to doxycycline (Monif, Welkos, and Baer), 614
infection, resistant, from IUD (Dashow and Llorens), 230 (Comm. in brief)
Gonorrhea, futility of routine culture of hysterectomy specimens for (Burrows), 339 (Comm. in brief)
Gravidity, effect of, on location of cervical squamocolumnar junction as determined by colposcopy (Ostergard), 59
Growth retardation, intrauterine, following third-trimester exposure to busulfan (Boros and Reynolds), 111 (Comm. in brief)
oxytocinase and human placental lactogen for prediction of (Hensleigh, Cheatum, and Spellacy), 675
Gynecologist, obstetrician-, and reproductive health (Randall), 715

H

Health, reproductive, obstetrician-gynecologist and (Randall), 715
Heart rate, fetal, acceleration in response to acoustic stimulation as measure of fetal well-being (Read and Miller), 512
patterns, fetal, during labor, clinical significance of. IV. Agonal patterns (Cibils), 833
Hemophilus parainfluenzae peritonitis associated with IUD (Gallant et al.), 702 (Comm. in brief)
Heparin, low-dose, for prevention of thromboembolic disease in pregnancy (Baskin, Murray, and Harris), 590 (Comm. in brief)
Herpes simplex neonatorum, disseminated: Complication of fetal monitoring (Golden et al.), 917 (Comm. in brief)
Herpesvirus, effect of pregnancy hormones on (Amstey), 159
Hilar cell tumor of ovary: diagnostic value of plasma testosterone by selective ovarian vein catheterization (Casthely, Diamandis, and Pierre-Louis), 108 (Comm. in brief)
Homologous artificial insemination (Moghissi et al.), 909
Hormonal profiles and cervical mucus changes (Schumacher et al.) 629
Hormones, lactogenic, role of, in pregnant woman and fetus (Josimovich and Archer), 777
pregnancy, effect of, on herpesvirus and other DNA viruses (Amstey), 159
Hydroxyurea as radiation sensitizer in women with carcinoma of uterine cervix (Piver et al.), 379
Hyperlipoproteinemia and acute hemorrhagic pancreatitis complicating pregnancy (Storch, Lane, and Fenton), 343 (Comm. in brief)
Hypertension, pregnancy-induced, blood pressure response to estrogen-progestin oral contraceptive after (Pritchard and Pritchard), 733
enhanced prediction of, by combining supine pressor test with mean arterial pressure of middle pregnancy (Phelan), 397
Hypertensive diseases of pregnancy and coagulation (Wodzicki and Coopland), 393
Hyperuricemia associated with testosterone-producing ovarian tumor (Muechler), 467 (Comm. in brief)
Hypothalamic luteinizing hormone–releasing factor of ovine origin, purification, isolation, and primary structure of (Guillemin), 214 (Classic pages)
-pituitary function, dynamic testing of, in abnormalities of ovulation (Jones et al.), 760
Hysterectomy, elective (Cole and Berlin), 117 (Clinical opinion)
specimens, futility of routine culture of, for gonorrhea (Burrows), 339 (Comm. in brief)

I

Immunoglobulin(s), proteinase inhibitors, albumin, and lysozyme in human cervical mucus. I. Communication: hormonal profiles and cervical mucus changes—methods and results (Schumacher et al.), 629
synthesis, fetal, following maternal immunosuppression (Cederqvist, Merkatz, and Litwin), 687
Immunosuppression, maternal, fetal immunoglobulin synthesis following (Cederqvist, Merkatz, and Litwin), 687
Impedance measurement technique, evaluation of, for uterine contraction recording (Moss, Dmytrus, and Roux), 409
Indomethacin, studies of absorption and placental transfer (Parks et al.), 464 (Comm. in brief)
Infantilism, sexual, related to adrenogenital syndrome in conjunction with chromosomal defect (Check et al.), 919 (Comm. in brief)
Infection, factors associated with: neonatal scalp abscess and fetal monitoring (Okada, Chow, and Bruce), 185
Infertility and pelvic pain: Pelvic endometriosis (Garcia and David), 740
sperm-agglutination phenomenon in cervical mucus in vitro possible cause of (Sudo, Shulman, and Stone), 360
and uterine contour (Nickerson), 268
Insemination, homologous artificial (Moghissi et al.), 909
Intra-amniotic urea and prostaglandin $F_{2\alpha}$ for midtrimester abortion: Clinical and laboratory evaluation (King et al.), 817
Intrapartum fetal asphyxia: Clinical characteristics, diagnosis, and significance in relation to pattern of development (Low et al.), 857
Intrauterine contraceptive device, intraperitoneal loop, bowel obstruction and perforation with (D'Amico and Israel), 461 (Comm. in brief)
pressure recording, technique of simultaneous direct, for electronic monitoring of twin gestation in labor (Read and Miller), 228 (Comm. in brief)
Isoxsuprine, arrest of premature labor by (Csapo and Herczeg), 482
-induced release of pulmonary surfactant in rabbit fetus (Enhorning et al.), 197
maternal, effect of, on fetal rabbit lung biochemical maturation (Hayden, Olson, and Zachman), 691
Items, 114-116, 353-354, 592, 827-828, 934

J

Jejunoileal bypass for obesity, pregnancy following (Ayromlooi and Parsa), 921 (Comm. in brief)

K

Kidney transplantation, XY gonadal dysgenesis with gonadoblastoma discovered after (Blanchet et al.), 221 (Comm. in brief)

L

Labor, clinical significance of fetal heart rate patterns during. IV. Agonal patterns (Cibils), 833
and last-trimester pregnancy, endogenous plasma epinephrine and norepinephrine in (Lederman, McCann, and Work), 5
"normal" progress of, effects of epidural analgesia on (Phillips et al.), 316
premature, arrest of, by isoxsuprine (Csapo and Herczeg), 482
prevention of, comparison of magnesium sulfate and alcohol for (Steer and Petrie), 1
spontaneous pneumothorax in (Najafi and Guzman), 463 (Comm. in brief)
Lactate dehydrogenase, new isozyme of, in human placenta (?) (Prasad, Werch, and Kaufman), 104 (Comm. in brief)
Lactogen, human placental, further investigation of predictive value of, in high-risk pregnancies (Granat et al.), 647
and oxytocinase for prediction of intrauterine growth retardation (Hensleigh, Cheatum, and Spellacy), 675
and prolactin changes in maternal serum and amniotic fluid in midtrimester induced abortions (Weiss et al.), 9
Lactogenic hormones, role of, in pregnant woman and fetus (Josimovich and Archer), 777
Laparoscopy, uterine perforations documented at, case-control study of (White, Ory, and Goldenberg), 623
Ligature technique, variation of (Hibbard), 920 (Comm. in brief)
Lipid transport and metabolism in postterm rabbit (Shapiro and Roux), 171
Listeria monocytogenes septicemia during pregnancy, effect on offspring (Zervoudakis and Cederqvist), 465 (Comm. in brief)
Listeriosis, congenital, placental view of diagnosis and pathogenesis of (Yamazaki, Price, and Altshuler), 703 (Comm. in brief)
Liver, rat, some enzymes of fat and carbohydrate metabolism in, effects of progesterone on (Dahm, Minagawa, and Jellinek), 130
Lung, fetal, maturity, determining: sensitive surfactant method (Johnson), 190
rabbit, biochemical maturation, effect of maternal isoxsuprine on (Hayden, Olson, and Zachman), 691

Luteinizing hormone, prolactin, estradiol, progesterone, and follicle-stimulating hormone, serum levels, cross-sectional study (Reyes, Winter, and Faiman), 557
–releasing factor of ovine origin, purification, isolation, and primary structure of (Guillemin), 214 (Classic pages)
serum level(s) of, and climacteric symptoms, correlation between (Abe et al.), 65
in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel (Brenner et al.), 133
Luteoma of pregnancy associated with virilization of mother and fetus: case report with endocrinologic studies (Verkauf et al.), 274
Lymphocyte(s) blastogenesis, modulating effect of human chorionic gonadotropin on (Beck, Ginsburg, and Naot), 14
populations in pre-eclampsia–eclampsia, studies of (Gusdon, Heise, and Herbst), 255
of pregnant women, spontaneous rosette formation by, serum factors influencing (Rugarli et al.), 662
Lysozyme, immunoglobulins, proteinase inhibitors, and albumin in human cervical mucus. I. Communication: hormonal profiles and cervical mucus changes—methods and results (Schumacher et al.), 629

M

Magnesium sulfate and alcohol, comparison of, for prevention of premature labor (Steer and Petrie), 1
Maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
plasma, *d*-norgestrel concentrations in, during administration of oral contraceptives to nursing women (Nilsmon, Nygren, and Johansson), 178
Mayer-Rokitansky-Kuester syndrome in association with myoma (Beecham and Skiendzielewski, 345 (Comm. in brief)
Meckel syndrome, prenatal diagnosis of (Aula et al.), 700 (Comm. in brief)
Megestrol acetate, unusual side effect of (DiSaia and Morrow), 460 (Comm. in brief)
Mellitus, diabetes, Classes B to R, management and outcome of pregnancy in (Gabbe et al.), 723
Menopausal gonadotropins, human, administration of, in nonovulatory women, plasma prolactin changes during (Kemmann et al.), 145
Menopause, pituitary-ovarian relationships preceding, cross-sectional study (Reyes, Winter, and Faiman), 557
Mesenteric cyst in pregnancy (O'Driscoll et al.), 588 (Comm. in brief)
Metabolism, estrogen, in normal and neoplastic endometrium (Gurpide, Tseng, and Gusberg), 809
Methadone, maternal ingested and body fluid, and neonatal withdrawal syndrome (Harper et al.), 417
Microphthalmia and olfactogenital dysplasia: possible relationship (Kemmann and Jones), 219 (Comm. in brief)
Microscopy, scanning electron, comparison of cancer cell surfaces of lower reproductive tract by (Sherman), 893
Midtrimester abortion, intra-amniotic urea and prostaglandin $F_2\alpha$ for: Clinical and laboratory evaluation (King et al.), 817
Milk, *d*-norgestrel concentrations in, during administration of oral contraceptives to nursing women (Nilsson, Nygren, and Johansson), 178
Monitoring, fetal, complication of: Disseminated herpes simplex neonatorum (Golden et al.), 917 (Comm. in brief)
Myoma(s) in association with Mayer-Rokitansky-Kuester syndrome (Beecham and Skiendzielewski), 346 (Comm. in brief)
uterine, neurilemoma-like: ultrastructural reaffirmation of their non-Schwannian nature (Gisser and Young) 389

N

Necrosis, indolent granulomatous, in patients with previous tubal diathermy (Roberts, Roberts, and Maudsley), 112 (Comm. in brief)
Neonatal, adult, and fetal cardiovascular functions, development of neurohumoral control of (Assali et al.), 748
diazepam withdrawal, possible, case report (Mazzi), 586 (Comm. in brief)
eosinophilic cervicitis, congenital (d'Ablaing and Beck), 345 (Comm. in brief)
Neonatal—Cont'd
mortality statistics, United States, from 1968 to 1974, analysis of, with specific reference to changing trends in major causalities (Manniello and Farrell), 667
withdrawal syndrome, maternal ingested methadone and body fluid methadone and (Harper et al.), 417
Neonatorum, disseminated herpes simplex: Complication of fetal monitoring (Golden et al.), 917 (Comm. in brief)
Neoplasms, ovarian epithelial, cystic effusions of, immunologic studies on (Garcia et al.), 281
Neoplastic endometrium, normal and, estrogen metabolism in (Gurpide, Tseng, and Gusberg), 809
Nephrotic proteinuria with pre-eclampsia (Fisher et al.), 643
Neurilemoma-like uterine myomas: ultrastructural reaffirmation of their non-Schwannian nature (Gisser and Young), 389
Neurohumoral control of fetal, neonatal, and adult cardiovascular functions, development of (Assali et al.), 748
Newborn infant(s), biological effects of carbon monoxide on (Longo), 69 (Current developments)
low–birth-weight, and their mothers, vitamin levels in (Baker et al.), 521
Norepinephrine, effects of, on differential reactivity of gravid uterine vasculatures (Anderson, Still, and Greiss), 293
and epinephrine, endogenous plasma, in last-trimester pregnancy and labor (Lederman, McCann, and Work), 5

O

Obesity, pregnancy following jejunoileal bypass for (Ayromlooi and Parsa), 921 (Comm. in brief)
Obstetrician-gynecologist and reproductive health (Randall), 715
Olfactogenital dysplasia and microphthalmia: possible relationship (Kemmann and Jones), 219 (Comm. in brief)
Oral contraceptive, estrogen-progestin, blood pressure response to, after pregnancy-induced hypertension (Pritchard and Pritchard), 733
Ovarian epithelial neoplasms, cystic effusions of, immunologic studies on (Garcia et al.), 281
karyotype 45,X in ovulating female patient with Turner phenotype (Kemmann et al.), 341 (Comm. in brief)
-pituitary relationships preceding menopause, cross-sectional study (Reyes, Winter, and Faiman), 557
tumor, testosterone-producing, associated with erythrocytosis, hyperuricemia, and recurrent deep vein thrombosis (Muechler), 467 (Comm. in brief)
Ovary (ovaries), hilar cell tumor of: diagnostic value of plasma testosterone by selective ovarian vein catheterization (Casthely, Diamandis, and Pierre-Louis), 108 (Comm. in brief)
polycystic, and vaginal adenosis during infancy and childhood (Doshi, Fujikura, and Kanbour), 374
Oviduct, successful multiple resection and reconstruction of (Sandor), 344 (Comm. in brief)
Ovulation, dynamic testing of hypothalamic-pituitary function in abnormalities of (Jones et al.), 760
Oxytocin challenge test, quantitative analysis in (Schulman et al.), 239
Oxytocinase and human placental lactogen for prediction of intrauterine growth retardation (Hensleigh, Cheatum, and Spellacy), 675

P

Pain, pelvic, infertility and: Pelvic endometriosis (Garcia and David), 740
Pancreatitis, acute hemorrhagic, and hyperlipoproteinemia complicating pregnancy (Storch, Lane, and Fenton), 343 (Comm. in brief)
Parathyroid hormone, failure of, to cross nonhuman primate placenta (Northrop, Misenhimer, and Becker), 449
Parity, effect of, on location of cervical squamocolumnar junction as determined by colposcopy (Ostergard), 59
Parovarian tumor, origin and clinical behavior of (Genadry, Parmley, and Woodruff), 873
Patent ductus arteriosus, decreased frequency of, in preterm infants (Thibeault and Emmanouilides), 43
Pelvic abscess associated with repeated recovery of veillonella (Williams), 342 (Comm. in brief)
endometriosis: Infertility and pelvic pain (Garcia and David), 740
examination instruction, initial: effectiveness of three contemporary approaches (Holzman et al.), 124
exenteration: Analysis of 296 patients (Rutledge et al.), 881

Pelvic—Cont'd
surgery, radical, reconstructive techniques in (Franklin et al.), 285
Pericardium, metastasis to, from squamous cell carcinoma of cervix (Charles, Condori, and Sall), 349 (Comm. in brief)
Perinatal addiction: outcome and management (Connaughton et al.), 679
Peritoneal lavage, diagnostic, for blunt trauma in pregnant women (Rothenberger et al.), 479
Peritonitis-endometritis-salpingitis and gonococcal endocervicitis, clinical response in patients with, to doxycycline (Monif, Welkos, and Baer), 614
Hemophilus parainfluenzae, associated with IUD (Gallant et al.), 702 (Comm. in brief)
Pituitary, hypothalamic-, function, dynamic testing of, in abnormalities of ovulation (Jones et al.), 760
-ovarian relationships preceding menopause, cross-sectional study (Reyes, Winter, and Faiman), 557
Placenta, human, new isozyme of lactate dehydrogenase in (?) (Prasad, Werch, and Kaufman), 104 (Comm. in brief)
nonhuman primate, failure of parathyroid hormone to cross (Northrop, Misenhimer, and Becker), 449
percreta, nearly fatal case of (Yordan, Quirk, and Petrie), 462 (Comm. in brief)
Placental estradiol-17β-dehydrogenase, human, structure of steroid-binding site of (Warren, Mueller, and Chin), 788
surface area, potential, reduction of, effect on fetal growth (Cefalo et al.), 434
view of diagnosis and pathogenesis of congenital listeriosis (Yamazaki, Price, and Altshuler), 703 (Comm. in brief)
villi, ultrastructure of, in normal and hypertensive pregnant women (Thliveris and Speroff), 492
Pneumothorax, spontaneous, in labor (Najafi and Guzman), 463 (Comm. in brief)
Postpartum uterine atony treated with prostaglandins (Corson and Bolognese), 918 (Comm. in brief)
Pre-eclampsia, blood volume in: fantasy and reality (Assali and Vaughn), 355 (Clinical opinion)
with nephrotic proteinuria (Fisher et al.), 643
Pre-eclamptic and eclamptic patients, conservative management of: re-evaluation (Andersen and Harbert), 260
Pregnancy (pregnancies), active-duty military: new high-risk category (Fox, Harris, and Brekken), 705 (Comm. in brief)
associated with anorexia and starvation (Weinfeld et al.), 698 (Comm. in brief)
complicated by hyperlipoproteinemia and acute hemorrhagic pancreatitis (Storch, Lane, and Fenton), 343 (Comm. in brief)
continuing, fetoscopy in (Hobbins and Mahoney), 440
effect of *Listeria monocytogenes* septicemia during, on offspring (Zervoudakis and Cederqvist), 465 (Comm. in brief)
following jejunoileal bypass for obesity (Ayromlooi and Parsa), 921 (Comm. in brief)
laparoscopic tubal electrocoagulation and division (Shah, Courey, and Cunanan), 459 (Comm. in brief)
genital malignancy in (Lutz et al.), 536
high-risk, further investigation of predictive value of human placental lactogen in (Granat et al.), 647
hormones, effect of, on herpesvirus and other DNA viruses (Amstey), 159
hypertensive diseases of, and coagulation (Wodzicki and Coopland), 393
-induced hypertension, blood pressure response to estrogen-progestin oral contraceptive after (Pritchard and Pritchard), 733
enhanced prediction of, by combining supine pressor test with mean arterial pressure of middle trimester (Phelan), 397
last-trimester, and labor, endogenous plasma epinephrine and norepinephrine in (Lederman, McCann, and Work), 5
late, fetal renal tubular function during (Sokol and Hall), 208
urinary excretion of calcium in, and its relation to creatinine clearance (Howarth, Morgan, and Payne), 499
mesenteric cyst in (O'Driscoll et al.), 588 (Comm. in brief)
management and outcome of, in diabetes mellitus, Classes B to R (Gabbe et al.), 723
prolapse of uterus during, report of two cases and review of management (Schinfeld), 587 (Comm. in brief)
second-trimester, termination of, comparison of single intra-amniotic injections of 15-methyl prostaglandin $F_2\alpha$ and prostaglandin $F_2\alpha$ for: international multicenter study (WHO Task Force), 601 (Clinical opinion)

Pregnancy—Cont'd
thromboembolic disease in, low-dose heparin for prevention of (Baskin, Murray, and Harris), 590 (Comm. in brief)
tubal, advanced (Baird, Krantz, and De Voe), 223 (Comm. in brief)
stump, recurrence of, following female sexual tubal sterilization (Mukherjee), 339 (Comm. in brief)
undiagnosed abdominal, with inadvertent prostaglandin administration (Hersh, Bolognese, and Corson), 110 (Comm. in brief)
in weeks 10 to 20 of gestation, termination of, single extra-amniotic administration of 0.92 mg. of 15-methyl prostaglandin $F_2\alpha$ in Hyskon for: international multicenter study (WHO Task Force), 597 (Clinical opinion)
Pregnant woman (women), biological effects of carbon monoxide on (Longo), 69 (Current developments)
diagnostic peritoneal lavage for blunt trauma in (Rothenberger et al.), 479
and fetus, role of lactogenic hormones in (Josimovich and Archer), 777
lymphocytes of, spontaneous rosette formation by, serum factors influencing (Rugarli et al.), 662
Pressor test, supine, combined with mean arterial pressure of middle trimester: enhanced prediction of pregnancy-induced hypertension (Phelan), 397
Pressure response, blood, to estrogen-progestin oral contraceptive after pregnancy-induced hypertension (Pritchard and Pritchard), 733
Preterm infants, prolonged rupture of fetal membranes and decreased frequency of respiratory distress syndrome and patent ductus arteriosus in (Thibeault and Emmanouilides), 43
Progesterone, effects of, on some enzymes of fat and carbohydrate metabolism in rat liver (Dahm, Minagawa, and Jellinek), 130
follicle-stimulating hormone, luteinizing hormone, estradiol, prolactin, and progesterone, serum levels, cross-sectional study (Reyes, Winter, and Faiman), 557
serum level(s) of, and climacteric symptoms, correlation between (Abe et al.), 65
in women during and following ingestion of combination oral contraceptives containing *dl*-norgestrel (Brenner et al.), 133
Progestin, estrogen-, oral contraceptive, blood pressure response to, after pregnancy-induced hypertension (Pritchard and Pritchard), 733
Prolactin, estradiol, progesterone, follicle-stimulating hormone, and luteinizing hormone, serum levels, cross-sectional study (Reyes, Winter, and Faiman), 557
and human placental lactogen changes in maternal serum and amniotic fluid in midtrimester induced abortions (Weiss et al.), 9
levels during human gestation, pattern of increase in circulating (Rigg, Lein, and Yen), 454 (Current investigation)
plasma, changes during administration of human menopausal gonadotropins in nonovulatory women (Kemmann et al.), 145
Prostaglandin(s) and abortion: I, 593; II, 597; III, 601 (WHO Task Force) (Clinical opinion)
administration, inadvertent, undiagnosed abdominal pregnancy with (Hersh, Bolognese, and Corson), 110 (Comm. in brief)
E_2 in two dosage forms, clinical comparison of abortifacient activity of vaginally administered (Roseman et al.), 225 (Comm. in brief)
$F_2\alpha$, 15-methyl, intramuscular administration of, for induction of abortion in weeks 10 to 20 of pregnancy (WHO Task Force), 593 (Clinical opinion)
prostaglandin $F_2\alpha$, comparison of single intra-amniotic injections of, for termination of second-trimester pregnancy: international multicenter study (WHO Task Force) 601 (Clinical opinion)
single extra-amniotic administration of 0.92 mg of, in Hyskon, for termination of pregnancies in weeks 10 to 20 of gestation: international multicenter study (WHO Task Force), 597 (Clinical opinion)
and urea, intra-amniotic, for midtrimester abortion: Clinical and laboratory evaluation (King et al.), 817
postpartum uterine atony treated with (Corson and Bolognese), 918 (Comm. in brief)
Proteinase inhibitors, albumin, lysozyme, and immunoglobulins in human cervical mucus. I. Communication: hormonal profiles and cervical mucus changes—methods and results (Schumacher et al.), 629

Proteinuria, nephrotic, with pre-eclampsia (Fisher et al.), 643
Psychosocial function in women treated for vaginal agenesis (Hecker and McGuire), 543
Puerperal psychosis, folate deficiency in (Thornton), 222 (Comm. in brief)
Pulmonary embolism in female adolescent with sickle cell trait and oral contraceptive use (Hargus, Shearin, and Colon), 697 (Comm. in brief)
surfactant, isoxsuprine-induced release of, in rabbit fetus (Enhorning et al.), 197

R

Radiation sensitizer in women with carcinoma of uterine cervix, hydroxyurea as (Piver et al.), 379
Renal tubular function, fetal, during late pregnancy and diabetes mellitus (Sokol and Hall), 208
Reproduction, human, and vagina (Hafez), 573 (Current developments)
Reproductive health, obstetrician-gynecologist and (Randall), 715
tract, lower, comparison of cancer cell surfaces of, by scanning electron microscopy (Sherman), 893
Respiratory distress syndrome, decreased frequency of, in preterm infants (Thibeault and Emmanouilides), 43
maternal intravenous ethanol in prevention of (Barrada et al.), 25
Rosette formation, spontaneous, by lymphocytes of pregnant women, serum factors influencing (Rugarli et al.), 662

S

Salpingitis-peritonitis-endometritis and gonococcal endocervicitis, clinical response in patients with, to doxycycline (Monif, Welkos, and Baer), 614
Scalp abscess, neonatal, and fetal monitoring: factors associated with infection (Okada, Chow, and Bruce), 185
Scanning electron microscopy, comparison of cancer cell surfaces of lower reproductive tract by (Sherman), 893
Section, cesarean, vaginal delivery and, maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in (Talbert, Pearlman, and Potter), 781
Septicemia, *Listeria monocytogenes*, during pregnancy, effect on offspring (Zervoudakis and Cederqvist), 465 (Comm. in brief)
Serum factors influencing spontaneous rosette formation by lymphocytes of pregnant women (Rugarli et al.), 662
levels, maternal and fetal, of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in vaginal delivery and cesarean section (Talbert, Pearlman, and Potter), 781
maternal, and amniotic fluid, prolactin and human placental lactogen changes in, in midtrimester induced abortions (Weiss et al.), 9
17β, estradiol-, -dehydrogenase, human placental, structure of steroid-binding site of (Warren, Mueller, and Chin), 788
Sex, fetal, prenatal determination of, amniotic fluid testosterone in (Pirani et al.), 518
Sexual infantilism related to adrenogenital syndrome in conjunction with chromosomal defect (Check et al.), 919 (Comm. in brief)
Sickle cell trait and oral contraceptive use, pulmonary embolism in female adolescent with (Hargus, Shearin, and Colon), 697 (Comm. in brief)
Simplex neonatorum, disseminated herpes: Complication of fetal monitoring (Golden et al.), 917 (Comm. in brief)
South Atlantic Association of Obstetricians and Gynecologists, transactions, thirty-ninth annual meeting, 239-323
Sperm-agglutination phenomenon in cervical mucus in vitro: possible cause of infertility (Sudo, Shulman, and Stone), 360
Spermatozoa, antibodies to: sperm-agglutination phenomenon in cervical mucus in vitro possible cause of infertility (Sudo, Shulman, and Stone), 360
Sterilization-abortion procedure, combined, safety of (Cheng and Rochat), 548
Steroid-binding site of human placental estradiol-17β-dehydrogenase, structure of (Warren, Mueller, and Chin), 788
Surfactant method, sensitive, for determining fetal lung maturity (Johnson), 190
pulmonary, isoxsuprine-induced release of, in rabbit fetus (Enhorning et al.), 197
Surfactant—Cont'd
tests and amniotic fluid cortisol (Johnson and Hensleigh), 105 (Comm. in brief)
Syndrome, adrenogenital, sexual infantilism related to, in conjunction with chromosomal defect (Check et al.), 919 (Comm. in brief)
Systolic time intervals, human fetal, antenatal investigation of (Wolfson et al.), 203

T

Temperature gradient between fetus and mother as index for assessing intrauterine fetal condition (Morishima et al.), 443
Testing, dynamic, of hypothalamic-pituitary function in abnormalities of ovulation (Jones et al.), 760
Testosterone in amniotic fluid in prenatal determination of fetal sex (Pirani et al.), 518
and dihydrotestosterone in maternal and cord blood and amniotic fluid (Dawood and Saxena), 37
plasma, diagnostic value of, by selective ovarian vein catheterization, in hilar cell tumor of ovary (Casthely, Diamandis, and Pierre-Louis), 108 (Comm. in brief)
-producing ovarian tumor associated with erythrocytosis, hyperuricemia, and recurrent deep vein thrombosis (Muechler), 467 (Comm. in brief)
Thromboembolic disease in pregnancy, low-dose heparin for prevention of (Baskin, Murray, and Harris), 590 (Comm. in brief)
Thrombosis, recurrent deep vein, associated with testosterone-producing ovarian tumor (Muechler), 467 (Comm. in brief)
Tract, lower reproductive, comparison of cancer cell surfaces of, by scanning electron microscopy (Sherman), 893
Transactions, one hundredth annual meeting, American Gynecological Society, 715-824, 833-915
thirty-ninth annual meeting, South Atlantic Association of Obstetricians and Gynecologists, 239-323
Transformation zone, abnormal, observations on surface area of, associated with intraepithelial and early invasive squamous cell lesions of cervix (Rome, Urcuyo, and Nelson), 565
Translocation, X-4, balanced reciprocal, in female patient with early secondary amenorrhea (Phelan, Upton, and Summitt), 607
Tubal electrocoagulation and division, laparoscopic, pregnancy following (Shah, Courey, and Cunanan), 459 (Comm. in brief)
pregnancy, advanced (Baird, Krantz, and De Voe), 223 (Comm. in brief)
stump pregnancy, recurrence of, following female sexual tubal sterilization (Mukherjee), 339 (Comm. in brief)
Tumor, hilar cell, of ovary: diagnostic value of plasma testosterone by selective ovarian vein catheterization (Casthely, Diamandis, and Pierre-Louis), 108 (Comm. in brief)
ovarian, testosterone-producing, associated with erythrocytosis, hyperuricemia, and recurrent deep vein thrombosis (Muechler), 467 (Comm. in brief)
parovarian, origin and clinical behavior of (Genadry, Parmley, and Woodruff), 873
Turner phenotype, 45,X ovarian karyotype in ovulating female patient with (Kemmann et al.), 341 (Comm. in brief)
Twin gestation in labor, electronic monitoring of, technique of simultaneous direct intrauterine pressure recording for (Read and Miller), 228 (Comm. in brief)

U

Urea and prostaglandin $F_2\alpha$, intra-amniotic, for midtrimester abortion: Clinical and laboratory evaluation (King et al.), 817
Urinary excretion of calcium in late pregnancy and its relation to creatinine clearance (Howarth, Morgan, and Payne), 499
Uterine activity, spontaneous, periodicity of, and catecholamines, relationship between, in nonpregnant primate (Harbert and Zuspan), 51
atony, postpartum, treated with prostaglandins (Corson and Bolognese), 918 (Comm. in brief)
cervix, detachment of, in association with induced midtrimester abortion (Burkman, Atienza, and King), 585 (Comm. in brief)
contour and infertility (Nickerson), 268
contraction recording, impedance measurement technique for, evaluation of (Moss, Dmytrus, and Roux), 409
elevator, self-retaining (Hibbard), 921 (Comm. in brief)
inertia complicating abruptio placentae with consumption coagulopathy, pathogenesis and management of (Sher), 164

Uterine—Cont'd
myomas, neurilemoma-like: ultrastructural reaffirmation of their non-Schwannian nature (Gisser and Young), 389
perforations documented at laparoscopy, case-control study of (White, Ory, and Goldenberg), 623
vasculatures, gravid, differential reactivity of effects of norepinephrine (Anderson, Still, and Greiss), 293
Uterotrophic and vascular effects of estradiol-17β and estriol, comparison of, in mature organism (Clewell, Carson, and Meschia), 384
Uterus, pregnant, biorhythms of *(Macaca mulatta)* (Harbert), 401
prolapse of, during pregnancy, report of two cases and review of management (Schinfeld), 587 (Comm. in brief)

V

Vagina, cancer of, epidemiologic study of, based on Third National Cancer Survey in U. S. (Henson and Tarone), 525
and human reproduction (Hafez), 573 (Current developments)
Vaginal agenesis, psychosocial function in women treated for (Hecker and McGuire), 543
delivery and cesarean section, maternal and fetal serum levels of total cortisol and cortisone, unbound cortisol, and corticosteroid-binding globulin in (Talbert, Pearlman, and Potter), 781
Vascular injuries from midtrimester genetic amniocentesis (Young, Matson, and Jones), 21
and uterotrophic effects of estradiol-17β and estriol, comparison of, in mature organism (Clewell, Carson, and Meschia), 384
Veillonella, repeated recovery of, associated with pelvic abscess (Williams), 342 (Comm. in brief)
Verrucous carcinoma of cervix (Spratt and Lee), 699 (Comm. in brief)
Virilization of mother and fetus associated with luteoma of pregnancy: case report with endocrinologic studies (Verkauf et al.), 274
Viruses, herpes and other DNA, effect of pregnancy hormones on (Amstey), 159
Vitamin levels in low–birth-weight newborn infants and their mothers (Baker et al.), 521
Vulva, cancer of, epidemiologic study of, based on Third National Cancer Survey in U. S. (Henson and Tarone), 525

W

Woman, pregnant, and fetus, role of lactogenic hormones in (Josimovich and Archer), 777

X

Xeromammography: 5 years and 559 carcinomas (Frankl and Ackerman), 61